



| | |
|-------------------------|--|
| Title | Coupling Characteristics of Multicore Photonic Crystal Fiber-Based 1 × 4 Power Splitters |
| Author(s) | Varshney, Shailendra K.; Saitoh, Kunimasa; Sinha, Ravindra K.; Koshiba, Masanori |
| Citation | Journal of Lightwave Technology, 27(12), 2062-2068 https://doi.org/10.1109/JLT.2008.2006692 |
| Issue Date | 2009-06-15 |
| Doc URL | http://hdl.handle.net/2115/38856 |
| Rights | © 2009 IEEE. Personal use of this material is permitted. However, permission to reprint/republish this material for advertising or promotional purposes or for creating new collective works for resale or redistribution to servers or lists, or to reuse any copyrighted component of this work in other works must be obtained from the IEEE. |
| Type | article |
| File Information | 27-12_p2062-2068.pdf |



[Instructions for use](#)

Coupling Characteristics of Multicore Photonic Crystal Fiber-Based 1×4 Power Splitters

Shailendra K. Varshney, *Member, IEEE, OSA*, Kunimasa Saitoh, *Member, IEEE, OSA*, Ravindra K. Sinha, *OSA*, and Masanori Koshiba, *Fellow, IEEE, OSA*

Abstract—A new design of multicore photonic crystal fibers (PCFs) is proposed and investigated through full-vectorial finite-element method and finite-element beam propagation method. The fiber design comprises four identical cores surrounding a central core. The optical power launched into the central core is equally divided into other neighboring four cores with a 25% of coupling ratio. The coupled-mode analysis is also carried out to understand the supermode patterns and the coupling characteristics. Through numerical simulations, it is demonstrated that the optical power can be divided equally in a 5.8-mm-long multicore PCF. The power coupling characteristics obtained through coupled-mode analysis are in very good agreement with those calculated from beam propagation method solver.

Index Terms—Fiber couplers, finite-element methods (FEMs), microstructured fibers, optical fiber devices, photonic crystal fiber, power splitter.

I. INTRODUCTION

MULTICORE optical fibers play a significant role in dividing/combining the optical power in optical fiber networks. A single power can be divided into several branches and can be routed to different locations for additional purposes. Several approaches have been adapted to process and route the optical power in N branches. Among them, the most common approach is the fusion of several identical or nonidentical optical fibers together by keeping mutual contact in the fusion region. This fusion process results in the tapered region of fused optical materials, where exchange of powers occurs through proximity coupling. It has been observed that splitters using fewer than six surrounding fibers are difficult to make, as one has to use dummy fibers, e.g., it may be difficult to make 1×4 power splitters using conventional optical fibers. However, 2×2 , 4×4 , and 1×7 fiber couplers/splitters can be made by fusing conventional optical fibers [1]–[5]. On the other hand, with the ad-




Fig. 1. Schematic view of multicore PCF-based 1×4 .

vent of novel photonic crystal fibers (PCFs) [6] or so-called holey fibers or microstructured fibers, where the airholes are distributed in silica matrix and run down the entire fiber length, it has become possible to create multicores in a single fiber without fusion process. This makes PCFs a versatile candidate for optical power division or combining. It is rather easy to split the light into surrounding cores in multicore PCFs. Previous studies have used two/three cores PCFs to obtain coupling characteristics [7], [8], wavelength-flattened couplers [9], narrow bandpass filters [10], [11], and multicores in PCFs have been created to achieve frequency combs by four-wave mixing [12], phase-locking [13], and fiber laser array [14].

In this paper, we propose and investigate a new design of a multicore PCF that can divide a single optical power equally into four ports with 6 dB of power in each core. The design consists of four identical cores surrounding an identical central core. Each core is surrounded by small airholes, which are created in order to have a complete power transfer among the cores. To optimize the performance of the proposed device, we use a full-vectorial finite-element method (FEM) [15] and the beam propagation method (BPM) [16]. Through numerical simulations, it has been revealed that the complete power transfer takes place in a 5.8-mm-long multicore PCF having $d/\Lambda = 0.45$ and $d'/\Lambda = 0.23$, where d , d' , and Λ are the hole diameter of the cladding, small airholes, and pitch constant of the PCF, as shown in Fig. 1. A good agreement is observed between the BPM and coupled-mode theory (CMT) results.

The paper is divided into five sections. Section I gives an overview of the previous works. In Section II, fiber design and the methodology to achieve proposed design are described. The

Manuscript received May 26, 2008; revised September 16, 2008. First published April 17, 2009; current version published June 24, 2009. The work of S. K. Varshney and R. K. Sinha was supported by the Japan Society for Promotion of Science (JSPS).

S. K. Varshney was with the Division of Media and Network Technologies, Hokkaido University, Sapporo 060-0814, Japan. He is now with the Department of Electrical and Electronic Computer Engineering, Indian Institute of Technology, Kharagpur 721 302, India (e-mail: skvarshney_10@yahoo.co.uk).

K. Saitoh and M. Koshiba are with the Division of Media and Network Technologies, Hokkaido University, Sapporo 060-0814, Japan (e-mail: ksaitoh@ist.hokudai.ac.jp; koshiba@ist.hokudai.ac.jp).

R. K. Sinha is with the Department of Applied Physics, Delhi College of Engineering, University of Delhi, Delhi 110 042, India (e-mail: dr_rk_sinha@yahoo.com).

Color versions of one or more of the figures in this paper are available online at <http://ieeexplore.ieee.org>.

Digital Object Identifier 10.1109/JLT.2008.2006692

CMT for the proposed multicore PCF is derived in Section III, and analysis has been done on supermodes patterns. Numerical results obtained from FEM, BPM, and CMT are presented in Section IV. Finally, concluding remarks have been made in Section V.

II. FIBER DESIGN

Fig. 1 shows the proposed multicore PCF design. The airholes with diameter d and pitch constant Λ build the cladding where single missing airholes from several locations create multicores. In our design, five cores are created as marked by the numbers from 1 to 5. The core 1 is the central core, where a single optical power is launched. Cores 2 and 4 are placed horizontally, while the cores 3 and 5 are aligned vertically. The positions of the cores are selected in such a manner that the symmetry of the structure does not break up. This allows us to simplify the problem, i.e., we can use one quarter section of the proposed multicore PCF structure to evaluate the coupling characteristics. Note that the distance between the cores 1 and 2 and the cores 1 and 3 is different. Therefore, the coupling coefficients for cores 1–2 and cores 1–3 would be different. In order to have an equal transfer of the power in the neighboring cores, the horizontal and vertical coupling coefficients must be equal. This can be achieved if we increase the vertical coupling coefficient. To predict the equal coupling coefficients for horizontal and vertical coupling, we decrease the diameter of airholes (denoted by d') located just above and below of each cores, as shown by red circles in Fig. 1. The size of small airhole can be obtained and optimized when the horizontal and vertical coupling coefficients become equal. The refractive index of background material silica is 1.45 in our all numerical calculations, and we do not take into account the material dispersion of the silica in our numerical calculations as the proposed fiber splitter has small length (few mm) and focused to operate over C-band. However, for short wavelength operation (e.g., at 800 nm), one should consider the wavelength dependency of the silica.

III. COUPLED-MODE THEORY

We use standard coupled-mode equations [17] for analyzing the proposed multicore PCF power splitter. The mode coupling between the cores can be described by a simple set of equations. We define the coupling coefficients κ_h and κ_v , which represent the coupling between horizontally placed cores (core 1-core 2 or core 1-core 4) and vertically aligned cores (core 1-core 3 or core 1-core 5), where core 1 is the central core. The “cartoon” picture of the coupling between the isolated cores is shown in Fig. 2. Note that the coupling between the adjacent outer cores (core 2 and core 3) is neglected, because the coupling coefficient κ_d between the adjacent outer cores is sufficiently small compared with the horizontal and vertical coupling coefficients. The coupling characteristics can be described by the following coupled-mode equations:

$$\frac{da_1}{dz} + j\beta a_1 = -j \{ (a_2 + a_4)\kappa_h + (a_3 + a_5)\kappa_v \} \quad (1a)$$




Fig. 2. Cartoon picture of coupling between the cores. The κ_h and κ_v denotes the horizontal and vertical coupling coefficients, respectively. The coupling between the adjacent outer cores has been neglected.

$$\frac{da_2}{dz} + j\beta a_2 = -j a_1 \kappa_h \quad (1b)$$

$$\frac{da_3}{dz} + j\beta a_3 = -j a_1 \kappa_v \quad (1c)$$

$$\frac{da_4}{dz} + j\beta a_4 = -j a_1 \kappa_h \quad (1d)$$

$$\frac{da_5}{dz} + j\beta a_5 = -j a_1 \kappa_v \quad (1e)$$

where a_k ($k = 1, 2, 3, 4, 5$) are the amplitude of the fundamental mode in core- k , β is the propagation constant of the fundamental mode, κ_h and κ_v are the coupling coefficients between the horizontally placed cores and the vertically aligned cores, respectively. Since the cores 2 and 4 and cores 3 and 5 are identical, the mode amplitude shall be equal. Therefore, coupled-mode equations can be reduced to (2a)–(2c) as below:

$$\frac{da_1}{dz} + j\beta a_1 = -j \{ 2a_2\kappa_h + 2a_3\kappa_v \} \quad (2a)$$

$$\frac{da_2}{dz} + j\beta a_2 = -j a_1 \kappa_h \quad (2b)$$

$$\frac{da_3}{dz} + j\beta a_3 = -j a_1 \kappa_v \quad (2c)$$

with boundary conditions $a_1(0) = 1, a_2(0) = a_3(0) = 0$.

For simplicity, the coupling coefficients are assumed to be polarization independent. By making the substitution $a_k = A_n \exp(-j(\beta + \sigma)z)$ into (2a)–(2c), the characteristic equation can be written as

$$\begin{vmatrix} \sigma & -2\kappa_h & -2\kappa_v \\ -\kappa_h & \sigma & 0 \\ -\kappa_v & 0 & \sigma \end{vmatrix} = 0 \quad (3)$$

where σ in (3) is an eigenvalue calculated by solving (3), resulting into three eigenvalues and corresponding three eigenvectors. The eigenvalues are 0, $\sqrt{2(\kappa_h^2 + \kappa_v^2)}$, and $-\sqrt{2(\kappa_h^2 + \kappa_v^2)}$. The field at a position z can be represented by the linear combination of the eigenvectors. Each eigenvector represents a mode




Fig. 3. Relative amplitude and phases of supermodes in the proposed multicore PCF splitter, (a) denotes all modes of isolated cores are in phase, (b) modes in outer cores are out of phase to each other, and (c) all modes in outer cores are in antiphase. The combination of supermodes can be expressed in a linear combination of (a) and (c).

of the fiber structure as shown in Fig. 3. The plus sign indicates that the phase of the mode and unit sign is the amplitude, while minus sign corresponds to out of phase. The operation of this power splitter can be understood in terms of the supermodes of the five-core PCF coupler. If the individual cores of the coupler are single modes, the coupler structure supports five supermodes; however, as mentioned before that the problem can be reduced in three supermodes because of the core symmetry. Through solution of coupled-mode equations (2a)–(2c), we arrive at three eigenvectors corresponding to supermodes of the structure and shown in Fig. 3. If we represent the corresponding fields by ϕ_1, ϕ_2 , and ϕ_3 , and assume that initially all the energy is in central core 1, the combination of supermodes can be expressed in a linear combination of ϕ_1 and ϕ_3 . However, it is difficult to excite the ϕ_2 when a complete power transfer takes place, i.e., when $\kappa_h = \kappa_v$.

IV. NUMERICAL RESULTS

To compute the coupling coefficients of the proposed multicore PCF coupler, we use FEM [15] and later the power splitting is verified by the BPM solver [16]. The geometrical parameters of the multicore PCF are $d/\Lambda = 0.45, d'/\Lambda$, where d is the hole diameter of large airholes in the cladding, d' is the hole diameter of small airholes, shown by red circles in Fig. 1, and Λ is the separation between two consecutive airholes. The size of small airhole d' is obtained by the coupling characteristics. As a first step of our numerical simulations, we evaluate the horizontal and vertical coupling coefficients using the FEM solver by varying the diameter of small airholes and the pitch constant Λ . Note that cross-coupling between the adjacent outer cores,

namely, core 2-core 3, core 3-core 4, core 4-core 5, and core 5-core 2 is neglected, because the cross-coupling coefficient κ_d is sufficiently small in comparison to κ_h and κ_v .

The variation of the coupling coefficients at a 1550 nm wavelength is shown in Fig. 4 as a function of normalized pitch constant (Λ/λ) for different d'/Λ values, namely, $d'/\Lambda = 0.40$ [Fig. 4(a)], $d'/\Lambda = 0.35$ [Fig. 4(b)], $d'/\Lambda = 0.30$ [Fig. 4(c)], and $d'/\Lambda = 0.20$ [Fig. 4(d)], where the polarization state is horizontal polarization (i.e., x -polarization). The solid blue curves correspond to the horizontal coupling coefficient κ_h and the dashed red curves stand for vertical coupling coefficient κ_v .

The vertical coupling coefficient is smaller than the horizontal coupling coefficient when d'/Λ is 0.40, 0.35, and 0.30 and decreases exponentially as normalized pitch increases. However, the horizontal coupling coefficient becomes smaller than the vertical coupling coefficient as the small hole diameter d'/Λ is further decreased to 0.20, indicating a crossing between both curves between $d'/\Lambda = 0.20$ and $d'/\Lambda = 0.30$. We investigate the coupling coefficients for all values of the relative hole diameter d'/Λ between 0.20 and 0.30. Through numerical simulations, we arrive at $d'/\Lambda = 0.23$, where κ_h and κ_v become equal at a normalized pitch value of 1.7, suggesting the complete power transfer in surrounding cores with equal coupling ratio. As the operating wavelength is set to 1550 nm, the pitch value can be computed as $2.64 \mu\text{m}$, where $\kappa_h = \kappa_v$. The variation of coupling coefficient as a function of pitch for $d'/\Lambda = 0.23$ is plotted in Fig. 5, while the magnified image of the crossing region is depicted in the inset of the figure. The coupling length is computed as $\sim 5.8 \text{ mm}$ with $\Lambda = 2.64 \mu\text{m}$ at 1550 nm wavelength.

To verify the equal power division in proposed multicore PCF splitter, we use a BPM solver for the design parameters obtained above and are given here as $d/\Lambda = 0.45, d'/\Lambda = 0.23, \Lambda = 2.64 \mu\text{m}$, and $\lambda = 1550 \text{ nm}$. The BPM results stating the normalized power propagation as a function of the propagation distance z are depicted in Fig. 6, where the horizontally polarized fundamental mode is launched into the central core 1 at a coupler input. The solid black curve corresponds to the power variation in the central core 1, solid blue curve corresponds to the coupled power in the horizontal core 2, and the diamond markers stand for the coupled power in the vertical core 3. It can be clearly seen from these numerical results that the powers in surrounding cores increase gradually and at a distance of 5.8 mm, there is a complete transfer of the power from the central core to the neighboring cores 2, 3, 4, and 5. This verifies the predicted pitch constant and the small-hole-diameter values and also demonstrates numerically the power splitting functionality.

In Fig. 7, we show the modal field distribution of the x -component of the electric field (E_x) at the initial stage, where the power is launched into the central core and at the final stage, where the complete power is equally divided into the outer cores. Fig. 7(a) exhibits the modal field distribution at 1550 nm wavelength at $z = 0$. After launching the modal field into the central core, the coupling starts and transfer of the power takes place with an equal splitting into neighboring outer cores, as shown in Fig. 7(b). The power propagation in the multicore PCF ($d/\Lambda = 0.45, d'/\Lambda = 0.23$, and $\Lambda = 2.64 \mu\text{m}$) is also obtained by CMT, and the results are demonstrated in Fig. 8. It




Fig. 4. Coupling coefficient variation as a function of normalized pitch for different values of small hole diameter (a) $d'/\Lambda = 0.40$, (b) $d'/\Lambda = 0.35$, (c) $d'/\Lambda = 0.30$, and (d) $d'/\Lambda = 0.20$ in a multicore PCF with $d/\Lambda = 0.45$. The solid blue curves correspond to horizontal coupling coefficient κ_h , whereas the dashed red curves correspond to vertical coupling coefficient κ_v . As the value of small hole diameter reduces, the coupling coefficients curves approach to each other and after a certain value of d'/Λ , the κ_h becomes smaller than κ_v .




Fig. 5. Coupling coefficient variation as a function of normalized pitch for $d/\Lambda = 0.45$ and $d'/\Lambda = 0.23$. The solid blue curve (corresponding to κ_h) and the dashed red curve (corresponding to κ_v) cross each other at a particular pitch value. At this crossing point $\kappa_h = \kappa_v$, indicating the complete power transfer to surrounding cores. The computed pitch value is $2.64 \mu\text{m}$ at 1550 nm wavelength.




Fig. 6. Normalized power propagation in the multicore PCF power splitter ($d/\Lambda = 0.45$, $d'/\Lambda = 0.23$, and $\Lambda = 2.64 \mu\text{m}$) at 1550 nm wavelength calculated by the BPM simulation. It can be seen that a complete power transfer occurs at a distance of 5.8 mm .

can be seen from the results that the power get transferred into surrounding cores at a distance of 5.8 mm , which is in good agreement with the results calculated through BPM. From these results, we can say that the assumption that the cross-coupling coefficient κ_d is sufficiently small in comparison to κ_h , and κ_v is valid in the proposed PCF shown in Fig. 1.

Fig. 9 establishes the scaling rules for the proposed multicore PCF structure when the cladding hole diameter d and pitch

of fiber are varied, keeping fixed cladding hole diameter d/Λ . The solid curves correspond to x -polarization state, whereas the dashed curves correspond to y -polarization state. The d'/Λ is obtained at every pitch value of the corresponding multicore PCF with fixed d/Λ and $\kappa_h = \kappa_v$. For small value of the pitch constant, the d'/Λ is large and it decreases as we increase the pitch constant. For large cladding hole diameter, the d'/Λ is large, and it reduces as the cladding hole diameter gets smaller. It can be clearly seen from the graph that the proposed multicore PCF structure shows the polarization dependency. For x -




Fig. 7. Modal field distributions (x -component) of the multicore PCF ($d/\Lambda = 0.45$, $d'/\Lambda = 0.23$, and $\Lambda = 2.64$ mm) coupler (a) at $z = 0$ mm, and (b) at $z = 5.8$ mm at 1550 nm wavelength. It can clearly visualized from the modal field distribution that the power launched in the central core at $z = 0$ gets completely transferred in surrounding four cores in a short distance of 5.8 mm, thus validating the operation of the proposed 1×4 power splitter.




Fig. 8. Normalized power propagation in the multicore PCF power splitter ($d/\Lambda = 0.45$, $d'/\Lambda = 0.23$, and $\Lambda = 2.64$ μm) at 1550 nm wavelength evaluated by CMT. It can be seen that a complete power transfer occurs at a distance of 5.8 mm. A good agreement can be observed between the BPM results and the results obtained from CMT.




Fig. 9. Scaling rules for the proposed multicore PCF structure. The pitch and the cladding hole diameters are varied and correspondingly the values of small hole diameters are obtained at 1550 nm wavelength. It can be seen from the results that the proposed multicore PCF exhibits polarization dependency.

and y -polarization states, the coupling coefficients are different, resulting into different values of small hole diameter.

V. CONCLUDING REMARKS

The power coupling characteristics of a newly designed multicore PCFs were demonstrated numerically by employing accurate FEM and BPM solvers. The coupled-mode equations have also derived to compare the power transfer among the neighboring cores with 25% of coupling ratio. The proposed multicore PCF can split a single input power into four ports with equal power in each four cores, showing the capability to acts as 1×4 power splitter. Through numerical simulations, it has been revealed that the power can be divided into four cores in a 5.8-mm-long multicore PCF having $d/\Lambda = 0.45$, $d'/\Lambda = 0.23$, and $\Lambda = 2.64$ μm at 1550 nm wavelength. We also investigate the effect of displacement of surrounding cores on the power splitting characteristics. During the fabrication process, there may be a slight shift in the location of the surrounding cores, and this will result into different coupling coefficient. We vary the coupling coefficient by $\pm 2\%$ and observe the power splitting characteristics of a 5.8-mm-long multicore PCF. Through numerical simulations, we find that the power splitting ratio decreases to 24.97% from 25%. This indicates that even if the cores are slightly displaced, the splitting power ratio does not change so much, and we can divide the incident light into other four cores by an equal amount.

Scaling rules are established for the proposed multicore PCF. It has been found that d'/Λ decreases as the pitch constant increases. For large values of cladding hole diameter, a large d'/Λ is required. However, if we select large-cladding hole diameter, the fiber may no longer be single mode. It has also been shown that the proposed multicore PCF design exhibits strong polarization dependency. This polarization dependency arises mainly by the small hole diameters d' in the cladding. The proposed multicore PCF power splitter can be fabricated by following the same guidelines for fabricating regular PCF structures. After drawing few meters, the desired length of the proposed PCF power splitter can be cut. Furthermore, we are working on an alternative design of the proposed multi-core PCF power splitter, which can be a polarization independent and easier to fabricate. Such study would be published elsewhere.

ACKNOWLEDGMENT

The authors would like to thank the Indo–Japan collaboration project on infrastructural technology for advanced use of photonic crystal fibers in optical communication systems.

REFERENCES

- [1] D. B. Mortimore, "Wavelength-flattened fused couplers," *Electron. Lett.*, vol. 21, no. 17, pp. 742–743, Aug. 1985.
- [2] R. Zengerle and O. G. Leminger, "Narrow-band wavelength-selective directional couplers made of dissimilar single-mode fibers," *J. Lightw. Technol.*, vol. LT-5, no. 9, pp. 1196–1198, Sep. 1987.
- [3] D. B. Mortimore, "Theory and fabrication of 4×4 single-mode fused optical fiber couplers," *Appl. Opt.*, vol. 29, no. 3, pp. 371–374, Jan. 1990.
- [4] D. B. Mortimore and J. W. Arkwright, "Monolithic wavelength-flattened 1×7 single-mode fused fiber couplers: Theory, fabrication, and analysis," *Appl. Opt.*, vol. 30, no. 6, pp. 650–659, Feb. 1991.
- [5] A. Kumar, R. K. Varshney, and R. K. Sinha, "Scalar modes and directional characteristics of eight-port waveguide couplers," *J. Lightw. Technol.*, vol. 7, no. 2, pp. 293–296, Feb. 1989.
- [6] P. St. J. Russell, "Photonic-crystal fibers," *J. Lightw. Technol.*, vol. 24, no. 12, pp. 4729–4749, Dec. 2006.
- [7] K. Saitoh, Y. Sato, and M. Koshiba, "Coupling characteristics of dual-core photonic crystal fiber couplers," *Opt. Express*, vol. 11, no. 24, pp. 3188–3195, Dec. 2003.
- [8] J. Lægsgaard, O. Bang, and A. Bjarklev, "Photonic crystal fiber design for broadband directional coupling," *Opt. Lett.*, vol. 29, no. 21, pp. 2473–2475, Nov. 2004.
- [9] S. K. Varshney, N. J. Florous, K. Saitoh, and M. Koshiba, "The impact of elliptical deformations for optimizing the performance of dual-core fluorine-doped photonic crystal fiber couplers," *Opt. Express*, vol. 14, no. 5, pp. 1982–1995, Mar. 2006.
- [10] K. Saitoh, N. J. Florous, S. K. Varshney, and M. Koshiba, "Tunable photonic crystal fiber couplers with a thermo-responsive liquid crystal resonator," *J. Lightw. Technol.*, vol. 26, no. 6, pp. 663–669, Mar. 2008.
- [11] K. Saitoh, N. J. Florous, M. Koshiba, and M. Skorobogatiy, "Design of narrow band-pass filters based on the resonant-tunneling phenomenon in multi-core photonic crystal fibers," *Opt. Express*, vol. 13, no. 25, pp. 10327–10335, Dec. 2005.
- [12] A. V. Husakou and J. Herrmann, "Frequency comb generation by four-wave mixing in a multi-core photonic crystal fibers," *Appl. Phys. Lett.*, vol. 83, no. 19, pp. 3867–3869, Nov. 2003.
- [13] A. Mafi and J. V. Moloney, "Phase locking in a passive multicore photonic crystal fiber," *J. Opt. Soc. Amer. B*, vol. 21, no. 6, pp. 897–902, May 2004.
- [14] L. Michaille, D. M. Taylor, C. R. Bennett, T. J. Shepherd, and B. G. Ward, "Characteristics of a Q-switched multicore photonic crystal fiber laser with a very large mode field area," *Opt. Lett.*, vol. 33, no. 1, pp. 71–73, Jan. 2008.
- [15] K. Saitoh and M. Koshiba, "Full-vectorial imaginary-distance beam propagation method based on a finite element scheme: Application to photonic crystal fibers," *IEEE J. Quantum Electron.*, vol. 38, no. 7, pp. 927–933, July 2002.
- [16] K. Saitoh and M. Koshiba, "Full-vectorial finite element beam propagation method with perfectly matched layers for anisotropic optical waveguides," *J. Lightw. Technol.*, vol. 19, no. 3, pp. 405–413, Mar. 2001.
- [17] A. W. Snyder, "Coupled-mode theory for optical fibers," *J. Opt. Soc. Amer.*, vol. 62, no. 11, pp. 1267–1277, Nov. 1972.



Shailendra Kumar Varshney (S'01–M'03) was born in Hathras, India. He received the B.Sc. degree in physics from Dr. B. R. Ambedkar University (formerly Agra University), Hyderabad, India, in 1997, the M.Sc. degree in physics from Aligarh Muslim University, Aligarh, India, in 1999, and the Ph.D. degree in applied physics from the University of Delhi, New Delhi, India, in 2005.

In Nov. 2008, he joined the Department of Electronics & Electrical Communication Engineering and the Department of Physics and Meteorology, Indian Institute of Technology, Kharagpur, India, where he is currently an Assistant Professor. He was a Monbusho research scholar (Oct. 2002–Mar. 2004), post-doctoral fellow on Center of Excellence project (Aug. 2004–Mar. 2007), and

post-doctoral researcher on the Japan Society for Promotion of Science (JSPS) fellowship for foreign researchers between Apr. 2007–Nov. 2008 at Hokkaido University, Sapporo, Japan. He is currently engaged in the Raman amplification, lasing, actively doped PCF structures, dispersion management in PCFs, silicon photonics, and optofluidics with microstructured fibers. His current research interests include amplification and lasing in PCFs and silicon waveguides, optofluidics, analytical techniques for electromagnetic wave propagation, and sensing with PCFs.

Dr. Varshney is a member of the Optical Society of America (OSA) and the European Optical Society (EOS). He received the gold medal for standing first in M.Sc. (physics) in 1999. He is recipient of the UGC/CSIR JRF fellowship from the Government of India (2000–2002), the Monbukagakusho scholarship from the Government of Japan (Oct. 2002–Mar. 2004), the JSPS fellowship award (April 2007–Nov. 2008), and the Alexander Van Humboldt fellowship award for post-doctoral researchers from Germany (2009). Dr. Varshney is author and co-author of more than 60 research papers in international journals and conference proceedings.



Kunimasa Saitoh (S'00–M'01) was born in Hokkaido, Japan. He received the B.S., M.S., and Ph.D. degrees in electronic engineering from Hokkaido University, Sapporo, Japan, in 1997, 1999, and 2001, respectively.

From 1999 to 2001, he was a Research Fellow of the Japan Society for the Promotion of Science. From 2001 to 2005, he was a Research Associate with the Graduate School of Engineering, Hokkaido University, where he became an Associate Professor at the Graduate School of Information Science and Tech-

nology in 2005. His current research interests include research on fiber optics, nanophotonics, integrated optical devices, and computer-aided design and modeling of guided-wave devices using finite-element method, beam propagation method, and so on. He is the author or coauthor of more than 90 research papers published in refereed international journals.

Dr. Saitoh is a member of the Institute of Electronics, Information and Communication Engineers (IEICE) and the Optical Society of America (OSA). In 1999 and 2002, he was awarded the Excellent Paper Award and the Young Scientist Award from the IEICE, respectively, and in 2008, the Young Scientists' Prize of the Commendation for Science and Technology from the Ministry of Education, Culture, Sports, Science, and Technology (MEXT), Government of Japan.



Ravindra K. Sinha received the M.Sc. degree in physics from the Indian Institute of Technology (IIT), Kharagpur, India, in 1984, and the Ph.D. degree in fiber optics and optical communication from the IIT, Delhi, India, in 1990.

During 1989–1991, he was a Postdoctoral Research Student at Osaka University for Foreign Studies, Osaka, Japan, and in the Electronics Engineering Department, Kobe University, Japan. He is currently a Professor and head of Applied Physics, Dean of Industrial Research and Management

and the Chief Coordinator of the Technology Information, Forecasting and Assessment Council (TIFAC)–Centre of Relevance and Excellence in Fiber Optics and Optical Communication, Delhi College of Engineering (Faculty of Technology, University of Delhi), Delhi. He is the author or coauthor of more than 100 publications in various national and international journals/conference proceedings/reports, etc. His current research interests include nanophotonics with special interests on photonic crystal fibers and photonic band gap devices.

Prof. R. K. Sinha was awarded the Emerging Optoelectronics Technology Award [Conference on Emerging Optoelectronic Technologies–Institute of Electronics and Telecommunication Engineers (CEOT-IETE, India)]–2006 for outstanding research work in the area of nanophotonics, S. K. Mitra Memorial Award for best research papers published in *IETE Technical Review* in 2002 on nanostructure electron waveguides and devices and Swarna Jayanti Puraskar (Gold Medal) from the National Academy of Science for best coauthored research papers in the area of nano scale optical devices for the year 2001. He has also been awarded the Japan Society for Promotion of Science (JSPS) Fellowship–2007 and the Royal Academy of Engineering (U.K.–India short-term exchange) Fellowship–2008 to carry out research work in the area of multi-core photonic crystal fiber and photonic crystal devices, respectively. He is a Fellow of the IETE (India), a member of the Security Professionals Information Exchange (SPIE, USA), and a member of the Optical Society of America (OSA, USA). He is also a Faculty Advisor to the SPIE–DCE Chapter.



Masanori Koshiba (M'76–SM'87–F'03) was born in Sapporo, Japan, on November 23, 1948. He received the B.S., M.S., and Ph.D. degrees in electronic engineering from Hokkaido University, Sapporo, in 1971, 1973, and 1976, respectively.

In 1976, he joined the Department of Electronic Engineering, Kitami Institute of Technology, Kitami, Japan. From 1979 to 1987, he was an Associate Professor with the Electronic Engineering Department, Hokkaido University, where he became a Professor in 1987. He has been engaged in research on wave electronics, including microwaves, millimeter waves, lightwaves, surface-acoustic waves (SAW), magnetostatic waves (MSW), and electron waves, and computer-aided design and modeling of guided-wave devices using finite-element method, boundary-element method, beam propagation method, and so on. He is the author or coauthor of more than 300 research papers published in refereed international journals. He has authored books *Optical Waveguide Analysis* (Mc-

Graw-Hill, 1992) and *Optical Waveguide Theory by the Finite Element Method* (KTK Scientific/Dordrecht: Kluwer Academic, 1992), and is a coauthor of the books *Analysis Methods for Electromagnetic Wave Problems* (Artech House, 1990), *Analysis Methods for Electromagnetic Wave Problems* (Artech House, 1996), *Ultrafast and Ultra-Parallel Optoelectronics* (Wiley, 1995), and *Finite Element Software for Microwave Engineering* (Wiley, 1996).

Dr. Koshiba is a Fellow of the Institute of Electronics, Information and Communication Engineers (IEICE) and the Optical Society of America (OSA). He is also a member of the Institute of Electrical Engineers of Japan and the Institute of Image Information and Television Engineers of Japan. In 1987, 1997, and 1999, he was awarded the Excellent Paper Awards from the IEICE, in 1998, the Electronics Award from the IEICE-Electronics Society, and in 2004, the Achievement Award from the IEICE. From 1999 to 2000, he was the President of the IEICE-Electronics Society, and in 2002, he was the Chair of the IEEE Lasers and Electr-Optics Society (LEOS) Japan Chapter. Since 2003, he has been a member of the Board of Directors of the IEICE.

Authorized licensed use limited to: HOKKAIDO DAIGAKU KOHGA KUBU. Downloaded on July 28, 2009 at 21:39 from IEEE Xplore. Restrictions apply.