



| | |
|------------------|--|
| Title | An efficient finite-element analysis of magneto-optic channel waveguides |
| Author(s) | Koshiba, M.; 小柴, 正則; Zhuang, X.P. |
| Citation | Journal of Lightwave Technology, 11(9), 1453-1458 https://doi.org/10.1109/50.241935 |
| Issue Date | 1993-09 |
| Doc URL | https://hdl.handle.net/2115/6039 |
| Rights | ©1993 IEEE. Personal use of this material is permitted. However, permission to reprint/republish this material for advertising or promotional purposes or for creating new collective works for resale or redistribution to servers or lists, or to reuse any copyrighted component of this work in other works must be obtained from the IEEE. IEEE, Journal of Lightwave Technology, 11(9), 1993, p1453-1458 |
| Type | journal article |
| File Information | JLT11_9.pdf |



An Efficient Finite-Element Analysis of Magneto-optic Channel Waveguides

Masanori Koshihara, *Senior Member, IEEE*, and Xiu-Ping Zhuang

Abstract—A finite-element method based on the scalar-wave approximation is developed for the analysis of magneto-optic waveguides. A simple and efficient iterative method is proposed for solving a nonlinear eigenvalue equation derived from the scalar finite-element approach. To show the validity and usefulness of this method, examples are computed for magneto-optic rib-type and ridge-type waveguides. Subsequently, we discuss the waveguide structures which have larger nonreciprocal phase shift.

I. INTRODUCTION

A MAGNETOOPTIC waveguide is one of the key elements in nonreciprocal devices such as isolators and circulators. Theoretical studies on the nonreciprocity of magneto-optic waveguides have mainly focused on planar (two-dimensional) waveguides [1]–[4]. Two-dimensional waveguides can trap optical fields in the direction of the thickness (y direction), but allow the fields to spread in the horizontal direction (x direction). In order to facilitate the construction of integrated nonreciprocal devices, channel (three-dimensional) waveguides, which trap optical fields in both x and y directions, are more important. It is, in general, difficult to analyze three-dimensional waveguides with nonreciprocal properties, and approximate analytical methods, such as the Marcattili method [5] and the effective index method have been used [6]–[8].

In this paper, a new numerical solution method, which is more accurate and can be applied to various magneto-optic channel waveguides, is developed. This approach is based on the finite-element method and the scalar-wave approximation [9]–[11]. A simple and efficient iterative method is proposed for solving a nonlinear eigenvalue equation derived from the scalar finite-element approach. The validity and usefulness of this method are confirmed by analyzing the magneto-optic rib-type and ridge-type waveguides. We also discuss possible ways to get larger nonreciprocal phase shift. Because the formulation is based on the scalar-wave approximation, spurious solutions that are included in the vector finite-element method [12] do not appear.

II. BASIC EQUATIONS

With a time dependence of the form $\exp(j\omega t)$ being implied, Maxwell's equations are

$$\nabla \times \mathbf{E} = -j\omega\mu_0\mathbf{H} \quad (1)$$

$$\nabla \times \mathbf{H} = j\omega\epsilon_0[\epsilon_r]\mathbf{E} \quad (2)$$

$$\nabla \cdot \mathbf{H} = 0 \quad (3)$$

$$\nabla \cdot ([\epsilon_r]\mathbf{E}) = 0 \quad (4)$$

where ω is the angular frequency, \mathbf{E} and \mathbf{H} are the electric and magnetic fields, respectively, ϵ_0 and μ_0 are the permittivity and permeability of free space, respectively, and $[\epsilon_r]$ is the relative permittivity tensor.

We consider magneto-optic channel waveguides as shown in Fig. 1, where all the materials are assumed to be lossless, light propagates along the z direction, and the dc magnetic field is applied in the x direction. The relative permittivity tensor of the magneto-optic material can be written as

$$[\epsilon_r] = \begin{bmatrix} n_x^2 & 0 & 0 \\ 0 & n_y^2 & j\delta \\ 0 & -j\delta & n_z^2 \end{bmatrix} \quad (5)$$

where n_x , n_y , and n_z are the refractive indexes in the x , y , and z directions, respectively, and δ represents the first-order magneto-optic effect, which causes nonreciprocal nature and is related to the Faraday rotation.

Rewriting (1)–(4) in component form, we have

$$\frac{\partial E_z}{\partial y} + j\nu\beta E_y = -j\omega\mu_0 H_x \quad (6)$$

$$-j\nu\beta E_x - \frac{\partial E_z}{\partial x} = -j\omega\mu_0 H_y \quad (7)$$

$$\frac{\partial E_y}{\partial x} - \frac{\partial E_x}{\partial y} = -j\omega\mu_0 H_z \quad (8)$$

$$\frac{\partial H_z}{\partial y} + j\nu\beta H_y = j\omega\epsilon_0 n_x^2 E_x \quad (9)$$

$$-j\nu\beta H_x - \frac{\partial H_z}{\partial x} = j\omega\epsilon_0 n_y^2 E_y - \omega\epsilon_0 \delta E_z \quad (10)$$

$$\frac{\partial H_y}{\partial x} - \frac{\partial H_x}{\partial y} = \omega\epsilon_0 \delta E_y + j\omega\epsilon_0 n_z^2 E_z \quad (11)$$

Manuscript received August 14, 1992; revised February 5, 1993. This work was partially supported by Grant-In-Aid for Scientific Research on Priority Area, Ultrafast and Ultra-Parallel Optoelectronics from the Ministry of Education, Science and Culture of Japanese Government.

The authors are with the Department of Electronic Engineering, Hokkaido University, Sapporo, 060 Japan.
IEEE Log Number 9210005.




Fig. 1. Magneto-optic channel waveguide. (a) Magneto-optic rib waveguide. (b) Rib waveguide on a magneto-optic substrate. (c) Magneto-optic ridge waveguide with an isotropic loading layer. (d) Magneto-optic ridge waveguide with a magneto-optic loading layer.

$$\frac{\partial H_x}{\partial x} + \frac{\partial H_y}{\partial y} - j\nu\beta H_z = 0 \quad (12)$$

$$n_x^2 \frac{\partial E_x}{\partial x} + \frac{\partial}{\partial y} (n_y^2 E_y + j\delta E_z) - j\nu\beta (-j\delta E_y + n_z^2 E_z) = 0 \quad (13)$$

where β is the phase constant in the z direction and ν is a directional parameter given by

$$\nu = \begin{cases} +1 & \text{for } +z \text{ propagation} \\ -1 & \text{for } -z \text{ propagation.} \end{cases} \quad (14)$$

Assuming $\delta \ll n_i^2 (i = x, y, z)$ and $\delta\partial/\partial x \simeq 0$, from (7), (8), and (10)–(13) we obtain

$$E_y = \frac{1}{\omega\epsilon_0} \left[-\nu\beta \frac{n_z^2}{\sigma} H_x + \frac{\delta}{\sigma} \frac{\partial H_x}{\partial y} \frac{n_z^2}{\nu\beta\sigma} \frac{\partial}{\partial x} \left(\frac{\partial H_x}{\partial x} + \frac{\partial H_y}{\partial y} \right) \right] \quad (15)$$

$$E_z = j \frac{1}{\omega\epsilon_0} \left(\frac{n_y^2}{\sigma} \frac{\partial H_x}{\partial y} - \frac{n_y^2}{\sigma} \frac{\partial H_y}{\partial x} - \nu\beta \frac{\delta}{\sigma} H_x \right) \quad (16)$$

$$H_y = \frac{1}{\omega\mu_0} \left[\nu\beta E_x - \frac{1}{\nu\beta n_z^2} \frac{\partial}{\partial x} \left(n_x^2 \frac{\partial E_x}{\partial x} + n_y^2 \frac{\partial E_y}{\partial y} \right) \right] \quad (17)$$

$$H_z = j \frac{1}{\omega\mu_0} \left(\frac{\partial E_y}{\partial x} - \frac{\partial E_x}{\partial y} \right) \quad (18)$$

where σ is given by

$$\sigma = n_y^2 n_z^2 - \delta^2. \quad (19)$$

Generally, a waveguide for the optical integrated circuit will support the propagation of waves having two possible field configurations, classified as the E^x and E^y modes [5], which are well approximated by the TE ($E_y \equiv 0$, a leading function is E_x) and TM ($H_y \equiv 0$, a leading function is H_x) modes, respectively. Substituting (17) and (18) into (9) and neglecting the terms of E_y , we obtain the following basic equation for the E^x modes:

$$\frac{n_x^2}{n_z^2} \frac{\partial^2 E_x}{\partial x^2} + \frac{\partial^2 E_x}{\partial y^2} - \beta^2 E_x + k_0^2 n_x^2 E_x = 0 \quad (20)$$

where k_0 is the wavenumber of free space and is given by $k_0 = 2\pi/\lambda$ with λ being the wavelength of free space.

Substituting (15) and (16) into (6) and neglecting the terms of H_y , we obtain the following basic equation for the E^y modes:

$$\frac{n_z^2}{\sigma} \frac{\partial^2 H_x}{\partial x^2} + \frac{\partial}{\partial y} \left(\frac{n_y^2}{\sigma} \frac{\partial H_x}{\partial y} - \nu\beta \frac{\delta}{\sigma} H_x \right) + \nu\beta \frac{\delta}{\sigma} \frac{\partial H_x}{\partial y} - \beta^2 \frac{n_z^2}{\sigma} H_x + k_0^2 H_x = 0. \quad (21)$$

The functionals are given by

$$F = \iint_{\Omega} \left(\frac{n_x^2}{n_z^2} \frac{\partial E_x^*}{\partial x} \frac{\partial E_x}{\partial x} + \frac{\partial E_x^*}{\partial y} \frac{\partial E_x}{\partial y} + \beta^2 E_x^* E_x - k_0^2 n_x^2 E_x^* E_x \right) dx dy \quad (22)$$

for (20), and

$$F = \iint_{\Omega} \left[\frac{n_z^2}{\sigma} \frac{\partial H_x^*}{\partial x} \frac{\partial H_x}{\partial x} + \frac{\partial H_x^*}{\partial y} \left(\frac{n_y^2}{\sigma} \frac{\partial H_x}{\partial y} - \nu\beta \frac{\delta}{\sigma} H_x \right) - \nu\beta \frac{\delta}{\sigma} H_x^* \frac{\partial H_x}{\partial y} + \beta^2 \frac{n_z^2}{\sigma} H_x^* H_x - k_0^2 H_x^* H_x \right] dx dy \quad (23)$$

for (21). Here Ω is the cross section of the waveguide and asterisk denotes complex conjugate.

III. FINITE-ELEMENT APPROACH

Dividing the waveguide cross section Ω into a number of quadratic triangular elements [11], we expand the electric field E_x and the magnetic field H_x in each element as

$$E_x = \{N\}^T \{E_x\}_e \quad (24)$$

$$H_x = \{N\}^T \{H_x\}_e \quad (25)$$

where $\{E_x\}_e$ and $\{H_x\}_e$ are the nodal electric and magnetic field vectors for each element, respectively, $\{N\}$ is the shape function vector for the quadratic triangular element, and T denotes a transpose.

Substituting (24) into (22) and using the variational principle, we obtain the following eigenvalue equation for the E^x modes:

$$[K]\{E_x\} - n_{\text{eff}}^2 [M]\{E_x\} = \{0\} \quad (26)$$

where $\{E_x\}$ is the global electric field vector, $\{0\}$ is a null vector, $n_{\text{eff}} = \beta/k_0$ is the effective refractive index, and the submatrices of $[K]$ and $[M]$ are given by

$$[K] = \sum_e \iint_e \left[n_x^2 \{N\} \{N\}^T - \frac{n_x^2}{n_z^2} \frac{\partial \{N\}}{\partial \bar{x}} \frac{\partial \{N\}^T}{\partial \bar{x}} - \frac{\partial \{N\}}{\partial \bar{y}} \frac{\partial \{N\}^T}{\partial \bar{y}} \right] d\bar{x} d\bar{y} \quad (27)$$

$$[M] = \sum_e \iint_e \{N\} \{N\}^T d\bar{x} d\bar{y}. \quad (28)$$

Here $\bar{x} = k_0 x$, $\bar{y} = k_0 y$, and the summation \sum_e extends over all different elements.

Similarly, substituting (25) into (23), and using the variational principle, we obtain the following eigenvalue equation for the E^y modes:

$$[K(n_{\text{eff}})] \{H\} - n_{\text{eff}}^2 [M] \{H_x\} = \{0\} \quad (29)$$

with

$$[K(n_{\text{eff}})] = \sum_e \iint_e \left[\{N\} \{N\}^T - \frac{n_z^2}{\sigma} \frac{\partial \{N\}}{\partial \bar{x}} \frac{\partial \{N\}^T}{\partial \bar{x}} - \frac{n_y^2}{\sigma} \frac{\partial \{N\}}{\partial \bar{y}} \frac{\partial \{N\}^T}{\partial \bar{y}} + \nu n_{\text{eff}} \frac{\delta}{\sigma} \left(\{N\} \frac{\partial \{N\}^T}{\partial \bar{y}} + \frac{\partial \{N\}}{\partial \bar{y}} \{N\}^T \right) \right] d\bar{x} d\bar{y} \quad (30)$$

$$[M] = \sum_e \iint_e \frac{n_z^2}{\sigma} \{N\} \{N\}^T d\bar{x} d\bar{y}. \quad (31)$$

IV. METHOD OF NUMERICAL CALCULATION

We define the normalized nonreciprocal phase shift ϕ as follows [7], [8]:

$$\phi = (\phi_f - \phi_b)/l \quad (32)$$

where l is a waveguide length, and the retardations ϕ_f and ϕ_b , respectively, for the $+z$ and $-z$ propagations are given by

$$\phi_f = \frac{2\pi l}{\lambda} (n_{fx} - n_{fy}) \quad (33)$$

$$\phi_b = \frac{2\pi l}{\lambda} (n_{bx} - n_{by}). \quad (34)$$

Here n_{fx} , n_{fy} are the effective refractive indexes of the fundamental E^x (E_{11}^x), E^y (E_{11}^y) modes in the case of $+z$ propagation, respectively, and n_{bx} , n_{by} are the effective refractive indexes of the E_{11}^x , E_{11}^y modes in the case of $-z$ propagation, respectively.

Substituting (33) and (34) into (32) and noting that the effective refractive indexes of the E_{11}^x mode propagating in the

$+z$ and $-z$ directions are the same ($n_{fx} = n_{bx}$), we obtain

$$\phi = \frac{2\pi}{\lambda} (n_{by} - N_{fy}). \quad (35)$$

Although (26) for the E^x modes is a linear generalized eigenvalue equation, (29) for the E^y modes is a nonlinear generalized eigenvalue equation. Hence, we use the following iterative scheme.

(i) Specify λ , n_x , n_y , n_z , and δ as input data and calculate the coefficient matrix $[M]$. (ii) Assign initial value to n_{eff} in an arbitrary way. A convenient way to choose this value is to use that for the $\delta = 0$ case; we adopt this way in the present paper. (iii) Calculate the nonlinear coefficient matrix $[K(n_{\text{eff}})]$. (iv) To obtain a new value of n_{eff} , solve the eigenvalue equation (29). (v) Iterate procedures (iii) and (iv) until the solution (eigenvalue, n_{eff}) converges within the desired criterion.

Fig. 2 shows the flowchart of the iterative process, where Δ is the value for judging the convergence. In this calculation we set $\Delta = 10^{-10}$, and the convergent solution is obtained within four or five iterations.


V. NUMERICAL RESULTS AND DISCUSSION

We consider the magneto-optic channel waveguides as shown in Fig. 1, where the wavelength λ is $1.152 \mu\text{m}$ and the refractive indexes of a substrate and a top layer are $n_s = 1.95$ and $n_c = 1.0$, respectively. The refractive index $n_x = n_y = n_z \equiv n$ and the off-diagonal component of the relative permittivity tensor δ of magneto-optic materials are given in Table I [2], [7], [8], [13]. For simplicity, we assume the artificial boundary walls $x = \pm X/2$, $y = -Y_s$, and $y = t + Y_c$ (magneto-optic rib waveguides) or $y = t + h + Y_c$ (magneto-optic ridge waveguides) far from the core region.

A. Magneto-optic Rib Waveguides


We consider the magneto-optic rib waveguides as shown in Fig. 1(a) and (b), where the rib width W and rib height d are $3 \mu\text{m}$ and 12 nm , respectively, $X = 20.6 \mu\text{m}$, $Y_s = 1.9 \mu\text{m}$, and $Y_c = 0.5 \mu\text{m}$. A magneto-optic material is used as a guided layer [7], [8] and a substrate [4], [14] in Fig. 1(a) and (b), respectively.

The magnitude of the nonreciprocal phase shift $|\phi|$ as a function of LaGa:YIG film thickness is shown in Fig. 3(a) by the solid line. The results obtained agree approximately with the experimental results [7]. The results of the planar waveguide ($d = 0$) are also shown in Fig. 3(a), by the dotted line. For larger values of t , the rib waveguide structure considered here is almost like the planar structure, and therefore the value of $|\phi|$ for the three-dimensional waveguide approaches that for the two-dimensional waveguide. For smaller values of t , on the other hand, the results of the two-dimensional waveguide deviate from those of the three-dimensional waveguide. The value of $|\phi|$ as a function of YIG, Bi:YIG, or Bi:GdIG film thickness is shown in Fig. 3(b). The value of $|\phi|$ becomes larger with an increase of the Faraday rotation coefficient δ . Chen and Kumarswami [3] have reported that the guided layer thickness to give the maximum nonreciprocal phase


Fig. 2. Calculation of the E^y modes.TABLE I
MAGNETOOPTIC MATERIAL CONSTANTS

| Material | n | δ |
|----------|------|-----------------------|
| LaGa:YIG | 2.18 | 3.2×10^{-4} |
| YIG | 2.18 | 3.4×10^{-4} |
| Bi:YIG | 2.25 | -8.9×10^{-4} |
| Bi:GdIG | 2.40 | -4.3×10^{-3} |
| Ce:YIG | 2.23 | -0.019 |

shift for planar magneto-optic waveguides is approximated by $k_0 t \sqrt{n^2 - n_s^2} \approx 2.2$. Using this relation, the values of t become $0.41 \mu\text{m}$, $0.36 \mu\text{m}$, and $0.29 \mu\text{m}$ for YIG, Bi:YIG, and Bi:GdIG, respectively. These values approximately coincide with those in Fig. 3(b).



(a)




(b)

Fig. 3. Nonreciprocal phase shift of a magneto-optic rib waveguide as a function of guided layer thickness. (a) LaGa:YIG film. (b) YIG, Bi:YIG, or Bi:GdIG film.


The magnitude of the nonreciprocal phase shift of a rib waveguide on a YIG substrate as a function of guided layer thickness is shown in Fig. 4(a). The difference between the refractive indexes of a YIG film and an isotropic substrate in Fig. 3(b) is 0.23. The same index difference is obtained for $n_f = 2.41$ in Fig. 4(a). Comparing these two cases, we can find that the nonreciprocal phase shift becomes larger for the structure using a magneto-optic material as a substrate. Furthermore, the nonreciprocal phase shift becomes larger with an increase of the refractive index difference between a guided layer and a substrate. For a rib waveguide with a guided layer of $n_f = 3.44$ on a YIG, Bi:YIG, or Bi:GdIG substrate, the nonreciprocal phase shift as a function of guided layer thickness is shown in Fig. 4(b). A larger value of $|\phi|$ is obtained for a Bi:GdIG substrate.

B. Magneto-optic Ridge Waveguides


We consider the magneto-optic ridge waveguides as shown in Fig. 1(c) and (d), where $W = 3 \mu\text{m}$, $d = 20 \text{ nm}$, $X = 20.6 \mu\text{m}$, $Y_s = 1.7 \mu\text{m}$, and $Y_c = 0.5 \mu\text{m}$. The guided layer thickness t is optimized so as to give the maximum nonreciprocal phase shift in case of a rib waveguide. Isotropic and magneto-optic materials are used as a high refractive index loading layer




(a)



(b)



(a)



(b)

Fig. 4. Nonreciprocal phase shift of a rib waveguide on a magneto-optic substrate as a function of guided layer thickness. (a) YIG substrate. (b) YIG, Bi:YIG, or Bi:GdIG substrate.

Fig. 5. Nonreciprocal phase shift of a magneto-optic ridge waveguide as a function of loading layer thickness. (a) LaGa:YIG guided layer of $t = 0.44 \mu\text{m}$. (b) Bi:GdIG guided layer of $t = 0.28 \mu\text{m}$.

in Fig. 1(c) and (d), respectively. For a ridge waveguide with a LaGa:YIG film of $t = 0.44 \mu\text{m}$ [7], the magnitude of the nonreciprocal phase shift as a function of isotropic loading layer thickness is shown in Fig. 5(a) by the solid line, where $n_f = 2.60$. The results obtained agree approximately with the experimental results [7]. The results of the planar waveguide ($d = 0$) are also shown in Fig. 5(a), by the dotted line. Since the rib height d is extremely small compared with the guided layer thickness, the ridge waveguide structure considered here is almost like the planar structures. Fig. 5(b) shows the magnitude of the nonreciprocal phase shift of a ridge waveguide with a Bi:GdIG film of $t = 0.28 \mu\text{m}$ as a function of isotropic loading layer thickness, where $n_f = 2.60$ or 3.44. The value of $|\phi|$ becomes larger with an increase of the refractive index n_f of a loading layer. While the nonreciprocal phase shift becomes larger, the change of $|\phi|$ against the loading layer thickness in the vicinity of its maximum value is very abrupt. That is to say, this structure has a small tolerance in the loading layer thickness control.

The magnitude of the nonreciprocal phase shift of a ridge waveguide with a Bi:GdIG film of $t = 0.28 \mu\text{m}$ as a function of magneto-optic loading layer thickness is also shown in Fig. 5(b), where a Ce:YIG film is used as a loading layer. We

can find that when using a magneto-optic material as a loading layer, the value of $|\phi|$ becomes larger and the change of $|\phi|$ against the loading layer thickness becomes gentler.

VI. CONCLUSIONS

A scalar finite-element method was developed for the analysis of magneto-optic channel waveguides. In this approach, the nonphysical spurious solutions do not appear. To show the validity of this method, computed results were compared with the earlier experimental results. Also, the structures with larger nonreciprocal phase shift were investigated in detail.

The nonreciprocal phase shift is larger for an isotropic guided layer on a magneto-optic substrate than for a magneto-optic guided layer on an isotropic substrate. The larger the difference between the refractive indexes of a guided layer and a substrate becomes, the larger the nonreciprocal phase shift becomes. In the structure with an additional loading layer, the nonreciprocal phase shift is larger and its change against the loading layer thickness becomes gentler when using a magneto-optic material as a loading layer than when using an isotropic material as a loading layer.

Although a scalar finite-element approach is very convenient, its formulation is approximate in a strict sense.

We are now working on a vector finite-element method for magneto-optic channel waveguides.

REFERENCES

- [1] T. Mizumoto and Y. Naito, "Nonreciprocal propagation characteristics of YIG thin film," *IEEE Trans. Microwave Theory Tech.*, vol. MTT-30, pp. 922-925, June 1982.
- [2] T. Mizumoto, K. Oochi, T. Harada, and Y. Naito, "Measurement of optical nonreciprocal phase shift in a Bi-substituted $Gd_3Fe_5O_{12}$ film and application to waveguide-type optical circulator," *J. Lightwave Technol.*, vol. LT-4, pp. 347-352, Mar. 1986.
- [3] C.-L. Chen and A. Kumarwami, "Nonreciprocal TM-mode thin film phase shifters," *Appl. Opt.*, vol. 25, pp. 3664-3670, Oct. 1986.
- [4] K. Matsubara and H. Yajima, "Analysis of Y-branching optical circulator using magneto-optic medium as a substrate," *J. Lightwave Technol.*, vol. 9, pp. 1061-1067, Sept. 1991.
- [5] E. A. J. Marcatili, "Dielectric rectangular waveguide and directional coupler for integrated optics," *Bell Syst. Tech. J.*, vol. 48, pp. 2071-2102, Sept. 1969.
- [6] M. Tateda and T. Kimura, "Analysis of rectangular waveguide isolator," *J. Lightwave Technol.*, vol. LT-1, pp. 214-223, Mar. 1983.
- [7] H. Inuzuka, Y. Okamura, and S. Yamamoto, "Nonreciprocal phase characteristics of single-mode magneto-optic rib waveguides," *Trans. IECE Japan*, vol. J71-C, pp. 702-708, May 1988 (in Japanese).
- [8] H. Inuzuka, Y. Okamura, and S. Yamamoto, "Magneto-optic nonreciprocal phase shift in $(YLa)_3(FeGa)_5O_{12}$ single-mode channel waveguides," *J. Appl. Phys.*, vol. 64, no. 3, pp. 1575-1577, Aug. 1988.
- [9] M. Koshiha, K. Hayata, and M. Suzuki, "Approximate scalar finite-element analysis of anisotropic optical waveguides," *Electron. Lett.*, vol. 18, pp. 411-413, May 1982.
- [10] —, "On accuracy of approximate scalar finite-element analysis of dielectric optical waveguides," *Trans. IECE Japan*, vol. E66, pp. 157-158, Feb. 1983.
- [11] —, "Approximate scalar finite-element analysis of anisotropic optical waveguides with off-diagonal elements in a permittivity tensor," *IEEE Trans. Microwave Theory Tech.*, vol. MTT-32, pp. 587-593, June 1984.
- [12] B. M. A. Rahman, F. A. Fernandez, and J. B. Davies, "Review of finite element methods for microwave and optical waveguides," *Proc. IEEE*, vol. 79, pp. 1442-1448, Oct. 1991.
- [13] M. Gomi, K. Satoh, and M. Abe, "Giant Faraday rotation of Ce-substituted YIG films epitaxially grown by RF sputtering," *Japan. J. Appl. Phys.*, vol. 27, pp. L1536-L1538, Aug. 1988.

- [14] Y. Miyazaki, M. Mori, and K. Akao, "Nonreciprocal and loss properties of waveguide type optical isolator using magneto-optic effects in garnet crystals," *IOOC '77 Tech. Dig.*, P-1 (Tokyo), July 1977.



Masanori Koshiha (SM'84) was born in Sapporo, Japan, on November 23, 1948. He received the B.S., M.S., and Ph.D. degrees in electronic engineering from Hokkaido University, Sapporo, Japan, in 1971, 1973, and 1976, respectively.

In 1976, he joined the Department of Electronic Engineering, Kitami Institute of Technology, Kitami, Japan. From 1979 to 1987, he was an Associate Professor of Electronic Engineering at Hokkaido University, and in 1987 he became a Professor there. He has been engaged in research

on lightwave technology, surface acoustic waves, magnetostatic waves, microwave field theory, and applications of finite-element and boundary-element methods to field problems.

Dr. Koshiha is a member of the Institute of Electronics, Information and Communication Engineers (IEICE), the Institute of Television Engineers of Japan, the Institute of Electrical Engineers of Japan, the Japan Society for Simulation Technology, and the Japan Society for Computational Methods in Engineering. In 1987, he was awarded the 1986 Paper Award by the IEICE.



Xiu-Ping Zhuang was born in Anhui Province, China, on July 1, 1963. She received the B.S. degree in communication engineering from Guilin College of Electronic Engineering, Guilin, China, in 1986. She is presently studying toward the M.S. degree in electronic engineering at Hokkaido University, Sapporo, Japan.

Ms. Zhuang is a member of the Institute of Electronics, Information and Communication Engineers of Japan.