



Title	Sea Ice Conditions and Meteorological Observations at Saroma-ko Lagoon, Hokkaido, December 1997-November 1998
Author(s)	SHIRASAWA, Kunio; ISHIKAWA, Masao; TAKATSUKA, Tohru; IKEDA, Mitsuo; DAIBOU, Takaharu; AOTA, Masaaki; FUJIYOSHI, Yoshihiro
Citation	低温科学. 物理篇. 資料集, 57, 63-79
Issue Date	1999-03-25
Doc URL	<a href="http://hdl.handle.net/2115/18819">http://hdl.handle.net/2115/18819</a>
Type	bulletin (article)
File Information	57_p63-79.pdf



[Instructions for use](#)

---

Kunio SHIRASAWA, Masao ISHIKAWA, Tohru TAKATSUKA, Mitsuo IKEDA, Takaharu DAIBOU, Masaaki AOTA and Yoshihiro FUJIYOSHI 1998 Sea Ice Conditions and Meteorological Observations at Saroma-ko Lagoon, Hokkaido, December 1997 - November 1998. *Low Temperature Science, Ser. A., 57. Data Report.*

---

## **Sea Ice Conditions and Meteorological Observations at Saroma-ko Lagoon, Hokkaido, December 1997 - November 1998\*,\*\***

Kunio SHIRASAWA, Masao ISHIKAWA, Tohru TAKATSUKA, Mitsuo IKEDA\*\*\*

Takaharu DAIBOU, Masaaki AOTA

*(Institute of Low Temperature Science, Hokkaido University)*

and

Yoshihiro FUJIYOSHI

*(Saroma Research Center of Aquaculture, Tokoro, Hokkaido)*

*(Received December 1998)*

**Abstract :** Long-term meteorological data have been collected at a permanently installed 5-m tower at a cape of Saroma-ko Lagoon to characterize the general meteorological and climatological features at the lagoon. A number of atmospheric boundary layer variables such as air temperature, wind azimuth and speed, and solar radiation obtained from the meteorological tower were reported during the period from December 1997 through November 1998. Freeze-up, breakup and duration of complete ice coverage of the lagoon have been also reported.

**要旨 :** サロマ湖は毎年冬期間結氷する。このサロマ湖のキムアネツプ岬に設置された 5mの気象塔で通年の気象観測が行われている。このサロマ湖の1977年12月から1988年11月までの日平均気温、風速、日射量観測について報告する。また、1964年から観測されている湖面の結氷状況について報告する。

**Key words :** Meteorological variables, sea ice, Saroma-ko Lagoon

**キーワード:** 気象要素, 海氷, サロマ湖

---

\* 北海道大学低温科学研究所業績

第3953号

\*\* 北海道大学低温科学研究所 流氷研究施設 研究報告 第154号

\*\*\*現在 北海道大学言語文化視聴覚教育資料室

## I. Introduction

Saroma-ko Lagoon located on the Okhotsk Sea coast of Hokkaido is 149.2 km<sup>2</sup> in area, 19.5 m in maximum depth and 14.5 m in mean depth (Fig. 1). The lagoon has two inlets which are connected to the Sea of Okhotsk. About 90 % of the total inflow from the sea to the lagoon passes through the first inlet opened in 1927. The remainder passes through the second inlet which was built in December, 1978. The opening of the inlets might have caused changes in the water mass and current circulation of the lagoon, and in the exchange processes of the water between sea and lagoon waters. Also, freshwater input which is mainly supplied by two major rivers causes a reduction of salinity to less than 32 PSU. During winter most of the lagoon surface is covered with sea ice. The Saroma Research Center of Aquaculture in Sakaeura has been monitoring ice conditions at the lagoon for over thirty years. It is shown from year-to-year changes in the duration of complete ice coverage in the lagoon that the trend of variations appears to decrease for the past ten years (Fig. 2). The Saroma Research Center has been also operating a 5-m meteorological tower at the cape of Kimuanepu (Fig. 1) in cooperation with the Sea Ice Research Laboratory of Hokkaido University to characterize the general meteorological and climatological features at the lagoon. In this report, time series of meteorological parameters during the period from December 1997 through November 1998 are shown. Time series data of meteorological variables were reported for the period from December 1991 through December 1992 by Shirasawa *et al.* (1993), for January 1993 through November 1995 by Shirasawa *et al.* (1995), for December 1995 through November 1996 by Shirasawa *et al.* (1996) and for November 1996 through November 1997 by Shirasawa *et al.* (1997).

## II. Meteorological Data at Kimuanepu

A location map of the meteorological tower at Kimuanepu (44°06.08'N 143°56.12'E) is shown in Fig. 1. A thermometer, a pyrheliometer and a wind sensor were installed at the heights of 2.9, 4.2 and 5.0 m, respectively, of the 5-m tower set up at the cape of Kimuanepu in 1989. Instantaneous values of those sensors were recorded at every 10 min and stored in a data acquisition system (Intelligent Data-Stocker DS-64K2 and LM-30K, Kona Sapporo Co.). The threshold value for the wind speed was 2 ms<sup>-1</sup>. Time series of wind speed and azimuth, air temperature and solar radiation during the period from December 1997 through November 1998 at each month are shown in Fig. 3. Values for those graphs were obtained at a sampling interval of 10 min except for stick diagrams of wind vector on the uppermost frame in the figure, which were produced by data at a sampling interval of one

hour. Shown in Fig. 4 is a time series of wind rose at each month, indicating that the WNW wind along the Okhotsk Sea coast is predominant during the period from November through February. The duration of the complete ice coverage of the whole surface of Saroma-ko lagoon is shown in Fig. 2. In winters 1988/89, 1990/91, 1992/93 and 1996/97 the lagoon surface was not completely covered with sea ice.

**Acknowledgments.** We wish to thank the Saroma Research Center of Aquaculture in Sakaeura for their kind offers to use their facilities. Funding for this work was partly obtained from the Japanese Ministry of Education, Science and Culture (Monbusho) through grants-in-aid for Scientific Research "Experimental Studies of Air-Ocean-Sea Ice Processes through Sea-Ice Evolution for Modelling of Sea-Ice Ecosystem" (No. 07458117, Principal Investigator: Kunio Shirasawa), and from the Sasakawa Scientific Research Grant from the Japan Science Society (Principal Investigator: Tohru Takatsuka).

#### References

- Shirasawa, K., Ikeda, M., Takatsuka, T., Ishikawa, M., Aota, M., Ingram, G., Belanger, C., Peltola, P., Takahashi, S., Matsuyama, M., Hudier, E., Fujiyoshi, Y., Kodama, Y., and Ishikawa, N. (1993) Atmospheric and oceanographic data report for Saroma-ko Lagoon of the SARES (Saroma-Resolute Studies) Project, 1992. *Low Temperature Science, Ser. A., 52. Data Report.* 69-167.
- Shirasawa, K., Ikeda, M., Ishikawa, M., Takatsuka, T., Aota, M., and Fujiyoshi, Y. (1995) Meteorological observation data report for Saroma-ko lagoon, Hokkaido, January 1993 - November 1995. *Low Temperature Science, Ser. A., 54. Data Report.* 19-80.
- Shirasawa, K., Ikeda, M., Ishikawa, M., Takatsuka, T., Aota, M., and Fujiyoshi, Y. (1996) Sea ice conditions and meteorological observations at Saroma-ko lagoon, Hokkaido, December 1995 - November 1996. *Low Temperature Science, Ser. A., 55. Data Report.* 47-77.
- Shirasawa, K., Ikeda, M., Ishikawa, M., Takatsuka, T., Aota, M., and Fujiyoshi, Y. (1997) Sea ice conditions and meteorological observations at Saroma-ko lagoon, Hokkaido, November 1996 - November 1998. *Low Temperature Science, Ser. A., 56. Data Report.* 9-34.




Fig. 1 A location map of Saroma-ko Lagoon.






Fig. 2 Freeze-up, breakup and duration of complete ice coverage at Saroma-ko lagoon during the period from 1964 through 1998. The arrow indicates the date of the opening of the second inlet in December 1978.

## Kimuanepu, Saroma-ko Lagoon




**Fig. 3** Wind speed and azimuth, air temperature and solar radiation obtained during the period between December 1997 and November 1998 at Kimuanepu.

Kimuanepu, Saroma-ko Lagoon




## Kimuanepu, Saroma-ko Lagoon







## Kimuanepu, Saroma-ko Lagoon




Kimuaneppu, Saroma-ko Lagoon




Kimuaneppu, Saroma-ko Lagoon




Kimuaneppu, Saroma-ko Lagoon




Kimuanepu, Saroma-ko Lagoon




Kimuanepu, Saroma-ko Lagoon



## Kimuanepu, Saroma-ko Lagoon





## Kimuaneppu, Saroma-ko Lagoon





## Kimuanepu, Saroma-ko Lagoon





**Fig. 4** Wind roses for each month during the period between December 1997 and November 1998 at Kimuanepu.