



| | |
|------------------------|---|
| Title | Honeycomb-like architecture produced by living bacteria, <i>Gluconacetobacter xylinus</i> |
| Author(s) | Uraki, Yasumitsu; Nemoto, Junji; Otsuka, Hiroyuki; Tamai, Yutaka; Sugiyama, Junji; Kishimoto, Takao; Ubukata, Makoto; Yabu, Hiroshi; Tanaka, Masaru; Shimomura, Masatsugu |
| Citation | Carbohydrate Polymers, 69(1), 1-6 https://doi.org/10.1016/j.carbpol.2006.08.021 |
| Issue Date | 2007-05-01 |
| Doc URL | http://hdl.handle.net/2115/27989 |
| Type | article (author version) |
| Additional Information | There are other files related to this item in HUSCAP. Check the above URL. |
| File Information | CP-appendix2-3.pdf |



[Instructions for use](#)

(Appendix 2)





Figure. 3-D images of honeycomb-patterned agarose film before BC deposition (A) and after deposition (B).

(Appendix 3)



(A)



(B)

Figure. Honeycomb patterned BC (A) and maltese cross image under a cross-Nicol polarizer (B). The inserted images in (B) are magnified image under the cross-Nicol polarizer (left side) and sensitive-tint plate (right side).