



Title	Efficient Representations of Boolean Functions: The View from Knowledge Compilation
Author(s)	Darwiche, Adnan
Citation	2010年度科学技術振興機構ERATO湊離散構造処理系プロジェクト講究録. p.186-187.
Issue Date	2011-06
Doc URL	http://hdl.handle.net/2115/48458
Type	conference presentation
Note	ERATO 세미나2010 : No.27. 2010年11月15日
File Information	27_all.pdf



[Instructions for use](#)

ERATO セミナ 2010 - No. 27

Efficient Representations of Boolean Functions: The View from Knowledge Compilation

Adnan Darwiche

UCLA

2010/11/15

概要

We provide an overview of the area of knowledge compilation, which is concerned with the systematic study of efficient representations of propositional knowledge bases (aka, Boolean functions). We discuss the two key dimensions of knowledge compilation: succinctness of the representation, and the set of operations it supports in polytime. We focus on two key representations: The well-studied Ordered Binary Decision Diagram (OBDD) and the more recent Decomposable Negation Normal Form (DNNF). We highlight the relationship between these two representations, while stressing some of the more recent developments on DNNFs. This includes lower and upper bounds on the size of DNNFs and how they relate to similar bounds on OBDDs; the notion of a vtree and how it generalizes the notion of a variable order; and the newly discovered notion of “interaction function” and the role it plays in the decomposition and efficient representation of Boolean functions.

