



Title	Suppression of iASPP-dependent aggressiveness in cervical cancer through reversal of methylation silencing of microRNA-124
Author(s)	Dong, Peixin; Xiong, Ying; Watari, Hidemichi; Hanley, Sharon JB; Konno, Yosuke; Ihira, Kei; Suzuki, Fumihiko; Yamada, Takahiro; Kudo, Masataka; Yue, Junming; Sakuragi, Noriaki
Citation	Scientific Reports, 6, 35480 <a href="https://doi.org/10.1038/srep35480">https://doi.org/10.1038/srep35480</a>
Issue Date	2016-10-21
Doc URL	<a href="http://hdl.handle.net/2115/63170">http://hdl.handle.net/2115/63170</a>
Rights(URL)	<a href="https://creativecommons.org/licenses/by/4.0/">https://creativecommons.org/licenses/by/4.0/</a>
Type	article
Additional Information	There are other files related to this item in HUSCAP. Check the above URL.
File Information	srep35480-s1.pdf (Supplementary Information)



[Instructions for use](#)

## Supplemental Information

### Suppression of iASPP-dependent aggressiveness in cervical cancer through reversal of methylation silencing of microRNA-124

Peixin Dong<sup>1,\*</sup>, Ying Xiong<sup>2,\*</sup>, Hidemichi Watari<sup>3</sup>, Sharon JB Hanley<sup>1</sup>, Yosuke Konno<sup>3</sup>, Kei Ihira<sup>3</sup>, Fumihiko Suzuki<sup>4</sup>, Takahiro Yamada<sup>1</sup>, Masataka Kudo<sup>3</sup>, Junming Yue<sup>5</sup> & Noriaki Sakuragi<sup>1,3</sup>

<sup>1</sup>Department of Women's Health Educational System, Hokkaido University School of Medicine, Hokkaido University, N15, W7, Sapporo 0608638, Japan

<sup>2</sup>Department of Gynecology, State Key Laboratory of Oncology in South China, Sun Yat-sen University Cancer Center, Guangzhou 510060, P. R. China


<sup>3</sup>Department of Gynecology, Hokkaido University School of Medicine, Hokkaido University, N15, W7, Sapporo 0608638, Japan

<sup>4</sup>Department of Obstetrics and Gynecology, Tohoku University, Sendai 9808574, Japan


<sup>5</sup>Department of Pathology and Laboratory Medicine, University of Tennessee Health Science Center, USA; Center for Cancer Research, University of Tennessee Health Science Center, Memphis, TN, USA

\*Equal contributors

Correspondence should be addressed to: P. D. (email: dpx1cn@gmail.com), H. W. (email: watarih@med.hokudai.ac.jp) and J. Y. (email: jyue@uthsc.edu)



**Supplementary Figure 1: Immunoblot of p53 protein expression in Hela cells after knockdown of p53.**



**Supplementary Figure 2: miR-34a functions as a tumor suppressor in CC cells.** Invasion (left) and proliferation (right) of HeLa (**a**) and SiHa (**b**) cells transfected with control or miR-34a mimic. qPCR analysis of the indicated mRNAs in HeLa (**c**) and SiHa (**d**) cells transfected with control or miR-34a mimic. The data are shown as the mean  $\pm$  SEM;  $n = 3$ ;  $**P < 0.01$ .