



Title	満州國産蜘蛛類
Author(s)	齋藤, 三郎
Citation	札幌博物学会会報, 15(3), 191-193
Issue Date	1938-07-15
Doc URL	<a href="http://hdl.handle.net/2115/64229">http://hdl.handle.net/2115/64229</a>
Type	article
File Information	Vol.15No.3_007.pdf



[Instructions for use](#)

## Arachnida of Manchoukuo III

By

Saburô SAITÔ

(齊藤三郎)

As to the Arachnida fauna of Manchoukuo the writer has reported already 69 species of spiders and 5 of harvestmen from Jehol<sup>1)</sup> and from the district along the South-Manchuria Railway<sup>2)</sup>. On September of 1937, Prof. Dr. T. INUKAI brought back a considerable number of spiders and harvestmen with a large collection of the other animals from his journey to Manchoukuo and Inner Mongolia as far as Kulumpeierh (呼倫貝爾) of Hei-lung-kiang (黑龍江省). These valuable materials were put at my disposal for systematical study through his courtesy. For this I wish here to express my heartiest thanks to Prof. T. INUKAI.

Of 20 species the following 13 species of spiders and 1 of harvestmen are referred again to the fauna of Manchoukuo, while the 6 listed afterwards are new;

1. *Gnaphosa sinensis* SIMON

*Gnaphosa sinensis* SIMON:—1880, Ann. Soc. ent. Fr., 5 ser., X, 121.

Loc. 1 ♀, the basin of the river Gan (根河), Sept. 8.

Dist. China (Pepin), Manchoukuo (Cheng-te, Chao-yang, Harbin).

2. *Tibellus oblongus* (WALCKENAER)

*Aranea oblonga* WALCKENAER:—1802, Faune Par., II, 228.

Loc. 2 ♀♀ (subadult), Wonfu (王府), Aug. 29, 30.

Dist. Manchoukuo (Hsin-king), U.S.A., Alaska, Europe, China (Pepin), Japan (Hokkaidô, the Southern Kurile Islands).

3. *Araneus adiantus* WALCKENAER

*Aranea adianta* WALCKENAER:—1802, Faune Par., II, 199.

Loc. 2 ♀♀ (subadult), Wonfu, Aug. 29, 30.

Dist. Manchoukuo (Ai-tao-tzu-ling, Peh-ying-fang, Schuang-ta-shan, Weng-niu-te, Leo-suu-ton, Hsin-king, Kai-yuan), Japan (Hokkaidô, Southern Saghalien), Siberia, Europe.

4. *Araneus cornutus* CLERCK

*Araneus cornutus* CLERCK:—1757, Sv. Spindl., 39.

Loc. 1 ♀, the basin of the river Gan, Sept. 8.

1) Report of the First Sc. Exped. to Manchoukuo, Sec. V, Div. I, Pt. III, Arts. 11, 12, 1936.

2) Annot. Zool. Jap., Vol. 16, 1937.

Dist. Manchoukuo (Harbin), Japan (Southern Saghalien, Hokkaidô), U.S.A., Europe.

5. *Araneus hamatus* CLERCK

*Araneus hamatus* CLERCK :—1757, Sv. Spindl., 51.

Loc. 1 ♀ (subadult), Wonfu, Aug. 29, 30.

Dist. Manchoukuo (Shuang-ta-shan), Europe.

6. *Eucta chinensis* CHAMBERLIN

*Eucta chinensis* CHAMBERLIN :—1924, Proc. U.S. Nat. Mus., LXIII, 12.

Loc. 3 ♀ ♀ (subadult), Wonfu, Aug. 29, 30.

Dist. China, Manchoukuo (Chao-yang).

7. *Agelena labyrinthica* (LINNAEUS)

*Aranea labyrinthica* LINNAEUS, 1758, Syst. Nat., Ed. 10, I, 620.

Loc. 1 ♀, the basin of the river Gan, Aug. 8.

Dist. Manchoukuo (Chao-yang, Shuang-ta-shan, Leo-sun-ton, An-shan, Kai-yuan), U.S.A., Europe.

8. *Agelena opulenta* L. KOCH

*Agelena opulenta* L. KOCH :—1877, Verhandl. d.k.k. Zool. bot. Ges., XXVII, 757.

Loc. 1 ♀, Khailassu (哈拉蘇), Sept. 12.

Dist. Manchoukuo (Harbin, An-shan, Siong-yu-cheng, Hsin-king, Pehying-fang), Japan (Kyûsyû, Honsyû, Hokkaidô).

9. *Tegenaria Derhamii* (SCOPOLI)

*Aranea Derhamii* SCOPOLI, 1763, Entom. Carn., 400.

Loc. 1 ♀, Khailar (海拉爾), Sept. 10.

Dist. Manchoukuo (Leo-sun-ton, Hsin-king, Chao-yang, Shuang-ta-shan), U.S.A., Europe.

10. *Dolomedes fimbriatus* (CLERCK)

*Araneus fimbriatus* CLERCK :—1757, Sv. Spindl., 106.

Loc. 1 ♀, 4 subadults, Khailassu, Sept. 12.

Dist. Manchoukuo (Chang-shan-yu, Cheng-te), Europe.

11. *Lyccsa monticola* (CLERCK)

*Araneus monticola* CLERCK :—1757, Sv. Spindl., 91.

Loc. 2 ♀ ♀, Khailar, Sept. 9.

Dist. Manchoukuo (Hsin-king), Japan (Hokkaidô), Siberia, Europe.

12. *Lycosa T-insignita* BÖS. et STRAND

*Lycosa T-insignita* BÖSENBERG et STRAND :—1906, Abhandl. senckenb. Naturf. Ges., XXX,

Loc. 1 ♀, the basin of the river Gan, Aug. 8.  
 Dist. Manchoukuo (Peh-wing-fang, Shuang-ta-shan, Cheng-te, Hsin-king), Japan (Hokkaidô, Honsyû, Kyûsyû, Formosa).

13. *Oxyopes sertatus* L. KOCH

*Oxyopes sertatus* L. KOCH:—1877, Verhandl. d.k.k. zool. bot. Ges., XXVII, 779.

Loc.; ♂, 1 ♀ (subadult), Khailassu, Sept. 11, 12.

Dist. Manchoukuo (Tieh-ling), Japan (Formosa, Honsyû, Kyûsyû).

14. *Opilio trispinifrons* ROEWER

*Opilio trispinifrons* ROEWER:—1911, Zool. Jahrb., Syst., V, 596.

Loc. Khailassu, Sept. 12.

Dist. Manchoukuo (Weng-niu-te), China (Pepin).

The following 6 are recorded for the first time from the Manchurian fauna;

15. *Philodromus spinitarsus* SIMON

*Philodromus spinitarsus* SIMON:—1895, BULL. Soc. ent. Fr., LXII.

Loc. 1 ♂ (subadult), Handshur (什殊爾), Sept. 6.

Dist. Japan (Kyûsyû), China.

16. *Xysticus ephippiatus* SIMON

*Xysticus ephippiatus* SIMON:—1880, Ann. Soc. ent. Fr., 5 ser., X, 107.

Loc. 5 ♀ ♀ (immature), Wonfu, Aug. 29, 30.

Dist. China (Pepin, Suifu, Soochow), Japan (Hokkaidô, Honsyû, Kyûsyû).

17. *Xysticus striatipes* L. KOCH

*Xysticus striatipes* L. KOCH:—1870, Beitr. Kennt. Ar.

Loc. 1 ♀, Handshur, Sept. 9, 11 ♂ ♂, 10 ♀ ♀ (subadult), Wonfu, Aug. 29, 30.

Dist. Europe.

18. *Thanatus miniaceus* SIMON

*Thanatus miniaceus* SIMON:—1800, Ann. Soc. ent. Fr., 5 ser., X, 110.

Loc. 11 ♀ ♀ (subadult), Wonfu, Aug. 29, 30.

Dist. China (Pepin).

19. *Larinia punctifera* BÖS. et STRAND

*Larinia punctifera* BÜSENBURG et STRAND:—1906, Verhandl. senckenb. Naturf. Ges., XXX, 212.

Loc. 4 ♀ ♀ (subadult), Wonfu, Aug. 29, 30.

Dist. Japan (Honsyû).

20. *Lutica* sp.

Loc. 1 ♀ (subadult), Wonfu, Aug. 29, 30.