| Title | Recombinant human soluble thrombomodulin and mortality in sepsis-induced disseminated intravascular coagulation : a multicentre retrospective study |
|------------------------|---|
| Author(s) | Hayakawa, Mineji; Yamakawa, Kazuma; Saito, Shinjiro; Uchino, Shigehiko; Kudo, Daisuke; Iizuka, Yusuke; Sanui, Masamitsu; Takimoto, Kohei; Mayumi, Toshihiko; Ono, Kota; Japan Septic Disseminated Intravascular Coagulation (JSEPTIC DIC) study group |
| Citation | Thrombosis and Haemostasis, 115(6), 1157-1166 https://doi.org/10.1160/TH15-12-0987 |
| Issue Date | 2016-06 |
| Doc URL | http://hdl.handle.net/2115/65839 |
| Rights | This article is not an exact copy of the original published article in Thrombosis and Haemostasis. The definitive publisher-authenticated version of Thromb Haemost 2016; 115: 1157–1166 is available online at: http://dx.doi.org/10.1160/TH15-12-0987 |
| Туре | article (author version) |
| Additional Information | There are other files related to this item in HUSCAP. Check the above URL. |
| File Information | ThrombHaemost115_1157_suppl.pdf (Supplementary Materials) |



Institutions

Akashi City Hospital

Asahikawa Medical University

Asahikawa Red Cross Hospital

Ehime University Hospital

Fukuoka University Hospital

Gifu University Hospital

Graduate School of Medicine, University of the Ryukyus

Gunma University

Hakodate Municipal Hospital

Hokkaido University Hospital

Hyogo College of Medicine

Ibaraki Prefectural Central Hospital

JA Hiroshima General Hospital

Japan Red Cross Maebashi Hospital

Jichi Medical University Saitama Medical Center

Jikei University School of Medicine

Kameda Medical Center

KKR Sapporo Medical Center

Kyoto First Red-Cross Hospital

Kyushu University Hospital

Mie University Hospital

Nagasaki University Hospital

Nihon University School of Medicine

Nippon Medical School Chiba Hokusoh Hospital

Ohta General Hospital Foundation Ohta Nishinouchi Hospital

Osaka General Medical Center

Osaka University Hospital

Saga University Hospital

Saiseikai Yokohamasi Tobu Hospital

Saitama Red Cross Hospital

Sapporo City General Hospital

Seirei Mikatahara General Hospital

Sendai City Hospital

Shonan Kamakura General Hospital

Steel Memorial Muroran Hospital

Tohoku University Hospital

Tokyo Medical University, Hachioji Medical Center

Tomishiro Central Hospital

University of Occupational and Environmental Health Hospital

Wakayama Medical University Hospital

Supplemental Table 2 Characteristics of the participating intensive care units (ICUs)

| | n = 42 |
|---------------------|-----------|
| ICU characteristics | |
| General ICU | 24 (57.1) |
| Emergency ICU | 18 (42.9) |
| ICU policy | |
| Closed policy | 17 (40.5) |
| Open policy | 18 (42.9) |
| Other | 7 (16.7) |
| Number of beds | 11 (8–15) |

Data are presented as median (interquartile range) or n (%).