



Title	Recombinant human soluble thrombomodulin and mortality in sepsis-induced disseminated intravascular coagulation : a multicentre retrospective study
Author(s)	Hayakawa, Mineji; Yamakawa, Kazuma; Saito, Shinjiro; Uchino, Shigehiko; Kudo, Daisuke; Iizuka, Yusuke; Sanui, Masamitsu; Takimoto, Kohei; Mayumi, Toshihiko; Ono, Kota; Japan Septic Disseminated Intravascular Coagulation (JSEPTIC DIC) study group
Citation	Thrombosis and Haemostasis, 115(6), 1157-1166 <a href="https://doi.org/10.1160/TH15-12-0987">https://doi.org/10.1160/TH15-12-0987</a>
Issue Date	2016-06
Doc URL	<a href="http://hdl.handle.net/2115/65839">http://hdl.handle.net/2115/65839</a>
Rights	This article is not an exact copy of the original published article in Thrombosis and Haemostasis. The definitive publisher-authenticated version of Thromb Haemost 2016; 115: 1157–1166 is available online at: <a href="http://dx.doi.org/10.1160/TH15-12-0987">http://dx.doi.org/10.1160/TH15-12-0987</a>
Type	article (author version)
Additional Information	There are other files related to this item in HUSCAP. Check the above URL.
File Information	ThrombHaemost115_1157_suppl.pdf (Supplementary Materials)



[Instructions for use](#)

Supplemental Table 1 List of participating institutions

Institutions
Akashi City Hospital
Asahikawa Medical University
Asahikawa Red Cross Hospital
Ehime University Hospital
Fukuoka University Hospital
Gifu University Hospital
Graduate School of Medicine, University of the Ryukyus
Gunma University
Hakodate Municipal Hospital
Hokkaido University Hospital
Hyogo College of Medicine
Ibaraki Prefectural Central Hospital
JA Hiroshima General Hospital
Japan Red Cross Maebashi Hospital
Jichi Medical University Saitama Medical Center
Jikei University School of Medicine
Kameda Medical Center
KKR Sapporo Medical Center
Kyoto First Red-Cross Hospital
Kyushu University Hospital
Mie University Hospital
Nagasaki University Hospital
Nihon University School of Medicine
Nippon Medical School Chiba Hokusoh Hospital
Ohta General Hospital Foundation Ohta Nishinouchi Hospital
Osaka General Medical Center
Osaka University Hospital
Saga University Hospital
Saiseikai Yokohamasi Tobu Hospital
Saitama Red Cross Hospital
Sapporo City General Hospital
Seirei Mikatahara General Hospital
Sendai City Hospital
Shonan Kamakura General Hospital
Steel Memorial Muroran Hospital
Tohoku University Hospital
Tokyo Medical University, Hachioji Medical Center
Tomishiro Central Hospital
University of Occupational and Environmental Health Hospital
Wakayama Medical University Hospital

Supplemental Table 2 Characteristics of the participating intensive care units (ICUs)

	n = 42
ICU characteristics	
General ICU	24 (57.1)
Emergency ICU	18 (42.9)
ICU policy	
Closed policy	17 (40.5)
Open policy	18 (42.9)
Other	7 (16.7)
Number of beds	11 (8–15)

Data are presented as median (interquartile range) or n (%).