



Title	Multi-reassortant G3P[3] group A rotavirus in a horseshoe bat in Zambia
Author(s)	Sasaki, Michihito; Orba, Yasuko; Sasaki, Satoko; Gonzalez, Gabriel; Ishii, Akihiro; Hang'ombe, Bernard M.; Mweene, Aaron S.; Ito, Kimihito; Sawa, Hirofumi
Citation	Journal of General Virology, 97, 2488-2493 <a href="https://doi.org/10.1099/jgv.0.000591">https://doi.org/10.1099/jgv.0.000591</a>
Issue Date	2016-10
Doc URL	<a href="http://hdl.handle.net/2115/67281">http://hdl.handle.net/2115/67281</a>
Type	article (author version)
Additional Information	There are other files related to this item in HUSCAP. Check the above URL.
File Information	Supplementary J.Gen.Virol. v.97 p.2488-2493.pdf (Supplementary Material)



[Instructions for use](#)

## Supplementary Material

**Table S1. Primers used for coding sequence amplification in this study**

Primer	Polarity	Sequence (5' to 3')	Reference
VP1-F	Forward	GGCTATTAAAGCRTACAATGG	Fujii <i>et al.</i> 2012
VP1-R2	Reverse	GGTTAACACCGCGTTCAGAAGGA	This study
VP1-F2	Forward	GTCAGGAGAGAAGCAGACGAAAG	This study
VP1-R	Reverse	CACATCTAAGCACTCTAATCTTG	Fujii <i>et al.</i> 2012
VP2-F	Forward	GGCTATTAAAGGCTCAATGG	Fujii <i>et al.</i> 2012
VP2-R2	Reverse	ACGCCATCAATAACAACCTGTC	This study
VP2-F2	Forward	ATGTGGCTATTGACAGTCGTTCTC	This study
VP2-R	Reverse	TTGGCGTTTACARTTCGTTCA	Fujii <i>et al.</i> 2012
VP3-F	Forward	TGCGTTTACCTCTGATGGTG	Fujii <i>et al.</i> 2012
VP3-R	Reverse	TCACATCATGACYAGTGTGTTAAG	Fujii <i>et al.</i> 2012
VP4-F	Forward	GGCTATAAAATGGCTTCGCT	Fujii <i>et al.</i> 2012
VP4-R2	Reverse	AATGAGGGTTCTCTACAGCCAA	This study
VP4-F2	Forward	AGTGTCAATTACATTTCAGCAGGTGT	This study
VP4-R	Reverse	GGGGGTACATCCTC	Fujii <i>et al.</i> 2012
VP6-F	Forward	GGCTTWAAACGAAGTCTTC	Fujii <i>et al.</i> 2012
VP6-R2	Reverse	GAAACTGAATCTTCTGCATCAGG	This study
VP6-F2	Forward	ATTCACGCTAACAGATCACAG	This study
VP6-R	Reverse	GGTCACATCCTCTCACT	Fujii <i>et al.</i> 2012
VP7-F	Forward	GGCTTTAAAAGMGAGAATTCC	Fujii <i>et al.</i> 2012
VP7-R	Reverse	GGGGGTACATCATACAATTCT	Fujii <i>et al.</i> 2012
NSP1-F	Forward	GGCTTTTTATGAAAAGTCTTG	Fujii <i>et al.</i> 2012
NSP1-R2	Reverse	AATTCTGATGCTGGCTGCCAA	This study
NSP1-F2	Forward	AGGACTAAAAGTCGCATAGCCT	This study
NSP1-R	Reverse	CTAGGCGCTACTCTAGT	Fujii <i>et al.</i> 2012
NSP2-F	Forward	GGCTTTAAAGCGTCTCAGTC	Fujii <i>et al.</i> 2012
NSP2-R	Reverse	GGTCACATAAGCGCTTCTATT	Fujii <i>et al.</i> 2012
NSP3-F	Forward	GGCTTTAATGCTTTCAGTGGTTG	Fujii <i>et al.</i> 2012
NSP3-R	Reverse	GGTCACATAACGCCCTATAG	Fujii <i>et al.</i> 2012
NSP4-F	Forward	CTTTAAAAGTTCTGTTCCGAGAG	Fujii <i>et al.</i> 2012
NSP4-R	Reverse	AAGACCATTCCATTAAAC	Fujii <i>et al.</i> 2012
NSP5-F	Forward	GGCTTTAAAGCGCTACAGT	Fujii <i>et al.</i> 2012
NSP5-R2	Reverse	AGGAGAAATCCACTTGATCGCA	This study
NSP5-F2	Forward	CTGCTCAAACGATCCACTCAC	This study
NSP5-R	Reverse	GGTCACAAAACGGGAGTGGGGA	Fujii <i>et al.</i> 2012

**Table S2. Primers used for rotavirus screening in this study**

Primer	Polarity	Sequence (5' to 3')	Reference
RotexoF (VP7)	Forward	MDCGGWTAGMYYBTTTWAATG	Li <i>et al.</i> 2016
RotexoR (VP7)	Reverse	CCCATNGMDATCCAYTTRTT	Li <i>et al.</i> 2016
RotinF (VP7)	Forward	TAGCYYBTTTRATGTATGGKAT	Li <i>et al.</i> 2016
RotinR (VP7)	Reverse	TCCATNGGRTTRCAHARCC	Li <i>et al.</i> 2016
LUS12-14 VP4-F	Forward	ATCAGACGCCTATAGCTAATT CGG	This study
LUS12-14 VP4-R	Reverse	CTGAAGCTTCGGTAACAATGTCTG	This study
LUS12-14 NSP2-F	Forward	AGTGGCGGTGATAATTGTGAAG	This study
LUS12-14 NSP2-R	Reverse	TGCCTTGTTTCATTGAGGATGTG	This study

**Table S3. Primers used for 5' and 3' rapid amplification of cDNA end in this study**

Primer	Polarity	Sequence (5' to 3')	Reference
VP2-5RACE1	Reverse	GATAATCTGGCATTTCAGTAAGCAC	This study
VP2-5RACE2	Reverse	CGTAGTTCCCTTTCACCAATTGCT	This study
VP2-3RACE1	Forward	GAACGTGCCTCAGATAAAATTGCAC	This study
VP2-3RACE2	Forward	AGTTGGAAAGGGATGAGATGTATGG	This study
VP4-5RACE1	Reverse	CGATATCCTCAATTGGTTGAGCTTC	This study
VP4-5RACE2	Reverse	CATTACGGCATAACAGTTCGGAGTAG	This study
NSP2-3RACE1	Forward	ACACATGGTAAAGGTCACTACAGAG	This study
NSP2-3RACE2	Forward	ATTCATCAGTTGCGAATCATGCAG	This study