



Title	Immunoglobulin G (IgG)-Based Imaging Probe Accumulates in M1 Macrophage-Infiltrated Atherosclerotic Plaques Independent of IgG Target Molecule Expression
Author(s)	Shimizu, Yoichi; Hanzawa, Hiroko; Zhao, Yan; Fukura, Sagiri; Nishijima, Ken-ichi; Sakamoto, Takeshi; Zhao, Songji; Tamaki, Nagara; Ogawa, Mikako; Kuge, Yuji
Citation	Molecular imaging and biology, 19(4), 531-539 https://doi.org/10.1007/s11307-016-1036-8
Issue Date	2017-08
Doc URL	http://hdl.handle.net/2115/71143
Rights	The original publication is available at www.springerlink.com
Type	article (author version)
Additional Information	There are other files related to this item in HUSCAP. Check the above URL.
File Information	11307_2016_1036_MOESM1_ESM.pdf (Supplementary material)



[Instructions for use](#)

Electronic Supplementary Materials

Immunoglobulin-G (IgG)-Based Imaging Probe Accumulates in M1 Macrophage-Infiltrated Atherosclerotic Plaques Independent of IgG Target Molecule Expression

Journal: Molecular Imaging and Biology

Yoichi Shimizu^{1,2*}, Hiroko Hanzawa³, Yan Zhao⁴, Sagiri Fukura⁴, Ken-ichi Nishijima^{2,4},
Takeshi Sakamoto⁵, Songji Zhao⁴, Nagara Tamaki⁴, Mikako Ogawa¹, Yuji Kuge^{2,4}

¹ Faculty of Pharmaceutical Sciences, Hokkaido University, Kita 12 Nishi 6, Kita-ku,
060-0812 Sapporo, Japan


² Central Institute of Isotope Science, Hokkaido University, Kita 15 Nishi 7, Kita-ku,
060-0815 Sapporo, Japan

³ Center for Exploratory Research, Research & Development Group, Hitachi, Ltd.,
350-0395 Hatoyama, Japan

⁴ Hokkaido University Graduate School of Medicine, Kita 15 Nishi 7, Kita-ku,
060-8638 Sapporo, Japan

⁵ Center for Technology Innovation – Healthcare, Research & Development Group,
Hitachi, Ltd., 185-8601 Kokubunji, Japan

Supplemental Figure



Supplemental Figure 1. Size exclusion HPLC analysis of [^{99m}Tc]IgG monitored using a UV detector at 280 nm (a) and a radiodetector (b).