



Title	Preparation of Biopex-Supported Gold Nanoparticles as Potential Fiducial Markers for Image-Guided Radiation Therapy
Author(s)	Ikeda, Kai; Liu, Haoran; Miyamoto, Naoki; Mai Thanh Nguyen; Shirato, Hiroki; Yonezawa, Tetsu
Citation	ACS Applied Bio Materials, 5(3), 1259-1266 https://doi.org/10.1021/acsabm.1c01271
Issue Date	2022-02-17
Doc URL	http://hdl.handle.net/2115/88096
Rights	This document is the Accepted Manuscript version of a Published Work that appeared in final form in ACS Applied Bio Materials, copyright c American Chemical Society after peer review and technical editing by the publisher. To access the final edited and published work see https://pubs.acs.org/articlesonrequest/AOR-DJCPDJNHVGVG6DPXF6DG
Type	article (author version)
Additional Information	There are other files related to this item in HUSCAP. Check the above URL.
File Information	Supporting Information (Yonezawa).pdf



[Instructions for use](#)

Supporting Information

Preparation of Biopex-supported gold nanoparticles as a potential fiducial marker for image-guided radiation therapy

Kai Ikeda,[‡] Haoran Liu,[‡] Naoki Miyamoto, Mai Thanh Nguyen, Hiroki Shirato, and Tetsu Yonezawa*

^aDivision of Materials Science and Engineering, Faculty of Engineering, Hokkaido University, Kita 13 Nishi 8, Kita-ku, Sapporo, Hokkaido 060-8628, Japan

^bDivision of Applied Quantum Science and Engineering, Faculty of Engineering, Hokkaido University, Kita 13 Nishi 8, Kita-ku, Sapporo, Hokkaido 060-8628, Japan

^cDepartment of Medical Physics, Hokkaido University Hospital, Kita 14 Nishi 5, Kita-ku, Sapporo, Hokkaido 060-8648, Japan

^dGlobal Station of Quantum Medical Science and Engineering, Global Institution for Collaborative Research and Education, Hokkaido University, Kita 15 Nishi 7, Kita-ku, Sapporo, Hokkaido 060-8638, Japan

*Tetsu Yonezawa. E-mail address: tetsu@eng.hokudai.ac.jp.

[‡]These authors contributed equally.

Catalogue

Figure S1. Fabrication route of Biopex-Au NPs.....	S3
Figure S2. Schematic diagram of the X-ray visualization test.....	S3
Figure S3. Color change of the mixed solution in the synthesis experiment with H ₂ AuCl ₄ concentration 0.50 mmol/L, reaction time 2 h, Biopex amount 99 mg.	S4
Figure S4. Optical images of liquid samples with and without Biopex after 2 h synthesis and the dried Biopex-Au NPs.	S4
Figure S5. White powder collected from the supernatant.....	S5
Figure S6. Biopex-Au NPs injected through 18 G, 19 G, and 21 G needles.	S5
Figure S7. Cured Biopex-Au NPs taken out from jelly.	S5




Figure S1. Fabrication route of Biopex-Au NPs.




Figure S2. Schematic diagram of the X-ray visualization test.




Figure S3. Color change of the mixed solution in the synthesis experiment with HAuCl_4 concentration 0.50 mmol/L, reaction time 2 h, Biopex amount 99 mg.




Figure S4. Optical images of liquid samples with and without Biopex after 2 h synthesis and the dried Biopex-Au NPs.




Figure S5. White powder collected from the supernatant.



Figure S6. Biopex-Au NPs injected through 18G, 19G, and 21G needles.




Figure S7. Cured Biopex-Au NPs taken out from jelly.