



Title	Developing a Highly Efficient Multimetallic Catalyst for CO <sub>2</sub> -assisted Oxidative Dehydrogenation and Dry Reforming of Propane [an abstract of dissertation and a summary of dissertation review]
Author(s)	XING, Feilong
Citation	北海道大学. 博士(工学) 甲第15417号
Issue Date	2023-03-23
Doc URL	<a href="http://hdl.handle.net/2115/89660">http://hdl.handle.net/2115/89660</a>
Rights(URL)	<a href="https://creativecommons.org/licenses/by/4.0/">https://creativecommons.org/licenses/by/4.0/</a>
Type	theses (doctoral - abstract and summary of review)
Additional Information	There are other files related to this item in HUSCAP. Check the above URL.
File Information	Feilong_XING_review.pdf (審査の要旨)



[Instructions for use](#)

## 学位論文審査の要旨

博士の専攻分野の名称 博士（工学） 氏名 XING Feilong

審査担当者	主査	教授	清水研一
	副査	准教授	古川森也
	副査	准教授	飯田健二
	副査	教授	福岡淳
	副査	教授	長谷川淳也

## 学位論文題名

Developing a Highly Efficient Multimetallic Catalyst for CO<sub>2</sub>-assisted oxidative dehydrogenation  
and dry reforming of propane

(CO<sub>2</sub> によるプロパンの酸化脱水素および改質反応に有効な多元素合金触媒の開発)

CO<sub>2</sub>-assisted conversion of hydrocarbons has attracted increasing attention due to the high suitability for carbon neutralization. However, achieving high catalytic activity, selectivity, and stability based on the conventional catalyst design concept remains highly challenging. In this thesis, two novel catalyst design concepts have been developed for this challenge: (i) pseudo-binary alloy, where one constituent metal of binary intermetallic A<sub>m</sub>B<sub>n</sub> is partially replaced with a third metal A' to form (A<sub>1-x</sub>A'<sub>x</sub>)<sub>m</sub>B<sub>n</sub>, and (ii) high-entropy intermetallic (HEI), which is a multi-metallic alloy having five or more elements and specific crystal structure is derived from the parent binary intermetallic, namely an expansion of (i) to a multinary system.

**Chapter 2** showed that Pt–Co–In ternary alloy on CeO<sub>2</sub> exhibited a highly efficient catalyst for CO<sub>2</sub>-ODP. Both the C<sub>3</sub>H<sub>8</sub> dehydrogenation and CO<sub>2</sub> reduction smoothly proceed on the Pt–Co active site to form 2H and O, as well as the main products: C<sub>3</sub>H<sub>6</sub> and CO. Alloying with In enhances the C<sub>3</sub>H<sub>6</sub> selectivity due to the ensemble effect and decreases the amount of coke that accumulates on the catalyst surface. The doped Co improves the adsorption strengths of the C and H species, which promotes the activation of C<sub>3</sub>H<sub>8</sub> and CO<sub>2</sub>. The O atoms oxidize the eliminated H to form H<sub>2</sub>O or combust coke on the alloy surface or neighboring CeO<sub>2</sub> sites. Moreover, CeO<sub>2</sub> can facilitate coke combustion via a Mars-van Krevelen-type mechanism, which significantly enhances the coke resistance and catalyst stability. Pt–Co–In/CeO<sub>2</sub> exhibits outstanding catalytic activity, C<sub>3</sub>H<sub>6</sub> selectivity, long-term stability, and CO<sub>2</sub> utilization efficiency, all of which are greater than typical values ever reported. In **Chapter 3**, I further designed and prepared a PtSn-based HEIs catalyst for higher coke resistant and thermal stability than those of Pt–Co–In/CeO<sub>2</sub>. I focused on intermetallic PtSn and its Pt and Sn sites were partially substituted with Ni/Co and In/Ga, resulting in nanoparticles with a HEI structure of (PtCoNi)(SnInGa). The multi-metallization sufficiently isolates Pt atoms, preventing propylene decomposition and coke formation. The incorporation of Ni and Co significantly enhanced the ability to activate CO<sub>2</sub>. Doping In(Ga) into the Sn site improved catalyst stability, probably due to the enhanced entropy effect. The combination of these abilities significantly enhances coke resistance and catalyst lifetime. Furthermore, because of the increased thermal stability, multi-metallization also prevents nanoparticle

sintering. The HEI/CeO<sub>2</sub> catalyst shows much greater catalyst life and specific activity than Pt–Co–In/CeO<sub>2</sub>. In **Chapter 4**, I further applied the Pt–Co–In ternary alloy system to dry reforming of propane (DRP), which has attracted much attention as a syngas production technology for liquid fuels with a low H<sub>2</sub>/CO ratio. The PtCo<sub>2</sub>In<sub>3</sub>/CeO<sub>2</sub> for the DRP reaction with high selectivity and stability even over 100 h. The results show that the catalytic behavior of these catalysts is highly sensitive to the amount of cobalt doping. By controlling the amount of cobalt doping, the catalytic activity of PtCo<sub>2</sub>In<sub>3</sub>/CeO<sub>2</sub> catalysts can be improved, and the C–H/C–C bond of propane can be selectively cleaved in the presence of CO<sub>2</sub>.

In summary, the study in this thesis not only provides excellent catalytic performances in conversion of light alkane and CO<sub>2</sub>, but also opens a new window for the design of multi-metallic catalysts for challenging molecular conversions.

Thus, the author is qualified to receive the PhD degree in engineering, Hokkaido University.