



Title	Thiomicrothabodus immobilis sp. nov., a mesophilic sulfur-oxidizing bacterium isolated from sediment of a brackish lake in northern Japan
Author(s)	Kojima, Hisaya; Mochizuki, Jun; Kanda, Mamoru; Watanabe, Tomohiro; Fukui, Manabu
Citation	Archives of Microbiology, 204(10), 605 https://doi.org/10.1007/s00203-022-03221-0
Issue Date	2022-09-07
Doc URL	http://hdl.handle.net/2115/90349
Rights	This version of the article has been accepted for publication, after peer review (when applicable) and is subject to Springer Nature 's AM terms of use, but is not the Version of Record and does not reflect post-acceptance improvements, or any corrections. The Version of Record is available online at: https://doi.org/10.1007/s00203-022-03221-0
Type	article (author version)
Additional Information	There are other files related to this item in HUSCAP. Check the above URL.
File Information	Supp220819.pdf (Supplementary file)



[Instructions for use](#)

Supplementary material

***Thiomicrohabdus immobilis* sp. nov., a mesophilic sulfur-oxidizing
bacterium isolated from sediment of a brackish lake in northern Japan**

Hisaya Kojima^{1*}, Jun Mochizuki^{1,2}, Mamoru Kanda^{1,2}, Tomohiro Watanabe¹ and Manabu Fukui¹

¹ The Institute of Low Temperature Science, Hokkaido University, Sapporo, Japan

² Graduate School of Environmental Science, Hokkaido University, Sapporo, Japan

*Corresponding author. E-mail: kojimah@pop.lowtem.hokudai.ac.jp

Table S1. Cellular fatty acid profile of strain Am19^T grown on thiosulfate at 30°C. Summed features consist of fatty acids that could not be separated, as follows: Summed feature 1, iso-C_{15:0} H and/or C_{13:0} 3OH; summed feature 2, C_{12:0} aldehyde, unknown 10.928 , C_{14:0} 3-OH and/or iso-C_{16:1} I; summed feature 3, C_{16:1}ω7c and/or C_{16:1}ω6c; summed feature 8, C_{18:1}ω7c and/or C_{18:1}ω6c.

Fatty acid	%
C _{9:0}	0.06
C _{10:0}	0.79
C _{10:0} 3OH	0.36
C _{12:0}	0.24
C _{14:0}	0.57
C _{15:1} ω6c	0.18
C _{16:1} ω5c	0.26
C _{16:0}	13.74
C _{17:1} ω8c	0.65
C _{17:1} ω6c	1.25
C _{17:0}	1.02
C _{18:1} ω5c	0.52
C _{18:0}	1.04
C _{18:1} ω7c 11-methyl	0.09
C _{20:1} ω7c	0.13
Summed feature 1	0.05
Summed feature 2	0.21
Summed feature 3	45.97
Summed feature 8	32.86




Fig. S1. Genome-based phylogenetic tree showing position of strain Am19^T in the GTDB taxonomy. The strain was placed in the bac120 tree of GTDB, by using the GTDB-tk.




Fig S2. Full version of Fig. 1 showing names of all entries and bootstrap values greater than 50.