





Title	Exploration and Development of Novel Functional MoS ₂ -based Nanomaterials [an abstract of entire text]
Author(s)	ZHANG, Meiqi
Citation	北海道大学. 博士(総合化学院(総合化学専攻)) 甲第15388号
Issue Date	2023-03-23
Doc URL	http://hdl.handle.net/2115/91714
Type	theses (doctoral - abstract of entire text)
Note	この博士論文全文の閲覧方法については、以下のサイトをご参照ください。
Note(URL)	https://www.lib.hokudai.ac.jp/dissertations/copy-guides/
File Information	15388_ZHANG_Meiqi_summary.pdf



[Instructions for use](#)




In the chapter 2, the novel synthesis strategy to generate MoS₂ by sulfurized 0D-Mo₆ cluster powder as a precursor have been explored. Traditional MoS₂ synthesis methods (e.g., chemical vapor deposition, hydrothermal synthesis, etc.) have been extensively investigated, and the use of catalysts to grow MoS₂ has also started to attract the attention of researchers. It has been reported that the growth of 1D-MoS₂ nanowires with rectangular cross-sections by using FeO nanoparticles as catalysts. This chapter firstly reviews and introduces these synthetic methods and their products, and then boldly explores and establishes a pioneering system for the sulfurization of 0D-Mo₆ cluster powder as a precursor to generate MoS₂ nanomaterial by gas flow method and chemical vapor transport reaction. Based on this innovative precursor, diverse synthesis methods demonstrate varying outcomes. The experimental results prove that this sulfurization strategy is indeed feasible.




In the chapter 3, a computational study on 1D-MoS₂ nanotubes with square cross sections is elucidate the growth mechanism and properties of experimentally synthesized nanotubes which is introduced in Chapter 2. The Density Functional Theory (DFT) emerges as a powerful computational tool operating at the atomic and electronic levels, facilitating our exploration of material structural stability and electronic properties. The DFT calculation results show that these square nanotubes have strain energies lower than the traditional cylindrical ones in the small-diameter region. They also show a much smaller band gap and higher surface energies compared with the cylindrical ones. Zigzag and armchair chirality shows qualitatively different electronic structures about the localization of the edge states because of the under-coordinated Mo atoms located at the edges.

Chapter 4



In the chapter 4, the Mo cluster-MoS₂ nanoparticle-built 2D thin film was creatively synthesized through the one-step sulfuration process, which is the development of the H₂/H₂S gas flow method based on Chapter 2. The Mo₆ cluster iodides nanoparticle (MI) coated on the fluorine-doped tin oxide (FTO) glass substrate via the electrophoretic deposition method (i.e., MI@FTO) were used as a precursor to form a thin film nanocomposite. Detailed investigations of the structure, reaction mechanism, and NH₃ gas sensing performance were carried out. The Mo_x cluster-MoS₂ thin film nanocomposites (1 ≤ x ≤ 6) were characterized and measured as gas sensors for the first time. Results indicated that after the sulfuration process, the response of MI@FTO for NH₃ gas increased by three times while showing conversion from p-type semiconductor to n-type, which enriches their possibilities for future device applications.

Chapter 5



In the chapter 5, the 3D Mo₆/MoS₂ nanoflower was creatively synthesized through the sulfuration process in a vacuum which is the development of the Chemical Vapor Transport Reactions base on the Chapter 2. The significant effect of the pressure of the reaction system in a vacuum tube on the final MoS₂ product was revealed for the first time, laying the foundation for future Mo₆ cluster sulfuration processes. The structure of this star-shaped nanosheet has been observed and analyzed in detail, and successfully demonstrated that it has a novel Mo₆ cluster/MoS₂ heterogeneous structure for the first time, the unknown properties stemming from this novel structure are still worthy of further exploration.

In the chapter 6, overall summary of this thesis was presented.