



Title	Crystal size, photoluminescence and electroluminescence optimization of MAPbBr <sub>3</sub> perovskite microcrystals [an abstract of dissertation and a summary of dissertation review]
Author(s)	張, 冬
Citation	北海道大学. 博士(環境科学) 甲第15728号
Issue Date	2024-03-25
Doc URL	<a href="http://hdl.handle.net/2115/91862">http://hdl.handle.net/2115/91862</a>
Rights(URL)	<a href="https://creativecommons.org/licenses/by/4.0/">https://creativecommons.org/licenses/by/4.0/</a>
Type	theses (doctoral - abstract and summary of review)
Additional Information	There are other files related to this item in HUSCAP. Check the above URL.
File Information	Zhang_Dong_abstract.pdf (論文内容の要旨)



[Instructions for use](#)

# 学 位 論 文 内 容 の 要 旨

Dissertation Abstract

博士 (環境科学)

氏 名 張 冬 Your name

## 学 位 論 文 題 名

Title of dissertation

Crystal size, photoluminescence and electroluminescence optimization of MAPbBr<sub>3</sub> perovskite microcrystals

(MAPbBr<sub>3</sub> ペロブスカイト微結晶の結晶サイズ、フォトルミネッセンスおよびエレクトロルミネッセンスの最適化)

Lead halide perovskites have been the most attractive semiconductor material for light-harvesting and light-emitting applications, which is attributed to the excellent properties, such as high photoluminescence yield, large absorption coefficient, low formation energy, and tunable bandgap. However, there are still issues to limit its large-scale application, like instability and efficiency roll-off. In this thesis, I mainly focus on the study of isotropic and high-quality perovskite microcrystal synthesis, light-induced ion migration and its affection on the electroluminescence blinking, and time-resolved electroluminescence of MAPbBr<sub>3</sub> microcrystals. It is summarized in five chapters. In Chapter 1, I introduce the general information of halide perovskite. First, I introduce the structure of one-unit cell, compositions and stability factors of perovskite. Following, I introduce different size of halide perovskite synthesis methods, including micro-sized single crystal, nanocrystal and quantum dots. Then I introduce the characterizations of halide perovskite, including the optical property, bandgap, charge carrier dynamic, blinking. Finally, I introduce the applications of halide perovskite, especially on solar cells and light-emitting diodes. I also express my study motivation. In chapter 2, I introduce the materials, sample preparation methods and instruments I used throughout all the studies. I synthesize the MAPbBr<sub>3</sub> microcrystals by various methods, they are RTC, AVC, ITC, modified-ITC, blade-coating methods. I investigate the morphology of obtained microcrystals by optical microscope and fluorescence microscope. I study the photoluminescence and electroluminescence blinking by single particle micro spectroscopy, the photoluminescence and electroluminescence decays by time-resolved photoluminescence and electroluminescence spectroscopy. In chapter 3, I study the isotropic high quality MAPbBr<sub>3</sub> microcrystals synthesis. I investigate

the additive *N*-cyclohexyl-2-pyrrolidone ratio and reaction temperature affection on the crystal size, shape, quality and density. I also discuss the crystal nucleation theory and crystallization kinetics. Finally, I expand the modified ITC method to various type halide perovskite. In chapter 4, I study the light-soaking affection on the photoluminescence lifetime and electroluminescence blinking, the ON and OFF probability distribution of electroluminescence blinking is statistically studied. The mechanism of light-induced halide ion migration and trap healing is discussed. In chapter 5, I study the time-resolved electroluminescence of MAPbBr<sub>3</sub> microcrystal. First, I measure the optical spectra and electroluminescence decay of commercial blue, green and red color LEDs, the instrument reliability is confirmed by this measurement, and it can be standard and comparable results for the following experiments. Then I study the optical spectra and electroluminescence and photoluminescence decays of MAPbBr<sub>3</sub> microcrystal. Following, I investigate the influence of MABr treatment on electroluminescence and photoluminescence decays of MAPbBr<sub>3</sub> microcrystal. Finally, the mechanism of halide ion vacancy filling enhanced electroluminescence and photoluminescence decays increase is discussed.