



Title	New Species of Insects from Japan described during the Year 1929
Author(s)	Matsumura, S.
Citation	Insecta matsumurana, 4(4), 253-256
Issue Date	1930-08
Doc URL	http://hdl.handle.net/2115/9202
Type	bulletin (article)
File Information	4(4)_p253-256.pdf



[Instructions for use](#)

NEW SPECIES OF INSECTS FROM JAPAN DESCRIBED
DURING THE YEAR 1929*

RHYNCHOTA

HORI, M.: Two new Species of Aphids parasitic on Poplar in Hokkaido (Trans. Sapporo Nat. Hist. Soc. XXV (2), pp. 100-115).

Melanoxanthellium yezoense, p. 109; *Doraphis* (n. g.) *populi* (MATS. et HORI), p. 112.

KATO, M.: Descriptions of some new Formosan Homoptera (Trans. Nat. Hist. Soc. Formosa, XIX (105), pp. 540-551).

Tricentrus elongatus, p. 540; *Maurya laticornis*, *Gargara dorsinacula*, *G. marginata*, p. 541; *Hindoloides formosana*, p. 543; *Caiosecarta formosana*, p. 544; *C. basi-rubra*, *C. delta*, *Ledra tuberculata*, p. 545; *Tituria fuscipennis*, p. 546; *Kunasia hyalinata*, *Homa elongata*, p. 547; *Saiva formosana*, p. 549; *Lycorma meliae*, *L. oitacea* p. 550.

MONZEN, K.: Studies on some Gall producing Aphides and their Galls (SAITO Gratitude Foundation, Monogr. I, pp. 1-80).

Mansakia kaganii, p. 12; *M. gallifoliae*, p. 14; *Hyalopterus albus*, p. 47; *Aphis utsugicola*, p. 54; *A. uramizusakurae*, p. 56; *Macrosiphum sumomocola*, p. 70; *Chermes japonicus*, p. 71.

TAKAHASHI, R.: Notes on some Formosan Aphididae (Trans. Nat. Hist. Soc. Formosa, XIX (100), pp. 92-103).

Macrosiphum evodiae, p. 92; *Setaphis formosanus*, p. 96; *Greenidea viticola*, p. 98; *Oregma longifila*, p. 102.

—————: Notes on some Formosan Aphididae (2) (Trans. Nat. Hist. Soc. Formosa, XIX (102), pp. 247-259).

Capitophorus formosanus, p. 248; *Trichoregma* (n. g.), *Myzocalis viridis*, p. 252; *M. pilosus*, p. 256.

—————: Notes on some Formosan Aphididae (3) (Trans. Nat. Hist. Soc. Formosa, XIX (105), pp. 525-532).

Greenidea schimae, p. 528; *Oregma tattakana* TAKAH. var. *suishana*, p. 530; *Astegopteryx lithocarpis*, p. 531.

MECOPTERA

ISSHIKI, S.: Descriptions of new Mecoptera from the Japanese Empire (Trans. Nat. Hist. Soc. Formosa, XIX (102), pp. 260-314).

Panorpa nokoensis, p. 261; *P. longititilana*, p. 263; *P. bistrata*, p. 265; *P. pectinata*, p. 267; *P. angustistriata*, p. 270; *P. rantaisanensis*, p. 273; *P. bunun*, p. 275; *P. taiwanensis*, p. 278; *P. shibatai*, p. 280; *P. sonani*, p. 282; *P. pallidimaculata*, p. 286; *P. apicenobulosa*, p. 287; *P. akasakai*, p. 291; *P. brevititilana*, p. 293; *P. esakii*, p. 296; *P. tsumekatanis*, p. 299; *P. kiuisuensis*, p. 302; *Bittacus coreanus*, p. 304; *B. triangularis*, p. 306; *B. kagoshimaensis*, p. 308; *B. sonani*, p. 311.

—————: Descriptions of new Species of the Genus *Panorpa* from Japan and Formosa (Jour. Soc. Trop. Agr., I, pp. 182-191).

Panorpa taiheisanensis, p. 182; *P. kirishimaensis*, p. 184; *P. kamikotiensis*, p. 186; *P. navasi*, p. 187, *P. horiensis*, p. 189.

LEPIDOPTERA

HEYDEMANN, F.: Monographie der paläarktischen Arten des Subgenus *Dystroma* HBN. (truncata-citrata-gruppe) der Gattung *Cidaria* (Mitteil. Münch. Ent. Ges. V (10-12), pp. 207-292).

Dystroma japonica, p. 228.

*Insects which are described in this paper omitted.

- SONAN, J.: Descriptions of two aberrant forms and a new Species of the Butterflies from Formosa (*Zephyrus*, I (4), pp. 135-137).
Hypolimnas bolina L. ab. *shirinna*, *H. bolina* L. ab. *rufanalís*, p. 135; *Zephyrus y-fasciatus*, p. 136.
- WEST, R. J.: Descriptions of new Species of Japanese, Formosan, and Philippine Geometridae (Novit. Zool. XXXV, pp. 105-131).
Syntaracta tertia, p. 109; *Euphyia phrice*, p. 128; *Chloroclystis obscura*, p. 129; *C. hypopyrrha*, p. 130.
- WILEMAN, A. E.: Horae Formosanae (The Syntomidae of Formosa) (Trans. Ent. Soc. Lond. pp. 417-451).
Syntomis fortunei formosensis, p. 443; *S. dichotoma formosensis*, p. 435.
- WILEMAN, A. E. & STRINGER, H.: Seven new Species of Tortricina from Formosa, and the Philippine Islands (Entom. LXII, pp. 65-68).
Tortrix perdicoptera, p. 65; *Terthreutes duosticta*, *Eucosma tetrakore*, p. 66; *E. melanosticta*, *Argyroplote muscida*, p. 67.
- WILEMAN, A. E. & WEST, R. J.: Descriptions of eight new Species of Formosan, Indian, Japanese and Philippine Nolinae (Ann. Mag. Nat. Hist. (10) III, pp. 187-193).
Celama yoshinensis, p. 187; *Nola suffusata*, p. 189; *N. simplex*, p. 189; *N. formosana*, p. 190; *N. pallescens*, p. 191; *Roeselia pulverata*, p. 193.
- : Description of a new Genus and new Species of Noctuidae, Subfamily Ophiderinae (Entom. Record. pp. 23-25, 47-50).
Episparis taiwana, p. 24; *Pangrapta yoshinensis*, p. 49.
- : Descriptions of new Species of Noctuidae (Novit. Zool. XXXV (1), pp. 1-27).
Agrotis tamsi, p. 1; *Cosmia citrargo japonago*, p. 2; *Chytonix olethria*, *Athetis implacata*, p. 6; *A. punctirena*, p. 7.

COLEOPTERA

- FLEUTIAUX, E.: Melasidae nouveaux (Bul. Soc. Ent. Fr., pp. 206-209).
Raapia sauteri, p. 206.
- KANO, T.: Materials for the Studies on the Ground Beetle (Carabidae) from Formosa (Trans. Nat. Hist. Soc. Formosa, XIX (105), pp. 521-525).
Lebidia bioculata batesi n. subsp., p. 523; *L. formosana*, p. 524.
- : Description of three new Species of Curculionidae of the Genus Pachyrrhynchus GERMAR from the Island of Botel-Tobago (Kontyû, Tokyo, III, No. 4, pp. 237-238).
Pachyrrhynchus tobafolia, *P. yamiana*, p. 237; *P. insularis*, p. 238.
- KÔNO, H.: Biologische Bemerkungen über einige Attelabinen aus Hokkaido, mit den Beschreibungen der neuen Arten (Trans. Sapporo Nat. Hist. Soc., XI, pp. 46-58).
Paropladerus ulmi, p. 49; *Byctiscus hime*, p. 53.
- : Über 2 neue Gattungen von Rhynchitinen und ihre Lebensweisen (Trans. Sapporo Nat. Hist. Soc., XI, pp. 122-137).
Chokkirius (n. g.), p. 123; *Taiwanobyctiscus* (n. g.), p. 128.
- MIWA, Y.: A new Stag-beetle belonging to the genus *Dorcus* from Formosa (Trans. Nat. Hist. Soc. Formosa, XIX, p. 351-354).
Dorcus formosanus, p. 351.
- : Elateridae of Formosa (Trans. Nat. Hist. Soc. Formosa, XIX, pp. 225-246).
Adelocera kikuchii, p. 226; *Lacon montanus*, p. 229; *L. tuberculipennis*, *L. kawamurae*, p. 230; *L. uraiensis*, p. 231; *Paralacon koshunensis*, p. 233; *Neolacon* (n. g.) *formosanus*, p. 235; *Alaus elongatus*, p. 237; *A. mus*, p. 238; *Prodrasterius 6-punctatus* var. *4-maculatus* (n. var.), p. 245; *P. 6-punctatus* var. *immaculatus* (n. var.), p. 246.

NEW SPECIES OF INSECTS FROM JAPAN DESCRIBED DURING THE YEAR 1929 255

- MIWA, Y.: Elateridae of Formosa, II (Trans. Nat. Hist. Soc. Formosa, XIX, pp. 485-495).
Elater bimaculatus, *E. formosensis*, p. 487; *E. (Ectamenogonus) bispinicolis*, p. 488; *E. (Ectamenogonus) granulipennis*, *E. (Ectamenogonus) horishanus*, p. 489; *E. (Ectamenogonus) robustus*, p. 490; *Melanoxanthus montivagus*, p. 491; *Pengamethus oblongicollis*, p. 492; *Megapenthes koshunensis*, *M. sonani*, p. 494.
 ———: On the Elaterid-species from Saghalien and Kuriles (Dôbutsugaku-Zasshi, Tokyo, XXXXI, Nr. 492, pp. 441-454).
Elater etrusensis, p. 445.
 ———: On the Erotylidae of Japan, Corea and Saghalien (Trans. Nat. Hist. Soc. Formosa, XIX, pp. 120-128).
Amblycypus vittatus var. *interruptus* (n. var.), *Tritoma soblina* var. *takahayashii* (n. var.), *Neotriplax arisana*, p. 124.
 ———: The Elaterid-fauna of Loo-Choo (Trans. Nat. Hist. Soc. Formosa, XIX, pp. 339-351).
Melanotus ishikii, p. 346; *M. loochooensis*, p. 347; *Pristiophus sakaguchii*, p. 348; *P. magnus*, p. 349.
 MURAYAMA, J.: Revision des Coleoptères des Ipines avec la Description d'une Nouvelle Espèce (Jour. d. Chosen Nat. Hist. Soc., No. 9, pp. 22-30).
Pityogenes seirindensis, p. 26.
 PIC, M.: Nouveautés diverses (Mél. exot.-entom., 53).
Eurystethus semiopacus, p. 16.
 SCHEERPELTZ, O.: Monographie der Gattung Olophrum Er. (Verh. Zool.-Bot. Gesellschaft, Wien, LXXIX, pp. 67-257).
Olophrum Arrowi, p. 105; *O. japonicum*, p. 110.
 VOSS, E.: Einige bisher unbeschriebene Rhynchitinen der paraearktischen Region (Ent. Blätt., 25, pp. 24-29).
Deporaus koreanus, *D. (Arodepus) hartmanni*, p. 28.
 ———: Die Unterfamilien Attelabinae u. Apoderinae (Stett. Ent. Zeit., 90, pp. 90-159, 161-242).
Paroplapoderus pardalis f. *tenebrosa* (n. f.), p. 226.

DIPTERA

- ALEXANDER, C. P.: New or little known Tipulidae from Eastern Asia, (Diptera), IV (Philip. Jour. Sc. vol. 40, no. 3, pp. 317-348).
Tipula subfutilis, p. 319; *T. yusouoides*, p. 320; *T. subyusou*, *T. rantaicola*, p. 321; *Nesopeza rantaizana*, p. 323; *Oropeza bispinula*, p. 325; *Limonia rantaicensis*, p. 327; *L. (Dicranomyia) tristoides*, p. 328; *L. (Alexandriaria) argyrata*, p. 322; *L. (Thryfticomomyia) brevicuspis*, p. 333; *L. (Pseudoglochina) riukiuensis*, p. 335; *Helius (Helius) tenuistylus*, p. 337; *H. attenuatus*, p. 338; *Limnophila aino*, p. 340; *Cladura alpicola*, p. 341; *Styringomyia nipponensis*, p. 345.
 ———: New or little known Tipulidae from Eastern Asia, (Diptera), V (Philip. Jour. Sc. vol. 40, no. 4, pp. 519-546).
Nesopeza basistylata, p. 519; *Stibadocerella formosensis*, p. 521; *Cyttaromyia taiwana*, p. 523; *Limonia (Libnotes) clivelligera*, p. 524; *L. (Libnotes) tenuicula*, p. 525; *L. (Dicranomyia) aurita*, p. 526; *L. (Dicranomyia) montium*, p. 527; *L. (Alexandriaria) atayal*, *Orimarga fuscivenosa*, p. 529; *Thaumastoptera (Taiwanita, n. subg.) ishikiana*, p. 531; *Helius (Helius) naraianus*, p. 532; *H. (Helius) liliputanus*, p. 533; *Uia suferlegans*, p. 534; *U. fuscistigma*, *Pseudolimnophila autumnalis*, p. 535; *Troglophila ritozanensis*, p. 537; *Limnophila (Tricholimnophila) caesiella*, *L. rantaizana*, p. 538; *Pilaria formosicola*, p. 539; *Neolimnophila alticola*, p. 540; *Lipsothrix pluto*, p. 541; *Gnophomyia dejecta*, p. 542; *Trentephorja (Mongoma) atayal*, *T. (Mongoma) tarsalba*, p. 544; *Ormosia shoreana*, p. 545.

HYMENOPTERA

SONAN, J.: On *Vespa* from Formosa (I) (Trans. Nat. Hist. Soc. Formosa, XIX (101), pp. 136-149).
Vespa magnifica SMITH var. *nobilis*, p. 140; *V. flavitarsus*, p. 142; *V. arisana*, p. 147; *V. karenkona*, *V. 4-maculata*, p. 148.

—————: A few host-known Ichneumonidae found in Formosa (Trans. Nat. Hist. Soc. Formosa, XIX (104), pp. 415-425).

Hymenobosmina posticae, p. 415; *Charops flavipetiolus*, p. 416; *Delopia nigrifemur*, p. 417; *Holocremmus posticae*, p. 418; *Cryptus trirrhogmaniformis*, p. 424.

—————: Some Wasps and Bees of Hokoto (Pescadores Islands) (Trans. Nat. Hist. Soc. Formosa, XIX (105), pp. 533-540).

Odynerus hokotoensis, p. 534; *O. emma*, p. 535; *Nomia* (*Paronomia*) *hokotoensis*, p. 537; *N. (Paronomia) rufopostata* p. 538.

TAKEUCHI, K.: New Sawflies from Formosa (3) (Trans. Nat. Hist. Soc. Formosa, XIX (100), pp. 83-91).

Tomostethus katonis, p. 83; *Senoclidea formosana*, p. 84; *Formosempria* (n. g.) *varipes*, p. 85; *Neostromboceros kagiensis*, p. 86; *fuscitarsis*, p. 87; *Tenthredopsis karenkonis*, p. 89; *Tenthredo katoi*, p. 90.

—————: Descriptions of new Sawflies from the Japanese Empire (I) (Trans. Nat. Hist. Soc. Formosa, XIX (105), pp. 495-520).

Siobla metallica, p. 495; *S. apicalis*, p. 496; *S. ferox hirasana* (n. var.), p. 497; *Macremphytus deutziae*, p. 498; *M. albilabris*, p. 499; *M. fasciatus*, *Allantus* (*Emphytus*) *nakabusensis*, p. 500; *Emphytina geranii*, p. 501; *E. longicornis*, p. 502; *Taxonus carbonarius*, p. 503; *T. japonicus*, p. 504; *Parasiobla autumnalis*, p. 505; *P. minomensis*, p. 506; *P. tenuicornis*, *P. bella*, p. 507; *Allomorpha hirasana*, p. 508; *Ametastegia polygoni*, p. 510; *A. kirishimensis*, *Hemitaxonus minomensis*, p. 511; *Abeleses satonis* p. 512; *Hemibeleles* (n. g.) *nigriceps*, pp. 513-514; *H. athaliodes*, *Pseudotaxonus secundus*, p. 515; *Strongylogaster blechni*, p. 517; *Aneugmenus kyotonis*, p. 518; *A. maculatus*, *Nesoselandria nipponica*, p. 519.

—————: Two new injurious Sawflies from Corea (Trans. Nat. Hist. Soc. Formosa, XIX (103), pp. 354-356).

Hoplocampa coreana, p. 354; *Tomostethus juglans*, p. 355.

UCHIDA, T.: Beschreibung einer neuen Gattung der Ichneumoniden (Trans. Sapporo Nat. Hist. Soc. X (2), pp. 115-118).

Egurichneumon (n. g.), p. 116.