

HOKKAIDO UNIVERSITY

Title	The Typhlocibid-Genera of the Late Distant
Author(s)	Matsumura, S.
Citation	Insecta matsumurana, 6(4), 190-191
Issue Date	1932-11
Doc URL	http://hdl.handle.net/2115/9242
Туре	bulletin (article)
File Information	6(4)_p190-191.pdf



THE TYPHLOCYBID-GENERA OF THE LATE DISTANT

Ву

Prof. Dr. S. MATSUMURA

In this summer the author had an occasion to study the *Typhlocybid*-genera of the late W. L. DISTANT in the British Museum at London and he has convinced as follows.

The author must acknowledge the kindness to Mr. W. E. CHINA, which was shown to him during his stay at London.

Matsumurana DIST. (1917).

Trans. Linn. Soc. Lond., p. 317 (1917). Type—*M. fascialis* DIST. (Scychelles).

This genus does not belong to the *Typhlocybid*-group and so it stands very near to the *Jassid*-genus *Xestocephalus* VAN DUZ. (1892), so it must be transferred to the subfamily *Jassinae*.

Empoascannara Dist. (1918).

Fauna British Ind., Rhynchota, Vol. VII, p. 94 (1918).

Type—E. prima DIST. (India).

The typical species of this genus is most probably a synonym of *Erthroneura (Zygina) circumscripta* MATS. (1910), and the author doubts whether it is necessary to establish for it this new genus. *Erthroneura* FITCH.(.1851) is a synonym of *Zygina* FIEB. (1866).

Bolanus DIST. (1918).

l. c., p. 89.

Type—B. baeticus DIST. (Assam).

As this is a synonym of *Scaphoideus* UHL. (1889), so it must be transferred to the subfamily *Jassinae*.

Paivanana DIST. (1918).

l. c., p. 95.

Type—P. indra DIST. (India).

[[]Ins. Mats., Vol. VI, No. 4, Nov. 1931]

MATSUMURA: THE TYPHLOCYBID-GENERA OF THE LATE DISTANT 191

As this is a synonym of *Aconura* LETH. (1876), so it must be transferred to *Jassinae* and as *P. durga* DIST. is a true species of *Cicadula* ZETT. (1840), so its name must be changed as follows:

Cicadula durga DIST.

Empoanara DIST. (1918).

l. c., p. 105.

Type-E. militaris DIST. (India).

This genus may be vallid, but it looks like a species belonging to *Empoasca* WALSH (1864).

Chikkaballapura DIST. (1918).

l. c., p. 107.

Type-C. maculosa DIST. (S. India).

As this genus is a synonym of *Cicadula*, so the name of this insect must be changed as follows:

Cicadula distantella MATS. (maculosa DIST. praeo. by THEN).

Aguriahana DIST. (1918).

l. c., p. 105.

Type-A. metallica DIST. (Himalaya).

This genus seems to be identical with *Nesotettix* MATS. (1931), but it may require a further study.

Anomiana DIST. (1918).

l. c., p. 109. Type—A. longula Dist. (India).

As this genus is a synonym of *Balclutha* KIRK. (1900)=(Gnathodus FIEB) (1866) (praeo.), so it must be transferred to the subfamily *Jassinae*.

Homa DIST. (1908).

Fauna British Ind., Rhynchota, Vol. IV, p. 400 (1908).

As the late DISTANT did not describe the venation of the hind wing of this genus, so it remained doubtful. After studying the somewht defect hind wing of this species in the British Museum, the author found that the genus belongs to the group *Empoascaria*, the first and second veins being uniting, and at the point of the uniting a cross-vein sent straightly downwardly, the third vein simple, stronger till the cross-vein; the cross-vein of the elytron at the dorsum straight.