



Title	New Species and Genera of Insects from Japan described during the Year 1931
Citation	Insecta matsumurana, 6(4), 192-198
Issue Date	1932-11
Doc URL	http://hdl.handle.net/2115/9243
Type	bulletin (article)
File Information	6(4)_p192-198.pdf



[Instructions for use](#)

NEW SPECIES AND GENERA OF INSECTS FROM JAPAN
DESCRIBED DURING THE YEAR 1931

HYMENOPTERA

ALFKEN, J. D.: Beitrag zur Kenntnis der *Megachile*-Arten von Japan (Deutsch. Ent. Zeitschr., Berlin, pp. 167-176).

Megachile kyotensis, p. 174.

CUSHMAN, R. A.: Descriptions of Thirteen new American and Asiatic Ichneumon-flies, with taxonomic Notes (Proc. U. S. Nat. Mus. Vol. 79, pp. 1-16).

Chelonus (Chelonella) pectinophorae, p. 11; *Microbracon nigrorufum*, p. 15; *M. isomera*, p. 16.

ISHII, T.: Notes on the phytophagous Habit of some Chalcidoids, with Descriptions of two new Species (Kontyû, Vol. V, No. 3, pp. 132-138).

Decatoma smilacis, p. 133; *Tetrastichus (Geniocerus) ardisiae*, p. 137.

MALAISE, v. R.: Neue Japanische Blattwespen (Zool. Anzeiger, Bd. 94, pp. 201-213).

Allantus hokkaidonis, p. 201; *Pachyprotasis albicoxis*, p. 202; *Perineura japonica*, p. 203; *Conaspidia trifasciata*, p. 204; *Stromboceros japonicus*, p. 207; *Strongylogaster vaginator*, p. 208; *Rhadinoceraea opacicollis*, p. 209; *Neotomastethus japonicus*, *Anapeptamena japonica*, p. 210; *Blasticotoma filiceti* KL. var. *pacificus*, *Bunaria* (n. g.) *reducta*, p. 213.

TAKAGI, G.: Studies with Control of the Larch-Sawfly (Bull. Forest. Exp. Stat. Gover.-General Chosen, No. 12, pp. 1-35).

Pachynematus laricivorus, p. 8; *P. nigricorpus*, p. 11; *Diprion koreana*, p. 12; *Monoblastus takagii*, p. 24; *M. takagii* var. *nigrianaalis*, *Spilocryptus tricolor*, p. 25; *S. macroincubitor*, p. 26; *Microcryptus chosensis*, *M. rufibasalis*, p. 29.

TAKEUCHI, K.: A List of the Japanese *Crabronidae (Cimbicidae)* with Description of four new Species (Trans. Kansai Entom. Soc., No. 2, pp. 13-27).

Abia sachalinensis, p. 22; *Zaraea lewisii* var. *matsumurai*, *Z. triangularis*, p. 23; *Z. akebii*, p. 24; *Z. aurata*, p. 26.

—————: Some Sawflies from the Island of Shikotan in the Southern Kuriles (Trans. Kansai Entom. Soc., No. 2, pp. 30-34).

Arge kobayashii, p. 30; *Tenthredella kuriensis*, p. 31.

TERANISHI, C.: A new Species of the *Trigonaloidae* with Description of a new Genus (Trans. Kansai Entom. Soc., No. 2, pp. 9-12).

Orthogonalos formosana, p. 9; *Satogonalos*, n. g., p. 10

TOSAWA, N.: Über eine unbeschriebene und vier für Japan neue Goldwespen (Trans. Kansai Entom. Soc., No. 2, pp. 35-36).

Chrysis (Gonochrysis) karafutonis, p. 36.

UCHIDA, T.: Beitrag zur Kenntnis der Cryptinenfauna Formosas (Journ. Fac. Agr. Hokkaido Imp. Univ., Vol. XXX, Pt. 3, pp. 163-193).

Acrorinus ambulator SM. f. *rufiabdominalis*, p. 167; *Cryptus hankoensis*, p. 169; *C. horishanus*, p. 170; *Caenocryptus tamahonis*, p. 171; *Gambrus rufithorax*, p. 172; *Orientocryptus* (n. g.) *formosanus*, p. 175; *O. flavofasciatus*, p. 176; *Striatostenus* (n. g.) *areolatus*, p. 178; *Mesostenus (Formostenus)* (n. subsg.) *angularis*, p. 180; *M. (Stenarella) concavus*, p. 182; *M. (Stenarella) subpentagonalis*, p. 183; *M. (Mesostenus) takanoi*, p. 185; *M. (M.) nigribasalis*, p. 187; *M. (M.) issikii*, p. 188; *Takastenus* (n. g.) *longidentatus*, p. 189; *Apophysius unicolor*, p. 191; *Fermocryptus* (n. g.) *tenuicornis*, p. 192.

YASUMATSU, K.: Description of a new Species of *Myrmosa* from Japan (Trans. Sapporo Nat. Hist. Soc., Vol. XI, 4, pp. 221-226).

NEW SPECIES OF INSECTS FROM JAPAN DESCRIBED DURING THE YEAR 1931 193

Myrmosa nigrofasciata, p. 221.

—————: On a new Methocid, *Methoca japonica* n. sp. from Japan (Kontyu, Vol. V, No. 1, pp. 12-16).

Methoca japonica, p. 12.

STREPSIPTERA

ESAKI, T.: An undescribed Strepsipteron from Japan (Mushi, Fukuoka, Vol. 4, No. 2, pp. 63-64).

Pseudoxenos iwatai, p. 63.

COLEOPTERA

DOI, H.: A new Species of *Luciola* from Korea (Journ. Chosen Nat. Hist. Soc., No. 12, pp. 54-55).

Luciola unmunzana, p. 54.

KANO, T.: Some new or unrecorded Cetoniid-beetles from Formosa (Annotationes Zool. Jap., Vol. XIII, No. 2, pp. 127-134).

Trichius elegans, p. 127; *T. taiheisanus*, p. 128; *T. uraiensis*, p. 130; *Macronota Monaldai*, p. 132; *M. nigricolor*, p. 133; *M. Perraudieri* FAIRMAIRE ab. *extensa*, p. 134.

KANO, T. et KAMIYA, K.: Two new species of Haliplidae from Japan (Trans. Kansai Eotom. Soc., No. 2, pp. 1-5).

Haliplus hiogoensis, p. 1; *H. kotoshonis*, p. 2.

HELLER, K. M.: H. SAUTER's Formosa-Ausbeute, *Curculionidae* (Wien. Entom. Zeit., Band 48, Heft 2, pp. 96-112).

Tanymeccus (Asemus) misellus, p. 97; *Trachyodes marshalli*, p. 98; *Carcilia mesosternalis*, p. 99; *Euthicus excisus*, p. 100; *Nanophyes basilineatus*, p. 101; *Parempleurus* (n. g.) *dentirostris*, p. 102; *Therebus orthocnemis*, p. 103; *Mecistocerus thairwanus*, *Orochlesis antepagiata*, p. 104; *Sclerolips horridus*, p. 105; *Chirozetes alloguttatus*, p. 106; *C. (Mesochirozetes)* (n. subg.) *formosanus*, p. 108; *Heurippa x-album*, p. 109; *Prodiocetes formosanus*, *Anathymus tricolor*, p. 110; *Cercidocerus erubescens*, p. 111.

MATSUSHITA, M.: Einige neue Bockkäfer aus Formosa (Mitteil. Zool. Museum Berlin, 17, Heft 3, pp. 309-405).

Neospherion Sauteri, p. 309; *Rhondia formosa*, p. 400; *Pseudopidonia albomaculata*, *Rhaphuma nigrocincta*, *R. baibaruae*, p. 401; *R. virens*, p. 402; *Demonax flavicollis*, *Pterolophia cristipennis*, p. 403; *Sybra maculicollis*, *Pseudocalamobius thairwanensis*, p. 404; *Ostedes nubia*, p. 405.

—————: Zehn neue Cerambyciden-Arten und neue Gattung aus Japan (Trans. Sapporo Nat. Hist. Soc., Vol. XII, 1, pp. 42-48).

Leptura (Vadonia) akitensis, *Strangalia auratopilosa*, p. 42; *Xylotrechus ogasawarensis*, p. 43; *Chlorophorus mushanus*, *Mesosa latifasciata*, p. 44; *Tmesisternus stolatus*, *Agaperada meridiana*, p. 45; *Neopothyne* (n. g.) *variegata*, p. 46; *Exocentrus testudineus*, *Oberea horiensis*, p. 47.

—————: Über eine neue Cerambyciden-Unterart und eine neue in Japan noch nicht bekannte Cerambyciden-Art (Ins. World, Gifu, pp. 376-378).

Pogonocherus fasciculatus fulvus, p. 376.

MIWA, Y.: Elateridae of Formosa, V. (Trans. Nat. Hist. Soc. Formosa, XXII, No. 113, pp. 72-98).

Corymbites gratus var. *fuscipes*, p. 72; *Agriotes sonanis* var. *nigrinus*, p. 78; *Denticollis puerilis*, *D. mounaldani*, p. 83.

—————: Supplementary Notes on the Elaterid-fauna of Loo-Choo (Trans. Nat. Hist. Soc. For-

mosa, No. 116, pp. 259-261).

Xantheleater, n. g., p. 259.

MURAYAMA, J.: Révision des Familles des Ipides et Platypides de l'Île de Quelpart (Annotations Zool. Jap., Vol. XIII, No. 2, pp. 39-62).

Xyleborus octiesdentatus, p. 46.

—————: Supplementary Notes on the Platypodidae of Formosa, III (Journ. Fac. Agr. Hokkaido Imp. Univ., XXX, Pt. 4, pp. 195-203).

Platypus Niijimai, p. 197.

OHTA, Y.: Beitrag zur Kenntnis der Endomychiden Japans (Journ. Fac. Agr., Hokkaido Imp. Univ., Vol. XXX, Pt. 4, pp. 205-242).

Brachytrycherus mushanus, p. 216; *Engonius baibaranus*, *E. taiwoensis*, p. 219; *E. konumaensis*, p. 220; *Encymon ruficephalus*, p. 221; *E. ruficephalus* OHTA f. *4-punctatus*, p. 222; *Ectomychus tappanus*, p. 230.

—————: Honpo-san *Scymnini* no 1 Shinshu, narabini 1 Mikirokushu ni tsuite (Ins. World, Gifu, Vol. XXXV, No. 6, pp. 182-185).

Scymnus kuwanai, p. 183.

VOSS, E.: Monographie der *Rhynchitinen*-Tribus *Byctiscini* (VI. Teil der Monographie der *Rhynchitinoe-Pterocolinae*) (Koleop. Rundschau, Band 16, No. 6, pp. 209-243).

Byctiscus (Aspidobyctiscus) lacunipennis amurensis, p. 223; *B. (Aspidobyctiscus) lacunipennis collaris*, p. 224; *B. (Taiwanobyctiscus) separandus*, p. 226.

YOSHIDA, T.: Classification of Formosan *Prioninae (Cerambycidae)* (Trans. Nat. Hist. Soc. Formosa, XXI, No. 116, pp. 266-279).

Megopsis (Aegosoma) sinica cornicula, p. 273.

YUASA, H.: Tamakaigaramushi-ran o hoshokusuru Higenagazōmushi no 1 Shinshu (Ōyo-Dobutsugaku-Zasshi, Vol. III, No. 1, pp. 21-25).

Brachytarsus kuwanai, p. 21.

DIPTERA

ALEXANDER, C. P.: New or little-known *Tipulidae* from eastern Asia, IX (Philip. Journ. Sci., Vol. 4, No. 3, pp. 339-368).

Tipula nipponalpia, p. 342; *T. depressa*, p. 343; *T. politostriata*, p. 344; *Phalacrocera megacauda*, p. 349; *Dicranoptycha caesia pallidibasis*, p. 353; *Tricyphona pectinata*, *T. setipennis*, p. 354; *Heterangaeus laticincta*, p. 355; *Limnophila mundella*, p. 357; *L. nesonemoralis*, p. 358; *Erioptera (Ilisia) machidai*, p. 363; *Molophilus ferox*, p. 365.

BARANOFF, N.: Beitrag zur Kenntnis der Raupenfliegengattung *Carcelia* R. D. (Studien an Pathogenen Parasitischen Insekten, III).

Carcelia aberrans, p. 27; *C. prima*, *C. secunda*, p. 31; *C. tertia*, *C. distincta*, p. 32; *C. quarta*, *C. quinta*, *C. rufa*, p. 33; *C. sexta*, p. 34; *C. septima*, *C. octava*, p. 35; *C. pilosella*, p. 37; *C. hirsuta*, p. 38; *C. caudata*, p. 41; *C. rasoides*, p. 42; *C. frontalis*, p. 43.

TAKANO, S.: *Kurosuzubachi oyobi Himekigoshijigabachi* no su ni kiseisuru Shimabaeka no Isshu *Pachyophthalmus* no Kansatsu (Ins. World., Gifu, Vol. XXXV., No. 9, pp. 291-302).

Pachyophthalmus esuriensis, p. 292.

LEPIDOPTERA

DOR, H.: A new Subspecies of *Zephyrus butleri*, FENTON from Korea (Journ. Chosen Nat. Hist. Soc., No. 12, pp. 48-49).

Zephyrus butleri souyoensis, p. 48.

NEW SPECIES OF INSECTS FROM JAPAN DESCRIBED DURING THE YEAR 1931 195

DOI, H. et CHO, F.: A new Subspecies of *Zephyrus betulae* from Korea (Journ. Chosen Nat. Hist. Soc., No. 12, pp. 50-51).

Zephyrus betulae gaimana, p. 50.

HASHIMOTO, K.: On *Papilio dosan albidus* WILEMAN, in the Province Tosa and a new aberrant Form of *Pieris melete* MÉNÉTRIÈS (Zephyrus, Vol. III, No. 3/4, pp. 176-182).

Pieris melete MÉN. ab. *susakiensis*, p. 182.

HIROSE, T.: On a new aberrant Form of *Papilio xuthus* LINNAEUS (Trans. Kansai Entom. Soc., No. 2, p. 8).

Papilio xuthus xuthulus BREM. ab. *osakensis*, p. 8.

ISSIKI, S.: New Japanese and Formosan Microlepidoptera (Ann. Mag. Nat. Hist., Ser. 10, Vol. VI, pp. 422-431).

Tortyra angustistriata, *Simaethis nigromaculata*, p. 423; *Brenthia japonica*, p. 424; *B. formosensis*, p. 425; *Glyphipteryx nigromarginata*, *G. semiflavana*, p. 426; *G. basifasciata*, *Eidophasia albifasciata*, p. 427; *Cerostoma albistriata*, *C. flava*, p. 428; *Gracilaria albicapitata*, p. 429; *Lithocolletis nipponicella*, *Eriocottis flavicephala*, p. 430; *Nemophora bifasciatella*, *N. albiantennella*, p. 431.

———: On the Morphology and Systematics of *Micropterygidae* of Japan and Formosa, with some Considerations on the Australian, European, and North American Forms (Proc Zool. Soc., part 3, pp. 999-1039).

Paramartyria (n. g.) *immaculatella*, *P. bimaculella*, p. 1002; *P. ovaella*, p. 1003; *P. maclatella*, *P. semifasciella*, p. 1004; *Palaeomicroides* (n. g.) *fasciatella*, p. 1006; *P. costipunctella*, p. 1007; *P. obscurella*, p. 1008; *P. marginella*, *P. discopurpurella*, p. 1009; *P. caeruleimaculella*, p. 1010; *Neomicropteryx* (n. g.) *nipponensis*, p. 1012.

KANDA, S.: A new *Papilio* from Yokohama (Ins. World, Gifu, XXXV, No. 9, pp. 306-308).

Papilio macilentus yokohamanus, p. 307.

KANDA, S. et FUJIMORI, Y.: Two new aberrant Forms of Japanese "alpine" Butterflies (Zephyrus, Vol. III, 3/4, pp. 173-175).

Erebia sedakovii nipponica JANSON ab. *shinanensis*, p. 173; *Vanessa urticae connexa* BUTL. ab. *kaiensis*, p. 174.

KANDA, S. et KATO, R.: Daibosatsurei fukin saishu no *Lycaena*-Zoku no 2 Shin-chō (Ins. World, Gifu, XXXV, No. 11, pp. 372-375).

Lycaena daibosatsuzana, p. 373; *L. pryeri* MURRAY ab. *nakamurai*, p. 375.

KOBAYASHI, K.: On a new Subspecies of *Lycaena argus* from Japan Proper (Zephyrus, Vol. III, No. 3/4, pp. 170-171).

Lycaena argus hokiensis, p. 170.

———: On two new aberrant Forms of *Papilionidae* (Trans. Kansai Entom. Soc., No. 2, pp. 6-7).

Papilio cloanthus kuge FRUHSTORFER ab. *tosawai*, *P. sarzedon nipponus* FRUHSTORFER ab. *tannoi*, p. 6.

KONO, H.: Akan. Mashu fukin no Chōrui (Zephyrus, Vol. III, pp. 217-220).

Argynnis daphne mashuensis, p. 219.

MARUMO, N.: *Itsutoga* (Ōyo Dobutsugaku Zasshi, Vol. 3, No. 1, pp. 26-30).

Crambus shichito, p. 28.

MEYRICK, E.: Exotic Microlepidoptera, Vol. IV, Pt. 5, pp. 129-160.

Argyroloce haemostacta, *A. milichopsis*, p. 132; *A. hemigrapta*, *A. sideroxylla*, p. 133; *A. plinthograpta*, p. 135; *A. olenarcha*, p. 136; *A. caryosema*, p. 138; *A. orthocosma*, p. 141; *Acroclita hapalaspis*, *Eucosma pentagonaspis*, p. 144; *E. autolitha*, *E. leucantha*, p. 145; *E. ephoropa*, *E. holorypta*, p. 146; *Bactra geraropa*, p. 147; *Capua malacotorna*, p. 148; *Cacoeciap aredraea*, p. 149;

Paratorna glaucoprosopis, p. 155; *Phalonia chlorolitha*, *P. contumescens*, p. 157; *Euxanthis cosmolitha*, p. 158; *Hysterosia zophocosma*, p. 159.

—————: Exotic Microlepidoptera, Vol. IV, Pt. 6, pp. 161-192.

Protocryptis (n. g.) *obducta*, *Epermenia anthracoptila*, p. 161; *Decadarchis atririvis*, *D. sphenochista*, p. 166; *Phyllocnistis pachyscia*, *Phrixoscelus hyperbolacma*, p. 167; *Acrocercops transecta*, p. 169; *Gracilaria anthracosperma*, *Xyrosaris melanopsamma*, p. 171; *Hypomoneuta refrigerata*, *H. elementaris*, *H. trachydelta*, p. 172; *Ethmia xanthopleura*, p. 174; *Stathmopoda opticaspis*, p. 175; *Blastobasis nephelophaea*, p. 178; *Tyriozela porphyrogona*, p. 185; *Promalactis pyrochalcona*, *Schiffermuelleria heptalitha*, p. 186; *Heterodmeta homomorpha*, p. 188; *Philobota syntropa*, *Ocystola chinoxantha*, p. 189; *Eutorna polismatica*, p. 191; *Periacma asaphocha*, *P. conioxantha*, *Cryptolechia pelophaea*, p. 192.

MITONO, T.: Description of an aberrant Form of *Papilio thaiwanus* ROTHSCHILD (Zephyrus, Vol. 3, No. 2, p. 103).

Papilio thaiwanus ROTHSCHILD ab. *e-fasciatus*, p. 103.

NAKAHARA, W.: A new aberrant Form of *Leptidia sinapis* LINNÉ (Zephyrus, Vol. 3, No. 2, pp. 95-96).

Leptidia sinapis morsei FENTON *yuasai*, p. 95.

NAKAMURA, T.: Two aberrant Forms of Japanese Butterflies (Zephyrus, Vol. 3, No. 2, pp. 99-100).

Neptis pryeri BUTLER ab. *kutsukakensis*, *N. hylas intermedia* PRYER ab. *uchidai*, p. 99.

NOMURA, K.: Pyanan-jūsō ni yorite etaru Chōrui Jakkān ni tsuite (Zephyrus, Vol. 3, No. 1, pp. 43-62).

Euspa millionia formosana, p. 58; *Zephyrus taiheizana*, p. 59.

—————: Some new aberrant Forms of the Formosan Butterflies (Mushi, Fukuoka, Vol. IV, No. 1, pp. 10-14).

Ixias pyrene reducta PARAVICINI ab. *hassenzana*, p. 10; *Apfias lycinda formosana* WALLACE f. *taihokuna*, p. 12; *Catopsilia pomona* FABRICIUS ab. *matsuwakii*, *Hestia leuconoe clara* BUTLER ab. *takabanis*, *H. leuconoe clara* BUTLER ab. *koshumus*, p. 13.

SONAN, J.: Notes on some Butterflies from Formosa (Zephyrus, Vol. 3, No. 3/4, pp. 194-206).

Prioneris thestylis f. *fumie*, p. 197; *Danaüs limniaca* CRAMER ab. *koshunensis*, *D. limniaca* CRAMER ab. *kuravensis*, p. 198; *Mycalasis francisca arisana*, p. 200; *M. sangaiica rokkena*, p. 202; *M. mineus nitobei*, p. 203; *Rapala koshunna*, p. 205.

SUGITANI, I.: A new aberrant Form of *Limenitis populi ussuriensis* STAUDINGER (Zephyrus, Vol. 3, No. 2, pp. 97-98).

Limenitis populi ussuriensis STAUDINGER ab. *sakaii*, p. 97.

RHYNCHOTA

DOI, H.: A new Species of Cicadinae from Korea (Journ. Chosen Nat. Hist. Soc., No. 12, pp. 52-53).

Chosenosemia (n. g.) *soyoensis*, p. 52.

ESAKI, T.: Undescribed Hemiptera from Japan and Formosa (Annotations Zool. Jap., Vol. XIII, No. 3, pp. 259-269).

Dalader formosanus, p. 259; *Domiduca chinai*, p. 260; *Ptilocerus kanoi*, p. 261; *Scoloposcelis japonicus*, p. 263; *Ectemnus pictipennis*, p. 264; *Amphicapsus*, n. g., p. 265; *Hindoloides rubrodorsum*, p. 266; *Dikraneura dorsalis*, p. 267; *Ricania formosana*, p. 268.

—————: Eine neue gallenbildende Tingitiden-Art (Bull. Scientia Fak. Terk. Kjusū Imp. Univ., Vol. 4, No. 3, pp. 244-253).

Coptium japonicum, p. 247.

NEW SPECIES OF INSECTS FROM JAPAN DESCRIBED DURING THE YEAR 1931 197

ESAKI, T. et TAKEYA, C.: Identification of a Japanese Tingitid injurious to the Pear-tree (Mushi, Fukuoka, Vol. 4, No. 2, pp. 52-59).

Stephanitis nashi, p. 54.

KANDA, S.: A new Species of Japanese *Coccidae* (Ins. World, Gifu, Vol. XXXV, Nr. 1, pp. 25-28).

Phenacoccus Viburnae, p. 25.

KATO, M.; Dragonflies and Homopterous Insects from Botel Tobago (Bull. Biogeographical Soc. Japan, Vol. 2, No. 2, pp. 157-167).

Thoodzata botelensis, p. 163; *Leptotambinia* (n. g.) *virulinervis*, p. 165; *Bilis tripunctata*, p. 165.

—————: Nippon-san *Ledridae* ni tsuite (Dobutsugaku Zasshi, Tokyo, Vol. 43, No. 512, pp. 431-440).

Tituria obtusa, p. 432; *Petaloccephala rubromarginata*, p. 433; *P. castanea*, *P. taikosana*, p. 434; *Parapetaloccephala* (n. g.) *montana*, p. 435; *Petaloccephaloides* (n. g.) *laticapitata*, p. 436; *Ledropsis wakabae*, *L. takasagona*, p. 437; *Funkikona*, n. g., p. 438; *Midororia* (n. g.) *copitata*, p. 439.

—————: Notes on a new Machaerotid from Honshu (Mushi, Fukuoka, Vol. 4, No. 2, pp. 60-62).

Machaerota takeuchii, p. 60.

KUWANA, I.: Scale Insects of Amami-oshima, with Descriptions of four new Species (Dobutsugaku Zasshi, Vol. 43, No. 508-10, pp. 163-171).

Eriococcus hennii, p. 168; *Aspidiotus miscanthii*, p. 169; *Lepidosaphes imperatae*, p. 170; *Parlatoria itabicola*, p. 171.

—————: On the Genus *Kermes* in the Eastern Asia (Kontyû, Vol. V, No. 1, pp. 47-51).

Kermes tomarii, p. 47.

—————: The Diaspine *Coccidae* of Japan, VI, Genus *Phenacaspis* (Min. Agr. & Forest, Depart. Agr., Tokyo, Sci. Bull., No. 2, pp. 1-14).

Phenacaspis quercus, p. 6; *P. fujicola*, p. 8; *P. mori*, p. 9; *P. kentiae*, p. 10.

—————: The Genus *Kermes* of Japan (Min. Agr. & Forest., Depart. Agr., Tokyo, Sci. Bull., No. 2, pp. 15-29).

Kermes mutsunensis, p. 26.

MORI, T.: Chosen no Semi (Journ. Chosen Nat. Hist. Soc., No. 12, pp. 10-24).

Tibicen intermedia, p. 13; *T. dorichoptera*, p. 14; *Oncotympana nigrodorsalis*, p. 18.

TAKAHASHI, R.; Some *Coccidae* of Formosa (Trans. Nat. Hist. Soc. Formosa, Vol. XXI, No. 112, pp. 1-5).

Pulvinaria durantae, *Diaspis machii*, p. 1; *Leucaspis formosanus*, p. 2; *Aspidiotus phragmitis*, p. 4.

—————: A new *Mindarus* from Japan (*Aphididae*) (Trans. Nat. Hist. Soc. Formosa, Vol. XXI, No. 114, pp. 137-139).

—————: Some white-flies of Formosa (I) (Trans. Nat. Hist. Soc. Formosa, Vol. XXI, No. 115, pp. 205-209).

Bemisia aceri, p. 204; *Aleurocanthus cinnamomi*, p. 205; *Aleurodicus machii*, p. 208.

—————: Some White-flies of Formosa (2) (Trans. Nat. Hist. Soc. Formosa, Vol. XXI, No. 116, pp. 261-265).

Aleurolobus ophismeni, p. 261; *Dialeurodes* (*Dialeuropora*) *murrayae*, p. 262; *Aeurotrachelus fissistigmae*, p. 264.

—————: Descriptions of some new Formosan *Coccidae* (Bull. Ent. Res., 22, pp. 211-220).

Diaspis gordonai, p. 211; *Aulacaspis robusta*, *A. murrayae*, p. 212; *Pinnaspis lithocarpi*, p. 214; *Tsukushiaspis vermiformis*, p. 215; *T. phragmitis*, p. 216; *Parlatoria machii*, *Fiorina smilaceti*, p. 218; *Aoniilia* (*Greeniella*) *lahaarei*, p. 219.

—————: *Aphididae* of Formosa (Dep. Agr. Gov. Research Inst. Formosa, Rep. No. 53).

Paratrichosiphum, n. g., p. 31; *P. lithocarp*i, p. 32; *Mirophis*, n. g., p. 53; *Myzus mushaensis*, p. 67; *M. plantagicola*, p. 69; *Capitophorus montanus* p. 77; *Astegopteryx jamuritsu*, p. 87.

—————: Some Formosan Whiteflies. (Journ. Soc. Trop. Agr. Taihoku, Vol. III, No. 3, pp. 218-224).

*Dialeurodes (Gigaleurodes) lithocarp*i, p. 218; *D. (Dialeurophata) bladhaie*, p. 219; *Acanthaleyrodes callicarpae*, *Setaleyrodes*, n. g., p. 211; *S. mirabilis*, p. 222; *Bemisia pongamiae*, p. 223.

TAKEYA, C.: Some *Tingitidae* of the Japanese Empire (Mushi Fukuoka, Vol. 4, No. 2, pp. 65-84).

Dictyonota (Dictyonota) comosa, p. 66; *Galeatus armatus*, p. 67; *Stephanitis (Stephanitis) fascii-carina*, p. 70; *S. (Norba) esakii* p. 72; *S. (Norba) vitrea*, p. 74; *Ulerites latiorus*, p. 80.

ORTHOPTERA

KARNY, H. H.: On the Cricketlocusts (*Gryllacris*) of China (Lingnan Sci. J., Canton, 10, pp. 161-166).

Anoplophilus (n. g.) *acuticercus*, p. 463; *A. longicercus*, p. 465.

PLECOPTERA

UENO, M.: Einige neue Ephemeropteren und Plecopteren aus Mittel-Japan (Annotationes Zool. Jap., Vol. XIII, No. 2, pp. 91-134).

Perlodes yarizawana, p. 99; *Peltopteria naka*, p. 100; *Nemura (Protonemura) hotakana*, p. 101.

ODONATA

CHUJO, M.: Damselflies of Subfamily *Coenagrioninae* from Formosa (I) (Trans. Nat. Hist. Soc. Formosa, Vol. XXII, No. 113, pp. 18-50).

Ischnura formosanus, p. 28.

EPHEMERIDA

UENO, M.: Einige neue Ephemeropteren und Plecopteren aus Mittel-Japan (Annotationes Zool. Jap., Vol. XIII, No. 2, pp. 91-134).

Baëtis thermicus, p. 91; *B. shinanonis*, p. 93; *Ison nipponicus*, p. 97.

—————: Contributions to the knowledge of Japanese Ephemeroptera (Annotationes Zool. Jap., Vol. XIII, No. 3, pp. 189-226).

Baëtiella, n. g., p. 220.

THYSANURA

SILVESTRI, F.: Campodeidae dell'estremo oriente (Boll. Lab. Zool. Portici, 25, pp. 286-320).

Campodea ishii, p. 289; *C. akiyamae*, p. 292; *Metriocampa matsumurae*, p. 297; *M. kuwayamae*, p. 298.