



Title	New Species of Insects described from the Empire of Japan in 1937
Citation	Insecta matsumurana, 12(4), 199-208
Issue Date	1938-07
Doc URL	<a href="http://hdl.handle.net/2115/9390">http://hdl.handle.net/2115/9390</a>
Type	bulletin (article)
File Information	12(4)_p199-208.pdf



[Instructions for use](#)

NEW SPECIES OF INSECTS DESCRIBED FROM  
THE EMPIRE OF JAPAN IN 1937\*

HYMENOPTERA

**Cushman, R. A.**: H. Sauter's Formosa Collection; Ichneumonidae (Arb. morph. taxon. Ent. Berlin-Dahlem, IV, pp. 283-311).

Nesostenodontus formosanus, p. 284; Mansa formosana, p. 286; Apophysis rufus, p. 288; Syrites persimilis, p. 289; Acerataspis formosana, p. 291; Latibulus tuberculatus, p. 292; Anomalon frontalis, p. 293; A. nigribasis, p. 294; Heteropelma perlustum, p. 297; H. tarsale, p. 298; Agrypon trochanterale, p. 300; Atrometus puerilis, p. 301; Enicospilus concentralis, p. 305; E. nigrivenalis, p. 307; E. pallidistigma, p. 308; E. nigristigma, p. 309; E. stenophleps, p. 309; E. sauteri, p. 310; E. nigrimarginalis, p. 311.

**Ishii, T.**: Description of a new Chalcidoïd-fly, Sympiesomorpha chilonis n. sp., a parasite of the Rice Borer, Chilo simplex Butler (Kontyû, XI, pp. 110-112).

Sympiesomorpha chilonis, p. 110.

**Masi, L.**: On a new variety of Monodontomerus obscurus Westwood (Mushi, X, pp. 101-102).

Monodontomerus obscurus var. japonicus (n. var.), p. 101.

\_\_\_\_\_: A new Dirhinus from Japan (Mushi, X, pp. 103-104).

Dirhinus caelebs, p. 103.

**Semenov-Tian-Shanskij, A. et Gussakovskij, V.**: Notes sur les représentantes paléarctiques de la tribu des Abiini (Konowia, XVI, pp. 1-9).

Orientabia finitima, p. 2; O. pacifica, p. 3.

**Sonan, J.**: On two Formosan species of the genus Montezumia De Saussure (Hym. Eumenidae) (Trans. Nat. Hist. Soc. Formosa, XXVII, pp. 14-16).

Montezumia (Pseudozumiâ) taiwana, p. 15.

\_\_\_\_\_: On the genus Rygchium Spinola (= Rhynchium Fabricius) in Formosa (Hym. Eumenidae) (Trans. Nat. Hist. Soc. Formosa, XXVII, pp. 107-112).

Rygchium inamuraj, p. 110; P. taiwanus, p. 111.

\_\_\_\_\_: Two new species and one new genus of Hymenoptera (Trans. Nat. Hist. Soc. Formosa, XXVII, pp. 169-174).

Polistes yamanakai, p. 169; Campoplex taiwana, p. 171; Kunicoryptus (n. g., Genotype-Orientocryptus flavofasciatus Uchida), p. 173.

**Takeuchi, K.**: A study on the Japanese species of the genus Macrophyia Dahlbom (Hymenoptera, Tenthredinidae) (Tenthredo, I, pp. 376-454).

Macrophyia kongosana, p. 414; M. imitator, p. 436; M. koreana, p. 438; M. forsiusi, p. 439; M. malaisei, p. 441; M. malaisei var. kibunensis (n. var.), p. 443; M. minutissima, p. 450.

**Watanabe, C.**: A contribution to the knowledge of the Braconid fauna of the Empire of Japan (Hymenoptera) (Jour. Facult. Agr., Hokkaido Imp. Univ., XLII, pp. 1-188).

Chelonogastra koebeli f. formosana (n. f.), p. 17; Bracon yakui, p. 27; B. nippomensis, p. 28; Spathius japonicus, p. 36; Rhogas daisetsuzanus, p. 54; R. oyeyamensis, p. 54; R. lymantriae, p. 57; R. wadai, p. 58; R. microculatus, p. 60; R. sapporensis, p. 61; R. drymoniae, p. 61; Chelonus tosenis, p. 71; C. moriokensis, p. 73; Ascogaster epinotiae, p. 76; Phanerotoma producta, p. 81; Earinus jezoensis, p. 83; Braunsia postfurcalis, p. 88; B. matsumurai, p. 89; B. antefurcalis, p. 90; Microdus aino, p. 92; Microtypus takeuchii, p. 95; Microgaster takeuchii, p. 100; M. coenonymphae, p. 101; Microplitis theretrae, p. 108; Streblocera nigrithoracica, p. 129; Pygostolus septentrionalis,

\* Insects described in this magazine are omitted.

p. 136; *Leiophron antennalis*, p. 138; *L. aino*, p. 139; *Cardiochiles japonicus*, p. 144; *Macrocentrus gigas*, p. 158; *Phaenocarpa jessoensis*, p. 164.

**Yasumatsu, K.:** A new Odynerus (*Ancistrocerus*) from Formosa (Trans. Nat. Hist. Soc. Formosa, XXVII, pp. 160-163).

*Odynerus* (*Ancistrocerus*) *taiheizanus*, p. 160.

\_\_\_\_\_: Hymenoptera collected in Tadao Kano's expeditions (1929, 1933, 1935 and 1936) to Botel Tobago Island, I. Eumenidae, Scoliidae, Sphecidae and Xylocopidae (Mushi, IX, pp. 120-128).

*Scolia kanoi*, p. 123; *Campsomeris kanoi*, p. 125; *Xlyocopa fulginata kanoi* (n. subsp.), p. 128.

\_\_\_\_\_: Sphecoidea of Micronesia (Hymenoptera) (Mushi, IX, pp. 129-134).

*Pison esakii*, p. 129; *P. korrorensis*, p. 133.

\_\_\_\_\_: in Esaki, T., Hashimoto, S. and Sameshima, T., Report on the leaf-hoppers injurious to the rice plant and their natural enemies, No. 8, Fukuoka.

*Mimesa sameshimagi*, p. 19.

**Zirngiebl, L.:** Ein Beitrag zur Kenntnis der Blattwespen (Festschr. 60. Geburt. E. Strand, III, pp. 350-355).

*Sirex antennatus* Marl. var. *immaculatus* (n. var.), p. 350.

## DIPTERA

**Monzen, K.:** On some new gall midges (Kontyû, XI, pp. 180-194).

*Löwodiplosis acutissima*, p. 181; *Clinodiplosis nawai*, p. 182; *Rhopalomyia chrysanthemum*, p. 183; *R. japonica*, p. 185; *R. caterva*, p. 186; *R. cinerarius*, p. 187; *R. struma*, p. 188; *Asphondylia baca*, p. 189; *A. sphaera*, p. 190; *Paraspheondylia sasakii*, p. 191; *Hasegawaia* (n. g., non descr.) *sasacola*, p. 192; *Lestremia osmanthus*, p. 194.

**Okada, I.:** Nachtrag zu den Nematoceren von den Kurilen (Diptera) (Trans. Sapporo Nat. Hist. Soc., XV, pp. 33-39).

*Apemon similis* f. *nigricoxa* (n. f.), p. 33; *Megophthalmidia longicornis*, p. 36.

\_\_\_\_\_: Einige Fungivoriden aus Kiushiu (Dipt., Fungivoridae) (Mushi, IX, pp. 73-80).

*Neurotelia femorata*, p. 73.

**Séguy, E.:** Un nouveau genre de Fucellinae du Japon (Muscidae) (Annot. Zool. Jap., XVI, pp. 1-4).

*Protofucellia* (n. g.) *synitomorii*, p. 2.

**Tokunaga, M.:** Chironomidae from Japan (Diptera), IX (Philip. Jour. Sci., Vol. 62, pp. 21-61)

*Clinotanypus decempunctatus*, p. 23; *C. japonicus*, p. 25; *C. sugiyama*, p. 26; *Procladius* (*Procadius*) *nipponicus*, p. 32; *Anatopynia yoshimurai*, p. 38; *A. kibunensis*, p. 41; *A. japonica*, p. 41; *Pentaneura minuta*, p. 43; *P. octopunctata*, p. 46; *P. monticola*, p. 47; *P. alba*, p. 49; *P. japonica*, p. 50; *P. longipennis*, p. 52; *P. kyotoensis*, p. 53; *P. multifascia*, p. 54; *Syndiamesa* (*Syndiamesa*) *bicolor*, p. 56; *S. (Lasiodiamesa) crassipilosa*, p. 57; *Heptigya nipponica*, p. 58; *H. eburnea*, p. 60.

\_\_\_\_\_: Sand flies (Ceratopogonidae, Diptera) from Japan (Tenthredo, I, pp. 233-338).

*Leptoconops nipponensis*, p. 262; *Lasiohelea japonica*, p. 267; *L. nudocula*, p. 269; *L. monticola*, p. 270; *Culicoides crassipilosus*, p. 276; *C. kii*, p. 284; *C. kibunensis*, p. 298; *C. verbosus*, p. 303; *C. aterinervis*, p. 312; *C. tobaensis*, p. 317; *C. albifascia*, p. 319; *C. sigmaensis*, p. 322; *C. amamensis*, p. 325; *C. kagiensis*, p. 327; *C. kyotoensis*, p. 329; *C. sinanoensis*, p. 331.

\_\_\_\_\_: Supplementary report on Japanese sand flies (Ceratopogonidae, Diptera) (Tenthredo, I, pp. 455-459).

*Lasiohelea acidicola*, p. 455.

## COLEOPTERA

- Adachi, T.**: The Staphylinid fauna of Izu-Oshima, I (Nippon no Kochū, I, pp. 52-60). *Conosoma germanus* var. *rufipenne* (n. var.), p. 58.
- Châjô, M.**: Studies on the Chrysomelidae in the Japanese Empire (VIII), Subfamily Halticinae (7) (8) (9) (Trans. Nat. Hist. Soc. Formosa, XXVII, pp. 35-48, 52-58, 95-104). *Sphaeroderma japonica* var. *piceipennis* (n. var.), p. 37; *S. flavonotata*, p. 40; *S. tibialis*, p. 41; *S. rubi*, p. 42; *Sebaethe formosana*, p. 46; *Eucycla miwai*, p. 53; *Horaia* (n. g.), p. 55; *H. minor*, p. 57; *H. bicolor*, p. 57; *H. fulva*, p. 58; *Longitarsus flavidornis*, p. 97; *L. morrisonus*, p. 98; *L. bicoloriceps*, p. 99; *L. arisanus*, p. 100; *L. formosanus*, p. 101; *L. lewiellus*, p. 102.
- \_\_\_\_\_: Descriptions of four new species of the genus *Pedrillia* Westwood, with a list of the species known from the world (Col. Chrysomelidae) (Trans. Nat. Hist. Soc. Formosa, XXVII, pp. 146-151). *Pedrillia decorata*, p. 146; *P. grandis*, p. 147; *P. ornata*, p. 148; *P. gracilis*, p. 149.
- \_\_\_\_\_: Some additions and revisions of Bruchidae (Coleoptera) from the Japanese Empire (Trans. Nat. Hist. Soc. Formosa, XXVII, pp. 189-201). *Sulcobruchus* (n. g., Genotype - *Bruchus sauteri* Pic), p. 189; *Callosobruchus albobasalis*, p. 191; *C. taiwanensis*, p. 191; *Bruchidius coreanus*, p. 194; *B. gracilicollis*, p. 195; *B. notatus*, p. 196; *Spermophagus albonotatus*, p. 198; *S. undulatus*, p. 199.
- \_\_\_\_\_: Descriptions of two Hispid-beetles, belonging to a new genus, from the South Sea Island under Japanese mandate (Coleoptera: Chrysomelidae) (Trans. Nat. Hist. Soc. Formosa, XXVII, pp. 222-228). *Planispa* (n. g.), p. 223; *P. castaneipennis*, p. 226.
- Gressitt, J. L.**: New Japanese longicorn beetles, II (Coleoptera: Cerambycidae) (Kontyû, XI, pp. 317-327). *Pseudallotraeus boninensis*, p. 318; *Strangalia lineatocolle*, p. 319; *Ogasawara* (n. g.), p. 320; *O. testacea*, p. 321; *Monochamus yokoyamai*, p. 322; *Mesosa pictipes*, p. 323; *Coptops hirtiventris* p. 324.
- Jeannel, R.**: Nouveaux Trechinae paléarctiques (Bull. Soc. Ent. France, XLII, pp. 82-88). *Trechus* (*Epaphius*) *Janoi*, p. 82.
- Kôno, H.**: Eine neue Baris-Art als schädling an *Mentha arvensis* (Kontyû, XI, p. 316). *Baris menthae*, p. 316.
- \_\_\_\_\_: Neue und wenig bekannte Käfer Japans. III. Gattung *Ixalma* (Trans. Sapporo Nat. Hist. Soc., XV, pp. 29-32). *Ixalma okadai*, p. 30; *I. nigriventris*, p. 31.
- \_\_\_\_\_: Eine neue Niponius-Art aus Sachalin (Col.) (Trans. Sapporo Nat. Hist. Soc., XV, pp. 74-75). *Niponius tamanukii*, p. 74.
- \_\_\_\_\_: Über die Käfersammlung des Museums "Umeno Konchû Kenkiujo". III (Bull. Umeno Ent. Lab., V, pp. 1-14). *Xanthochroa umenoi*, p. 3; *Eobia cinereipennis ishigakiana* (n. subsp.), p. 9; *Alloxacis geniculata*, p. 10; *Oedemera* (*Oedemeronia*) *testaceithorax okinawana* (n. subsp.), p. 11.
- \_\_\_\_\_: H. Sauter's Formosa-Ausbeute: Curculionidae, Alcidini (Bull. Umeno Ent. Lab., V, pp. 15-16). *Alcides umenoi*, p. 15.
- Kôno, H. et Esaki, T.**: Ein neuer halophiler Käfer, *Rotamalachius* (n. g.) *esakii* (n. sp.) Kôno (Annot. Zool. Jap., XVI, pp. 121-123). *Rotamalachius* (n. g.) *esakii*, p. 121.
- Lesne, P.**: Xyloperthini paléarctiques peu connus ou nouveaux (Bostrichidae) (Bull. Soc. Ent.

- France, XLII, pp. 195-200).  
*Xylopsocus Galloisi*, p. 198.  
**Mader, L.**: Neue Coleopteren und Notizen (Ent. Rundschau, XXIII, pp. 112-115).  
*Episcapha Tapferi*, p. 112.  
**Matsushita, M.**: Zur Kenntnis der Japanischen Cerambyciden (II). (Kontyû, XI, pp. 102-106).  
*Strangalia xanthoma f. murayamai* (n. f.), p. 102; *Merioneda formosana f. nigra* (n. f.), p. 102;  
*Hirayamaia* (n. g.) *fuscorufa*, p. 103; *Saitoa* (n. g.) *tenebrosa*, p. 104; *Neopraolia kisana*, p. 105.  
\_\_\_\_\_ : Die Cerambyciden-Fauna von Miyakejima in der Prov. Izu, Nippon (Kontyû, XI, pp. 312-315).  
*Ceresium yuasai*, p. 312; *Psacothea hilaris* var. *miyakejimana* (n. var.), p. 314.  
**Mitono, T.**: A new Glenea-species from Formosa (Coleoptera : Cerambycidae) (Mushi, X. pp. 149-151).  
*Glenea chujoi*, p. 149.  
**Miwa, Y.**: Descriptions of two new species of Lucanidae from Formosa (Trans. Nat. Hist. Soc. Formosa, XXVII, pp. 164-168).  
*Macrodorcus mochizukii*, p. 164; *M. yamadai*, p. 166.  
\_\_\_\_\_ : Description of a new species of Silphidae from Formosa (Coleoptera) (Trans. Nat. Hist. Soc. Formosa, XXVII, pp. 244-245).  
*Silpha (Oiceoptoma) nakabayashii*, p. 244.  
**Miwa, Y. et Chijô, M.**: Descriptions of two new species of Japanese Languriidae (Coleoptera) (Trans. Nat. Hist. Soc. Formosa, XXVII, pp. 7-10).  
*Pachylanguria yamamotoi*, p. 7; *Caenolanguria insularis*, p. 8.  
**Miwa, Y. et Mitono, T.**: On a new Necydalis from Formosa (Cerambycidae) (Annot. Zool. Jap., XVI, pp. 161-165).  
*Necydalis esakii*, p. 161.  
**Murayama, J.**: Notes sur les Scolytides (Coléoptères) de la Corée (Tenthredo, I, pp. 367-375).  
*Hylurgops modestus*, p. 367; *Polygraphus horyurensis*, p. 368; *Xyloterus gaimensis*, p. 369,  
*Dryocoetes infuscatus*, p. 370; *Ips typographus* var. δ (n. var.), p. 371.  
**Nomura, S.**: On the Genus *Trox* of Japan (Scarabaeidae) with description of a new species (Nippon no Kochû, I, pp. 77-86.)  
*Trox mutsuensis*, p. 81.  
**Ohbayashi, K.**: Descriptions of two new species of longicorn-beetles from Japan (Nippon no Kochû, I, pp. 5-7).  
*Microrhabdium japonicum*, p. 5; *Molorchus takeuchii*, p. 6.  
**Pic. M.**: Nouveautés diverses (Mélanges exotico-entom., pp. 1-36).  
*Caenocara rufitarsis* var. *Grouvellei* (n. var.), p. 4; *Dorcatoxina japonica*, p. 4; *Micromarolia* (n. g.) *uninotata*, p. 35.  
\_\_\_\_\_ : Nova Coleoptera Malacodermata (Ent. Blät., XXXIII, pp. 58-65).  
*Athemus atroopacus*, p. 62; *A. chosokeiensis*, p. 63; *A. flavonotaticeps*, 63; *Malthodes niponicus* v. *formosanus* (n. var.), p. 64; *Ichthyurus Sauteri*, p. 65.  
**Sawada, G.**: On the genus *Serica* of Japan (Scarabaeidae), with descriptions of new species (Nippon no Kochû, I, pp. 8-33).  
*Serica nigrovariata* var. *nigripennis* (n. var.), p. 15; *S. boops* var. *unicolor* (n. var.), p. 18; *S. foobowana*, p. 20; *S. similis* var. *daisensis* (n. var.), p. 24; *S. kamiyai*, p. 27.  
**Spaeth, F.**: Neue Hispinnen aus der Südsee (Coleoptera) (Proc. Roy. Ent. Soc. London, B, VI, pp. 26-28).  
*Bronthispa mariana*, p. 26.  
**Tamanuki, K. et Ooishi, S.**: Some unrecorded species and one new variety of longicorn-

- beetles found in Kyūshū (Mushi, IX, pp. 108-115).  
*Criocephalus rusticus* var. *longicorne* (n. var.), p. 112.  
**Voss, E.:** Die Gattung *Demimaea* (Ent. Blätt., XXXIII, pp. 448-463).  
*Demimaea minuta*, p. 454.  
\_\_\_\_\_: Über Arten und Gattungen der Unterfamilien Belinae, Rhynchitinae und Attelabinae (Stett. Ent. Zeit, 98, pp. 199-209).  
*Depasophilus pacatoides*, p. 207.  
\_\_\_\_\_: Über ostasiatische Curculioniden (Senkenbergiana, XIX, pp. 226-282).  
*Adsonus koreanus*, p. 260; *Baris yunnanica* f. *tainanica* (n. f.), p. 270.  
**Yohena, C.:** Ueber einige Mistkaefer aus Togakushi (Insect World, Gifu, XLI, pp. 5-10).  
*Oniticellus yohenai* f. *fumiroi* (n. f.), p. 7.  
**Yuasa, H.:** Description of a new genus of the family Lampyridae (Coleoptera) (Kontyū, XI, pp. 107-109).  
*Hotaria* (n. g., genotype—*Luciola parvula* Kiesenwetter), p. 107.  
**Zumpt, F.:** Neue ostpaläarktische Rüsselkäfer aus der Sammlung der Herrn G. Frey, München (Ent. Blätt., XXXIII, pp. 21-30).  
*Euryommatus kōnoi*, p. 25.  
\_\_\_\_\_: Vier neue paläarktische Rüssler-Arten (Mitt. Deutsch. Ent. Gesellsch. E. V., 8, pp. 10-15).  
*Myllocerops griseoides*, p. 10.

### LEPIDOPTERA

- Esaki, T. et Nomura, K.:** Two new butterflies from Ryūkyū and Formosa (Zephyrus, VII, pp. 105-108).  
*Euploea mazares masakii* (n. subsp.), p. 106; *Lethe sinderea kanoi* (n. subsp.), p. 107.  
**Evans, W. H. B.:** Indo-Australian Hesperiidae. : Descriptions of new genera, species and subspecies (Entomologist, LXX, pp. 16-19).  
*Halpe gamma*, p. 17.  
**Ikeda, N.:** On a new subspecies of *Pieris cisseis* Leech from Formosa (Zephyrus, VII, pp. 37-40).  
*Pieris cisseis karumii* (n. subsp.), p. 37.  
\_\_\_\_\_: A remarkable aberrant form of *Pantoporia asura baelia* Fruhstorfer from Formosa (Zephyrus, VII, pp. 41-42).  
*Pantoporia asura baelia* ab. *horishana* (n. ab.), p. 41.  
**Kasahara, T.:** A new aberrant form of *Argynnis sagana* Doubleday (Zephyrus, VII, pp. 136-137).  
*Argynnis sagana* ab. *natsugiensis* (n. ab.), p. 136.  
**Kato, M.:** A new subspecies of *Papilio maacki* Ménétriers (Ent. World, Tokyo, V, Pl. 167).  
*Papilio maacki masuokai* (n. subsp.), Pl. 167.  
**Kyuzaki, M.:** An aberrant form of *Zephyrus attilia* Bremer (Ageha, III, No. 2, pp. 5-6).  
*Zephyrus attilia* Bremer ab. *sagamiensis* (n. ab.), p. 6.  
**Meyrick, E.:** Exotic Microlepidoptera, V, pt. 3, pp. 65-96, pt. 4, pp. 97-128.  
*Placoptila cyclas*, p. 79; *Stathmopoda brachymochla*, p. 89; *Liopycna* (n. g.) *pernombra*, p. 113.  
**Nakahara, W.:** Une aberration nouvelle du *Papilio horishanus* (Ent. World, Tokyo, V, p. 77).  
*Papilio horishanus* ab. *Jacquetti* (n. ab.), p. 77.  
**Nomura, K.:** A new aberrant form of *Papilio aeacus kaguya* Nakahara et Esaki and a gynandromorph of *Ixias pyrene insignis* Butler (Zephyrus, VII, pp. 43-44).  
*Papilio aeacus kaguya* ab. *kuroboshi* (n. ab.), p. 43.

**Nomura, K.**: On the forms of *Polygonia c-album* Linne occurring in the Japanese Empire (Zephyrus, VII, pp. 109-127).

*Polygonia c-album hamigera* f. *auctum. hokkaidensis* (n. f.), p. 114; *P. c-album coreana* (n. subsp.) & f. *auctum. coreana* (n. f.), p. 119, f. *aest. seoki* (n. f.), p. 121; *P. c-album sakurai* f. *auctum. nakaharai* (n. f.), p. 124.

\_\_\_\_\_: On some aberrant forms of butterflies from Honshu, Kyushu and Formosa (Zephyrus, VII, pp. 138-141).

*Papilio protonor demetrius* ab. *echigoensis* (n. ab.), p. 138; *P. macilentus* ab. *yamazakii* (n. ab.), p. 138; *Anthocharis scolytus* ab. *delta* (n. ab.), p. 139; *Hypolimnas bolina* ab. *yokojii* (n. ab.), p. 140.

**Ogasawara, H.**: Description on a new aberrant form of *Papilio alcinosus* Klug (Ent. World, Tokyo, V, p. 39).

*Papilio alcinosus* Klug ab. *paramaculatus* (n. ab.), p. 39.

**Prout, L. B.**: in Seitz Macrolep. World, Suppl. 3, pp. 97-144.

*Oporinia viridipurpurens* (Matsumura, M. S.), p. 58; *Lobogonodes multistriata* clasis (n. subsp.), p. 105; *Eucosmabraxas* (n. g., Genotype - E. *palacida* (Butler)), p. 107; *Lygris ledereri* inurbala (n. subsp.), p. 109; L. *pyropata* *sugitanii* (n. subsp.), p. 109; *Cidaria* (*Thera*) *quadrifulta*, p. 115; C. (*Dysstroma*) *citrata* *conformalis* (n. subsp.), ab. *strigulata* (n. ab.) & ab. *punctumnotata* (n. ab.), p. 121; C. (*Xanthorhoes*) *quadrifasciata* ab. *divisa* (n. ab.), p. 126.

**Seok, D. M.**: On two new subspecies of butterflies (Zephyrus, VII, pp. 29-32).

*Apatura ulupi* *mori* (n. subsp.), p. 29; *Dilipa fenestra* *takacukai*, p. 31.

\_\_\_\_\_: On the butterflies collected in Is. Quelpart, with the description of a new subspecies (Zephyrus, VII, pp. 150-174).

*Lycaena argus* *zezuensis*, p. 150.

**S'gitani, I.**: Corean butterflies (6) (Zephyrus, VII, pp. 1-25.)

*Melitaea sindura* *gaimana* (n. subsp.), p. 2.

**Umeno, A.**: Kyushu no Chōrui (Butterflies of Kyushu) (Bull. Umeno Ent. Lab., IV, pp. 1-57).

*Papilio memnon* *aela* ab. *korasana* (n. ab.), p. 4; *Zephyrus smaragdinus* f. *esakii* (n. f.), p. 23.

**Watari, M.**: On a new subspecies of *Lycaena euphemus* (Zephyrus, VII, pp. 26-28).

*Lycaena euphemus* *tsugaruensis*, p. 26.

## RHYNCHOTA

**Esaki, T.**: Die Gerroidea Mikronesiens (Hemiptera - Heteroptera) (Tenthredo, I, pp. 351-326).

*Microvelia notophora*, p. 352; *Halobates mariannarum*, p. 357.

\_\_\_\_\_: A new Asclepios from Japan (Mushi, IX, pp. 135-136).

*Asclepios coreanus miyamotoi* (n. subsp.), p. 135.

**Kato, M.**: A catalogue of Japanese Membracidae (Ent. World. Tokyo, V, pp. 78-97).

*Orthobelus yezoensis*, p. 82; O. *shikokuensis*, p. 82; *Tricentrus puerianus*, p. 86; *Gargara desmodiuma*, p. 90; G. *rhodendrona*, p. 95.

\_\_\_\_\_: Semi (Cicadidae) (12) (13) (14) (15) (Ent. World, Tokyo, pp. 382-387, 461-463, 599-605, 675-684).

*Graptosaltria nigrofusca* Motschulsky var. *testaceomaculata* (n. var.), p. 385; *Mogania iwasakii* Matsumura var. *nigroventris* (n. var.), p. 461; *Meimuna kikaigashimana*, p. 603; M. *longipennis*, p. 675; *Melampsalta kono*, p. 677.

**Maxson, A. C. et Knowlton, G. F.**: A new Japanese *Prociphilus* (Aphidae) (Ann. Ent. Soc. America, XXX, pp. 24-25).

*Prociphilus takahashii*, p. 24.

**Sonan, J.**: A new species of Phymatidae in Formosa (Hemiptera) (Trans. Nat. Hist. Soc. Formosa, XXVII, pp. 175-176).

*Glossopeelta nakabayashii*, p. 175.

**Takahashi, R.:** Additions to the Aphid fauna of Formosa (Hemiptera), IV (Philip. Jour. Sci., LXII, pp. 1-18).

*Lachnus tatakaensis*, p. 1; *Greenidea nigra* var. *kananensis* (n. var.), p. 3; *Paratrichoiphum niitakaensis*, p. 5; *Macrosiphum euryae*, p. 7; *Acythosiphon rhododendri*, p. 8; *Aphis arundinariae*, p. 12; *A. stranaesia*, p. 14; *Thoracaphis tarokoensis*, p. 15.

\_\_\_\_\_: Notes on Ahids found near the summit of Mt. Niitaka, Formosa (Homoptera) (Kontyû, XI, pp. 98-101).

*Myzus niitakaensis*, p. 99.

\_\_\_\_\_: Notes on the Aleyrodidae of Japan (Homoptera) V (Kontyû, XI, pp. 310-311).

*Pentaleyrodes* (n. g., Genotype - *Aleyrodes cinnamomi* Takahashi), *P. cinnamomi* var. *raishana* (n. var.), p. 310.

\_\_\_\_\_: Some Coccidae from Formosa and Japan (Homoptera), II (Mushi, IX, pp. 69-72).

*Trionymus miscanthicola*, p. 70.

\_\_\_\_\_: Some oriental Aphididae (Konowia, XVI, pp. 90-96).

*Parachaetophorus* (n. g., Genotype - *Patchia spiraeae* Takahashi), p. 90.

\_\_\_\_\_: A new genus and species of Aphididae from Formosa (Annot. Zool. Jap., XVI, pp. 17-19).

*Trichaitophorus* (n. g.) *aceris*, p. 17.

## NEUROPTERA

**Banks, N.:** Neuropteroid insects from Formosa (Philip. Jour. Sci., 62, pp. 255-289).

*Isophanes* (n. g.) *decipiens*, p. 256; *Stenopsocus formosanus*, *S. tibialis*, *S. externus*, p. 259; *Matsumuraiella enderleini*, p. 260; *Kolbea serialis*, p. 261; *Caecilius okamotoi* (n. nom.), *C. fraternus*, p. 262; *C. confusus*, *C. similaris*, p. 263; *Hageniella formosana*, p. 265; *Epipsocus hageni*, p. 266; *Peripsocus quercicola*, *Paramphientomum nigriceps*, p. 267; *Lepium enderleini*, p. 268; *Tylopyge signata*, p. 270; *Schistoperla* (n. g.) *collaris*, p. 271; *Neoperla uniformis*, p. 272; *N. signatalis*, *N. klapaleki*, p. 273; *Nemoura plutonis*, p. 274; *Dilar taiwanensis*, p. 276; *Conioeompsa furcata*, p. 277; *Megalomus formosanus*, *Hemerobius spinigerus*, p. 279; *Ankylopteryx delicatula*, p. 280; *Chrysopa adonis*, p. 282; *C. astur*, *C. eudora*, p. 283; *C. marcida*, p. 284; *Noues elegans*, p. 285; *Myrmeleon punctineros*, p. 287.

## ORTHOPTERA

**Tinkham, E. R.:** Notes on the identity of Formosan Acridiinae with descriptions of a new genus and two new species (Orth.: Acrid.) (Trans. Nat. Hist. Soc. Formosa, XXVII, pp. 229-243).

*Formosatettix* (n. g.), p. 238; *F. arisanensis*, p. 238; *F. karenkoensis*, p. 240.

## ODONATA

**Ishimura, K.:** A new form of *Sympetrum Kunckeli* Selys from Northern Honshu (Trans. Aomori Nat. Hist. Soc., IV, pp. 1-4).

*Sympetrum Kunckeli* Selys f. *tastaceipenne* (n. f.), p. 1.

## EPHEMERIDA

**Imanishi, K.:** Mayflies from Japanese torrents. VII. Notes on the genus *Ephemeralla* (Annot. Zool. Jap., XVI, pp. 321-329).

*Ephemeralla basalis*, p. 321; *E. atagosana*, p. 326; *E. rufa*, p. 327; *E. cryptomeria*, p. 328.

**Imanishi, K.**: Mayflies from Japanese torrents. VIII. Notes on the genus *Paraleptophlebia* and *Baetis* (Annot. Zool. Jap., XVI, pp. 330-340).

*Paraleptophlebia chocolata*, p. 330; *P. westoni*, p. 332; *Baetis celcus*, p. 335; *B. florens*, p. 336; *B. atagonis*, p. 337.

### THYSANOPTERA

**Kurosawa, M.**: A new species of Sericothrips from Japan (Kontyû, XI, pp. 115-117).  
*Sericothrips abdominalis*, p. 115.

\_\_\_\_\_ : Descriptions of four new Thrips in Japan (Kontyû, XI, pp. 266-275).

*Haplothrips (Hindsiana) odonaspicola*, p. 266; *Frankliniella liliivora*, p. 269; *Parafrankliniella fasciatus*, p. 271; *Taeniothrips rohdeae*, p. 273.

\_\_\_\_\_ : A new species of Litoteothrips from Japan (Thysanoptera) (Trans. Nat. Hist. Soc. Formosa, XXVII, pp. 219-221).  
*Litoteothrips pasaniae*, p. 219.

\_\_\_\_\_ : A Quarantine interception of a new Phloeothrips from Japanese South Sea Islands (Zool. Mag. (Japan), XLIX, pp. 316-318).  
*Phloeothrips kinugasai*, p. 316.

**Moulton, D.**: A new Liothrips form Japan (Kontyû, XI, pp. 113-114).  
*Liothrips kurosawai*, p. 113.

**Takahashi, R.**: Descriptions of new Thysanoptera from Formosa, with notes on the species found on the high elevations of the island (Tenthredo, I, pp. 339-350).

*Ctenothrips kwanzanensis*, p. 339; *Smerinthus heptapleuricola*, p. 341; *Kleothrips kanoi*, p. 343; *Haplothrips arundinariae*, p. 346.

### SUPPLEMENT\*

#### HYMENOPTERA

**Bequaert, J.**: The common oriental hornests, *Vespa tropica* and *Vespa affinis*, and their color forms (Treubia, 15, pp. 329-351, 1936).

*Vespa tropica* Linné var. *loochooensis* (n. var.), p. 343.

**Yasumatsu, K. et Maidal F.**: A new genus and species of the family Nyssonidae sensu Kohl from the Far East (Hym.) (Festschr. 60. Geburt. E. Strand, I, pp. 501-504, 1936).

*Nippononysson* (n. g.), p. 501; *N. rufopictus*, p. 502.

**Yasumatsu, K. et Okabe, K.**: Notes on *Cerceris formosana* Strand and its allied species (Hym. Cerceridae) (Festschr. 60. Geburt. E. Strand, I, pp. 495-500, 1936).

*Cerceris sobo*, p. 497.

#### DIPTERA

**Baranov, N.**: Weitere Beiträge zur Kenntnis der parasiten Raupenfliegen (Tachinidae=Larvaecoridae) von den Salomonen und Neubritannien (Ann. Mag. Nat. Hist., London, (10) 17, pp. 97-113, 1936).

*Phorocera magna* f. *maxima* (n. f.), p. 105; *Eutachinia rusticella*, p. 108; *Platerycia compressa*, p. 111; *Erycia palpata*, p. 113.

**Enderlein, G.**: Sinuliologica I (S. B. Ges. naturf. Fr. Berlein, pp. 113-130, 1936).

*Thrysopelma longiunguis*, p. 126.

\* Ins. Mats., XI, pp. 170-180 (1937).

**Enderlein, G.:** Klassifikation der Rutilinen (Dipt.) (Veröff. dtsch. Kol. Mus. Bermen, I, pp. 397-446, 1936).

Stilbomyia latigena, p. 438; S. sauteri, S. sauteri var. viridis (n. var.), S. hoeneana, p. 439.

**Monzen, K.:** Daizu-kuki-tamabae ni tsuite (Two new gall midges of Soybean) (Morioka Agric. & Forest. Coll. Alumni. Soc., Bull. 12, pp. 45-58, 1936).

Contarinia soya, p. 51; Catocha iwatensis, p. 53.

### COLEOPTERA

**Bernhauer, M.:** Neuheiten der palaearktischen Staphylinidenfauna, I & II (Pubb. Mus. ent. Pietro Rossi, (14) I, pp. 237-254, pp. 303-325, 1936).

Stenus nagasakianus, p. 239; Paederus angustipennis, p. 240; Geodromicus suensonii, p. 304; Bledius japonicus, p. 305; Nazeris suensonii, p. 306; Philonthus pseudojaponicus, p. 307; Gyrophaena koreana, p. 509; G. tsushima, p. 310; Lomechusa suensonii, p. 323; Aleochara lewisia, p. 324; A. peninsulae, p. 325.

**Kamiya, K.:** Insects of Jehol (VI). Order Coleoptera. Dytiscidae (Rep. First Sci. Exped. Manchoukuo, (5), I, pt. 10, art. 40, 1936).

Agabus brunneus, p. 8.

\_\_\_\_\_: A new species of Gyrinus from Saghalien (Insect World, Gifu, XL, pp. 312-313, 1936).

Gyrinus sachalinensis, p. 312.

**Kleine, R.:** Zwei neue Lycostomus aus China (Lingnan Sci. Jour., XV, pp. 13-15, 1936).

Lycostomus koreanus, p. 13.

\_\_\_\_\_: Zwei neue Plateros aus China nebst synonymischen Bemerkungen (Lingnan Sci. Jour., XV, pp. 263-264, 1936).

Plateros koreanus, p. 263.

**Kêno, H.:** Zwei neue Xanthochroa-Arten (Festschr. 60. Geburt. E. Strand, I, pp. 516-518, 1936).

Xanthochroa strandi, p. 516; X. caudata, p. 517.

**Obenberger, J.:** De novis reginonis orientalis Agrili generis speciebus. II (Acta Soc. ent. Csl., XXXIII, pp. 33-44, 1936).

Agrilus amulius, p. 35; A. miwai, p. 37; A. feretrius, p. 37; A. cardaces, p. 38.

\_\_\_\_\_: De speciebus novis palaearcticis generis Agrilus (l. c., XXXIII, pp. 104-118, 1936).

Agrilus kratochvili, p. 110.

\_\_\_\_\_: De novis Japoniae generis Agrili speciebus (l. c., XXXIII, pp. 140-141, 1936).

Agrilus quadrisignatus kinoshitae (n. subsp.), A. beppensis, A. daimio, p. 140; A. vodaki, 141.

**Pic, M.:** Notes diverses, nouveautés (Echange, 51, pp. 11-15, 1935).

Grammoptera japonica, p. 11; Pseudopidonia bisgnata, p. 12.

**Plavilstshikov, N. N.:** Faune de l'USSR, Cerambycidae (I), 1936.

Leptura scotodes ab. masculina (n. ab.), p. 371.

**Schauberger, E.:** Zur Kenntnis der paläarktischen Harpalinen (Koleopt. Rundsch., XXII, pp. 1-22, 1936).

Trichotichnus lewisi, p. 9.

**Straneo, S. L.:** Note sui Platysma paleartici, 3 a (Ann. Mus. Stor. Nat. Genova, 59, pp. 145-157, 1936).

Platysma mulleri, p. 152.

## LEPIDOPTERA

**Clark, B. P.**: Descriptions of twenty-four new Sphingidae and notes concerning two others (Proc. New Engl. Zool. Cl., XV, pp. 71-91, 1936).

*Compsogene mansoni formosana* (n. subsp.), p. 72; *Oxyambulyx kuangtungensis formosana* (n. subsp.), p. 73; *Leucophlebia lineata formosana* (n. subsp.), p. 76 & 86; *Langia zenzeroides formosana* (n. subsp.), p. 83.

**Hori, H.**: Studies on the Japanese Pterophoridae (III). On the genus *Trichoptilus*, and notes on *Platyptilia rhododactyla* and *Oidaematophorus lithodactylus* (Bulteno Scienca, Fakult. Terkultura, Kjusu Imp. Univ., VII, pp. 73-90, 1936).

*Trichoptilus esakii*, p. 79.

**Mell, R.**: Beiträge zur Fauna sinica, XI. Biologie und Systematik der chinesischen *Catocala* (Deutsch. Ent. Zeit. Iris, Dresden, 50, pp. 49-90, 1936).

*Catocala nupta japonica* (n. subsp.), 67.

**Nakahara, W.**: Eine weitere neue *Parnassius*-Rasse aus Japan. *Parnassius bremeri aino Nakahara*, subsp. nova (Ent. Zeitschr., 50, pp. 333-334, 1936).

*Parnassius bremeri aino* (n. subsp.), p. 333.

## RHYNCHOTA

**Blöte, H. C.**: Catalogue of the Coreidae in the Rijksmuseum van natuurlijke Historie. III. Coreinae (pt. 2) (Zool. Meded., Leyden, XIX, pp. 23-66, 1936).

*Hygia (Colpura) pedestris*, p. 39.

**Esaki, T.**: A new *Urochela*-species from Formosa (Festschr. 60. Geburt. E. Strand., I, pp. 492-494, 1936).

*Urochela strandi*, p. 492.

**Shinji, O.**: On the Aphids of cotton at Moppo, Korea, especially an unrecorded and new species (*Oyō-Dōbutsu. Zasshi*, VIII, pp. 147-150, 1936).

*Acyrtopiphoron gossypicola*, p. 148.

\* \* \*