



Title	New Species of Insects described from the Empire of Japan in 1938
Citation	Insecta matsumurana, 13(4), 163-174
Issue Date	1939-07
Doc URL	<a href="http://hdl.handle.net/2115/9425">http://hdl.handle.net/2115/9425</a>
Type	bulletin (article)
File Information	13(4)_p163-174.pdf



[Instructions for use](#)

NEW SPECIES OF INSECTS DESCRIBED FROM  
THE EMPIRE OF JAPAN IN 1938\*

HYMENOPTERA

**Ishii, T.:** Descriptions of six new Species belonging to the Aphelinae from Japan (Kontyû, XII, pp. 27 - 32).

Aspidotiphagus pseudoaonidae, p. 27; Prospaltella thoracaphis, p. 28; P. citri, p. 29; P. bemisiae, p. 30; Physcus bifasciatus, p. 31; Eretmocerus aleurolobi, p. 32.

—————: Chalcidoid and Proctotrypoid-Wasps reared from *Dendrolimus spectabilis* BUTLER and *D. albolineatus* MATSUMURA and their Insects Parasites, with Descriptions of three new Species (Kontyû, XII, pp. 97-105).

*Euterus tabatae*, p. 99; *E. kojimae*, p. 100; *Calliceras* (*Ceraphron*) *kamiyae*, p. 105.

—————: Descriptions of two new Trichogrammatids from Japan (Kontyû, XII, pp. 179-181). *Japania andoi*, p. 179; *Oligostia shibuyae*, p. 180.

—————: Eucharidae of Japan, with Descriptions of three new Species (Kontyû, XII, pp. 194-198). *Eucharis esakii*, p. 195; *Schizaspidia yakushimensis*, p. 197; *S. taiwanensis*, p. 198.

**Malaise, R.:** Two new Tenthredo from Japan (Hym. Tenth.) (Opusc. Ent., III, pp. 91-94). *Tenthredo basizonata*, p. 91; *T. grandiceps*, p. 93; *T. sortitor* (n. n.) for (*abdominalis* MATSUMURA, nec FABR. 1798).

**Shinji, O.:** Hôsan Tamabachi-ka no Kenkyu (Studies on Japanese Cynipidae) (Zool. Mag., Japan, 50, pp. 427-438).

*Diplolepis kunugi*, p. 430; *Andricus noli-quercicola*, p. 433; *Neuroterus narae*, p. 434; *N. watensis*, p. 436.

—————: On a new Species of Cynipidae infesting terminal Branches of *Quercus* spp. in Japan (Kontyû, XII, pp. 203-204).

*Paraulax quereicola*, p. 204.

**Sonan, J.:** H. SAUTER's Formosa-Collection: *Polistes*, *Montezumia* and *Pareumenes* (Arb. morph. taxon. Ent. Berlin-Dahlem, 5, pp. 66-70).

*Polistes japonicus* var. *formosana* f. *koshunensis* (n. f.), p. 67; *Pareumenes taiwanus*, p. 69.

—————: Siricidae of Formosa (Trans. Nat. Hist. Soc. Formosa, XXVIII, pp. 88-94).

*Sirex koshuna*, p. 89; *S. niitakana* & var. *tsutsujiyamana* (n. var.), p. 90; *Tremex nigra*, p. 91; *T. chuioi*, p. 92.

**Strand, E. et Yasumatsu, K.:** A new *Andrena*-Species from Japan (Hymenoptera; Apoidea) (Mushi, XI, pp. 67-69).

*Andrena* (*Melandrena*) *mikado*, p. 67.

\*The new species described in this magazine are omitted.

**Strand, E. et Yasumatsu, K.:** Two new Species of the Genus *Sphecodes* LATREILLE from the Far East (Mushi, XI, pp. 78-82).

*Sphecodes esakii*, p. 78; *S. manchurianus*, p. 80.

**Takeuchi, K.:** A systematic Study on the Suborder Symphyta (Hymenoptera) of the Japanese Empire (I) (Tenthredo, II, pp. 173-229).

*Orussus coreanus*, p. 178; *Euxiphydria leucopoda*, p. 183; *Platyxiphydria* (n. g.) *tiphiiiformis*, p. 185; *Urocerus multifasciatus*, p. 189; *Cephys sachalinensis*, p. 197; *Hartigia coreana*, p. 199; *H. agilis*, p. 200; *Acantholyda iwatai*, p. 210; *Cephalcia stigma*, p. 212; *Pamphilius* (*Pamphilius*) *leucocephalus*, p. 219; *P.* (*Pamphilius*) *daisenus*, p. 221; *P.* (*Anopholyda*) *coreanus*, p. 225; *P.* (*Onycholyda*) *tenuis*, p. 226; *P.* (*Onycholyda*) *esakii*, p. 227.

**Teranishi, C.:** An Addition to the Japanese Trigonaloid Fauna (Trigonaloidae, Hym.) (Kontyû, XII, p. 178).

*Poecilogonalos yuasai*, p. 178.

**Watanabe, C.:** A Revision of the Genus *Batotheca* ENDERLEIN, with Description of a new Species (Hym., Braconidae) (Mushi, XI, pp. 170-175).

*Batotheca yakushimensis*, p. 173.

**Yasumatsu, K.:** A Revision of the Genus *Sphex* LINNÉ of the Japanese Empire (Tenthredo, II, pp. 44-135).

*Sphex* (*Isodontia*) *maidli*, p. 113; *S.* (*Isodontia*) *sonani*, p. 117.

————— : Two new Wasps from Japan (Eumenidae and Pemphredonidae) (Mushi, XI, pp. 83-86).

*Odynerus* (*Ancistrocerus*) *shibuyai*, p. 83; *Nipponopsen* (n. g.) *anomoneurae*, p. 84.

————— : Schmuckbienen (*Epeolus*) der mandschurischen Subregion (Hymenoptera, Apoidea) (Trans. Sapporo Nat. Hist. Soc., XV, pp. 223-226).

*Epeolus melectiformis* & *E. formosanus*, p. 225.

————— : Hymenoptera collected in TADAO KANO'S Expeditions (1929, 1933, 1935 and 1936) to Botel Tobago Island, II (Trans. Nat. Hist. Soc. Formosa, XXVIII, pp. 72-76).

*Tiphia kotoshensis*, p. 72.

————— : The Genus *Megachile* of Korea (Hym., Megachilidae) (Trans. Nat. Hist. Soc. Formosa, XXVIII, pp. 382-389).

*Megachile maritima yamadai* (n. subsp.), p. 388.

————— : Two unrecorded Species of the Genus *Trypoxylon* from Nippon (Zool. Mag., Japan, 50, pp. 451-455).

*Trypoxylon imayoshii*, p. 451.

**Yasumatsu, K. et Sugihara, Y.:** Étude sur les Sapygides de Corée (Mushi, XI, pp. 75-77). *Sapyga coma*, p. 76.

## DIPTERA

**Alexander, C. P.:** New or little-known Tipulidae from Eastern Asia (Diptera), XXXVI

(Philip. Jour. Sci., 66, pp. 93-134).

*Tipula* (*Vestiplex*) *takahashiana*, p. 101; *T.* (*Vestiplex*) *bicornigera*, p. 102; *T.* (*Oreomyza*) *nitakensis*, p. 104; *Dolichocheza* (*Dolichocheza*) *katoi*, p. 109; *Limonia* (*Limonia*) *fusciceps nigricuspis* (n. subsp.), p. 112; *Dicranoptycha stygipes*, p. 113; *Dicranota* (*Rhaphidolabis*) *clausa*, p. 115; *Limnophila* (*Prionolabis*) *nigrofemorata*, p. 117; *L.* (*Prionolabis*) *yamamotoana*, p. 118.

**Alexander, C. P.:** l. c., XXXIX (Philip. Jour. Sci., 66, pp. 439-478).

*Dolichocheza* (*Dolichocheza*) *honshiuensis*, p. 462.

—————: l. c., XL (Philip. Jour. Sci., 67, pp. 125-166).

*Protanyderus yankovskiy*, p. 129; *Trichocera tuberculifera*, p. 131; *T. latilobata*, p. 133; *Limonia* (*Limonia*) *venerabilis*, p. 134; *L.* (*Dicranomyia*) *infensa*, p. 135; *L.* (*Dicranomyia*) *subaurita*, p. 137; *L.* (*Geranomyia*) *neavoceita*, p. 138; *Dicranoptycha prolongata*, p. 139; *D. diacantha*, p. 141; *Helius* (*Helius*) *polionota*, p. 142; *H.* (*Helius*) *gracillimus*, p. 143; *Pedicia* (*Pedicia*) *laetabilis*, p. 144; *P.* (*Pedicia*) *simulata*, p. 146; *P.* (*Tricyphona*) *patens*, p. 148; *P.* (*Tricyphona*) *longiloba*, p. 149; *P.* (*Tricyphona*) *diaphanoides*, p. 150; *Dicranota* (*Rhaphidolabis*) *flavibasis minuscula* (n. subsp.), p. 151; *D.* (*Rhaphidolabis*) *luteola*, p. 152; *D.* (*Rhaphidolabis*) *neoconsors*, p. 153; *Limnophila* (*Phylidorea*) *megapygia*, p. 154; *L.* (*Phylidorea*) *subpoetica multidentata* (n. subsp.), p. 155; *L.* (*Phylidorea*) *pernigrata*, p. 156; *L.* (*Prionolabis*) *acanthophora*, p. 157; *Hexatoma* (*Eriocera*) *pernigrina*, p. 159; *Gonomyia* (*Idiocera*) *perpallens*, p. 160; *Erioptera* (*Erioptera*) *pallidivena*, p. 161; *Ormosia* (*Ormosia*) *ducalis*, p. 162.

**Kikkawa, H. et Peng, R. T.:** *Drosophila* Species of Japan and Adjacent Localities (Jour. Zool. Japan, VII, pp. 507-552).

*Drosophila* (*Paradrosophila*) *coracina*, p. 523; *D.* (*Spinulophila*) *komaii*, p. 525; *D. rufa*, p. 529; *D. nipponica*, p. 531; *D. ficusphila*, p. 531; *D. bizonata*, p. 532; *D. lutea*, p. 533; *D. nigromaculata*, p. 537; *D. sordidula*, p. 539; *D. subtilis*, p. 541; *D. grandis*, p. 543.

**Kitakami, S.:** The Deuterophlebiidae of Japan (Ann. Zool. Jap., 17, pp. 487-507).

*Deuterophlebia nipponica*, p. 488; *D. tyosenesis*, p. 501.

**Okada, I.:** Die von Herrn K. TAKEUCHI aus Japan gesammelten Nematoceren (*Tenthredo*, II, pp. 33-43).

*Cerotelion quadripunctatus f. septemtrionalis* (n. f.), p. 34; *Zelmira annandalei f. formosana* (n. f.), p. 36; *Eudicrana affinis*, p. 38.

—————: Die Bibioniden Japans (*Diptera*, *Nematocera*) (Jour. Facul. Agr., Hokkaido Imp. Univ., XLII, pp. 189-220).

*Penthetria takeuchii*, p. 205; *Bibio formosanus*, p. 209; *B. matsumurai*, p. 212; *B. pseudoclavipes*, p. 214; *Dilophus kagoshimaensis*, p. 217.

—————: Die Phryneiden und Pachyneuriden Japans (*Diptera*, *Nematocera*) (Jour. Facul. Agr., Hokkaido Imp. Univ., XLII, pp. 221-238).

*Olbiogaster yamamotoi*, p. 232; *Haruka* (n. g.), p. 234; *H. elegans*, p. 235.

**Okada, T.:** Two new Species of Thaumaleidae, an unrecorded Family of *Diptera*, *Nematocera* from Japan (Ann. Zool. Jap., 17, pp. 388-394)

*Taumalea japonica*, p. 390; *T. striata*, p. 392.

**Richard, F.:** *Hybotinen* (Dipt., Empididae) von Formosa und den Philippinen (Notulae Ent., XVIII, pp. 52-62) (after Ling. Sci. Jour., XVII, p. 659, 1938).

**Schmitz, H.:** *Megaselia* (s. str.) *laticosta* n. sp. (Arb. morph. taxon. Ent. Berlin-Dahlem, 5, pp. 292-293).

*Megaselia* (s. str.) *laticosta*, p. 292.

**Shinji, O.:** A new Japanese Fungus Gnat (Dipt. Fungivoridae) (*Konuyū*, XII, pp. 175-177).  
*Sciara fagi*, p. 175.

—————: *Hōsan Tamabae-ka ni tsuite*, I-III (Cecidomyiidae of Japan) (*Insect World*, Gifu, XLII, pp. 115-120, 178-182, & 208-212).

*Rhabdophyge salicivora*, p. 116; *Zogiobia yanagi*, p. 178; *R. sali-yonai*, p. 180; *Mikiola populi*, p. 210; *M. populicola*, p. 211.

—————: *Nippon-san Tamabae 2 Shinshu* (Two new Species of Cecidomyiidae from Japan) (*Insect World*, Gifu, XLII, pp. 239-244).

*Shizomyia ilexicola*, p. 239; *Calopedila puerariae*, p. 241.

—————: On the Fungivoridae (Dipt.) of North-eastern Japan with the Descriptions of new Species and a Genus (*Insect World*, Gifu, XLII, pp. 302-309).

*Leia puerariae*, p. 305; *Neoneurotelia* (n. g.), p. 306; *N. nigripennis*, p. 308.

—————: Four new and one known Species of Gall-flies from Japan (*Insect World*, Gifu, XLII, pp. 335-342).

*Dasyneuca fulvicola*, p. 335; *Rhopolomyia iwatensis*, p. 338; *R. abdominalis*, p. 339; *Orthodiplosis kumayanagii*, p. 340.

—————: *Susuki ni kiseisuru Tamabae no 1 Shinshu* (A new Gall-fly of *Miscanthus sinensis*) (*Zool. Mag., Japan*, 50, pp. 314-315).

*Contarinia miscanthi*, p. 315.

—————: *Yomogi no Tamabae 4 Shu* (Four Species of Gall-flies of *Artemisia vulgaris*) (*Zool. Mag., Japan*, 50, pp. 317-322).

*Rhopalomyia yomogi*, *R. neoartemisiae*, p. 317; *R. tubiartemisiae*, p. 318.

—————: Two new Species of Gall-flies from North-eastern Japan (*Zool. Mag., Japan*, 50, pp. 371-374).

*Calopedilia callicarpae*, p. 371; *Schizomyia patriniae*, p. 372.

—————: *Rhabdophaga sasae*, n. sp., a new Gall-Fly from Japan (*Zool. Mag., Japan*, 50, pp. 232-234).

• *Rhabdophaga sasae*, p. 232.

**Tokunaga, M.:** Chironomidae from Japan (Diptera), X. New or little-known Midges, with Descriptions of the Metamorphoses of several Species (*Philip. Jour. Sci.*, 65, pp. 313-383).

*Cluno takahashii*, p. 314; *Pentaneura okadai*, p. 315; *Spaniotoma* (*Orthocladius*) *akamusi*, p. 317; *Chironomus* (*Stenochironomus*) *takahashii*, p. 326; *C. (Polypedilum) masudai*, p. 331; *C. (Polypedilum) unifascia*, *C. (Polypedilum) segittiferus*, p. 335; *C. (Polypedilum) decematoguttatus*, p. 337; *C. (Poly-*

pedilum) mulannulatus, p. 339; Tanytarsus (Tanytarsus) kyotoensis, p. 345; T. (Tanytarsus) atagoensis, p. 348; T. (Tanytarsus) uraiensis, p. 350; T. (Rheotanytarsus) aesturarius, p. 360; T. (Micropsectra) fossarum, p. 362; T. (Micropsectra) daisenensis, p. 364; T. (Lundströmia) telmatophilus, p. 367; T. (Lundströmia) tredecimaticulus, p. 370; T. (Stempellina) bicolioculus, p. 371; T. (Zavrelia) kibunensis, p. 375; Yuasaiella (n. g.) kyotoensis, p. 377.

**Tokunaga, M.;** A new Marine Crane-fly from Japan (Ann. Zool. Jap., 17, pp. 165-166).

*Limonia* (*Idioglochina*) *gloriosa*, p. 165.

\_\_\_\_\_ : New or little-known Trichoceridae from Japan (*Tenthredo*, II, pp. 137-148).

*Trichocera minuta*, p. 141; *T. tsutsui*, *T. nipponensis*, p. 144; *Paracladura imanishii*, p. 146.

\_\_\_\_\_ : Two undescribed Species of Japanese Ptychopterid Crane-flies (*Mushi*, XI, pp. 186-190).

*Ptychoptera takeuchii*, p. 187; *Bittacomorphella esakii*, p. 189.

**Yuasa, H. et Kumazawa, T.:** A new Gall Midge from Nippon (*Diptera*, *Cecidomyidae*) (*Jour. Pharm. Soc. Japan.*, 58, pp. 204-206).

*Asphondylia matatabi*, p. 204.

## COLEOPTERA

**Breuning, S.:** *Novae Species Cerambycidarum IV* (*Festschr. 60 Geburt. E. Strand.*, IV, pp. 180-392).

*Mesosa nigrohumeralis*, p. 203; *Pterolophia matsushitai*, p. 289.

**Chûjê, M.:** *H. SAUTER's Formosa Collection: Subfamily Eumolpinae (Coleoptera: Chrysomelidae)* (*Arb. morph. taxon. Ent. Berlin-Dahlem*, 5, pp. 25-36).

*Basilepta giganteum*, p. 25; *B. giganteum* ab. *cuprarium* (n. ab.), *B. ruficolle* ab. *melanicolle* (n. ab.), *B. sauteri*, p. 26; *B. sauteri* ab. *unicoloripenne* (n. ab.), p. 27; *B. sublaterale* ab. *immaculatipenne* (n. ab.), *Pagria signata grandis* (n. subsp.), p. 28; *Scelodonta sauteri*, p. 29; *Lypesthes sauteri*, p. 30; *Pachneophorus formosanus*, *P. sauteri*, p. 32; *Trichiona fulvipes*, *Corynodes sauteri*, p. 34; *Chrysochus cylindricus*, p. 35.

\_\_\_\_\_ : *H. SAUTER's Formosa Collection: Subfamily Galerucinae (Coleoptera: Chrysomelidae)* (*Arb. morph. taxon. Ent. Berlin-Dahlem*, 5, pp. 135-152) (after *Ling. Sci. Jour.*, XVII, p. 658, 1938).

\_\_\_\_\_ : *H. SAUTER's Formosa Collection: Subfamily Cryptocephalinae (Coleoptera: Chrysomelidae)* (*Arb. morph. taxon. Ent. Berlin-Dahlem*, 5, p. 294).

*Doryctus sauteri*, p. 294.

\_\_\_\_\_ : *Beitrag zur Kenntnis der Chrysomeliden-Fauna von Kyûshû, Japan (2)* (*Bull. Umeno Ent. Lab.*, 6, pp. 5-13).

*Dactylispa issikii*, p. 12.

\_\_\_\_\_ : *Description of a new Longitarsus-species from Hokkaidô, Japan (Coleoptera: Chry-*

somelidae) (Trans. Nat. Hist. Soc. Formosa, XXVIII, pp. 15-16).

*Longitarsus menthae*, p. 15.

**Chûjô, M.:** Some Additions and Revisions to the Japanese Endomychidae (Coleoptera) (Trans. Nat. Hist. Soc. Formosa, XXVIII, pp. 394-406).

*Mycetina fulva*, p. 394; *Phaeomychus similis*, p. 395; *Encymon cyanipennis*, p. 396; *Amphisternus quadrinotatus*, p. 396; *A. quadriundulatus*, p. 397; *Ohtaius* (n. subgen.) for *Brachytrycherus mushanus* OHTA, p. 398; *Beccaria fulgurata*, *Saula taiwana*, p. 399; *Danae taiwana*, p. 401; *Stenotarsus yoshionis*, p. 402; *Cyclotoma formosana*, p. 403; *Endomychus nigriceps*, p. 404; *E. nigricornis*, *E. sauteri*, p. 405.

\_\_\_\_\_ : Description of a new Species of Scarabeidae from Formosa (Trans. Nat. Hist. Soc. Formosa, XXVIII, pp. 444-445).

*Gnorimus tibialis*, p. 444.

**Gressitt, J. L.:** New Longicorn Beetles from Formosa, IV (Coleoptera : Cerambycidae) (Philipp. Jour. Sci., 65, pp. 147-172).

*Macrotoma katoi*, p. 149; *Epania subglabra*, p. 150; *Dolphrades subdenudatus*, p. 153; *Monochamus fascioguttatus*, p. 156; *Dihammus permutans paucipunctatus* (n. subsp.), p. 157; *Falsomesosella horishana*, p. 161; *Euseboides matsudai*, p. 163; ? *Clytosema bicincta*, p. 164; *Rondibilis femoratus*, 165; *Mlaenia granulicollis*, p. 166; *Exocentrus testudineus brevisectosus* (n. subsp.), p. 167; *Serixia griseipenne*, p. 169; *S. subsericea*, p. 170.

**Kamiya, K.:** A systematic Study of the Japanese Dytiscidae (Jour. Tokyo Nogyo Daigaku, V, pp. 1-68).

*Hydrovatus loochooensis*, p. 10; *Demonectes (Oreodytes) kanoi*, p. 23; *Copelatus teranishii*, p. 27; *Platynectes formosanus*, p. 29; *Agabus (Gaurodytes) daisetsuzanus*, p. 34; *A. (Gaurodytes) kurilensis*, p. 35; *A. (Gaurodytes) orientalis*, p. 36; *A. (Gaurodytes) sachalinensis*, p. 37; *Rhantus formosanus*, p. 42.

**Kano, T.:** Contribution to the Knowledge of the coleopterous Fauna of Kôôtôshô (Botel Tobago) (Ann. Zool. Jap., 17, pp. 113-119).

*Demonax kotoensis*, p. 117.

**Kometani, S.:** Description of a new Species of *Potosia* from Formosa (Ent. World, Tokyo, VI, pp. 443-445).

*Potosia elegans*, p. 443.

**Kôno, H.:** An Inter-Tidal Rock-Dwelling Beetle, *Aegialatis stejneri*, and its one new Subspecies (Ent. World, Tokyo, VI, pp. 1-5).

*Aegialatis stejneri sugiharai* (n. subsp.), p. 3.

\_\_\_\_\_ : Die Lymexyloniden, schädlich an Sachalintannen und Ezofichten in Sachlin und Hokkaido (Trans. Sapporo Nat. Hist. Soc., XV, pp. 199-201).

*Hylecoetus matsushitai*, p. 199.

\_\_\_\_\_ : Neue und wenig bekannte Käfer Japan. IV. Temnochilidae (Trans. Sapporo Nat.

Hist. Soc., XV, pp. 227-228).

*Acrops asahinai*, p. 227.

**Matsushita, M.**: Zur Kenntnis der japanischen Cerambyciden (III) (Kontyû, XII, pp. 93-96).  
*Xylotrechus zobratus*, p. 93; *Glenea* (*Macroglenea*) *niijimai*, p. 94; *Falsoterinaea* (n. n) for *Hirayamaia* MATSUSHITA (nec MARUMO, 1917), p. 95.

**Matsushita, M.** et **Oobayashi, K.**: Eine neue Trinophylum-Art von den Bonin-Inseln (Coleoptera: Cerambycidae) (Trans. Sapporo Nat. Hist. Soc., XV, pp. 197-198).

*Trinophylum barbatum*, p. 197.

**Mitono, T.**: Descriptions of new Species of Longicorn Beetles from Formosa (V) (Trans. Nat. Hist. Soc. Formosa, XXVIII, pp. 17-22).

*Strangalia* (s. str.) *sozanensis*, p. 17; *S.* (s. str.) *rarasanensis*, p. 19; *S.* (s. str.) *chujoi*, p. 20.

**Miwa, Y.**: On a new Genus of Aspidiphoridae from Japan (Mushi, XI, pp. 204-205).

*Nipponaspidiphorus* (n. g.) for *Aspidiphorus japonicus* REITTER, p. 204.

**Murayama, J.**: Revision des Sericines (Coléoptères, Sacrabéides) de la Corée (Ann. Zool. Jap., 17, pp. 7-22).

*Serica nakayamai*, p. 16; *S. elliptica*, p. 17; *Aseica okamotoi*, p. 18; *A. aureola*, p. 19.

**Netolizky, H. E.**: Beiträge zur Kenntnis der Bembidion-Arten des Fernen Ostens (Japan, Korea, Ostsibirien) (Proc. Roy. Ent. Soc. London, B, VII, pp. 37-39).

*Bembidion* (*Peryphus*) *pseudolucillum*, p. 37.

**Pic, M.**: Nouveautés diverses, Mutalions (Mélanges exotico-entom., pp. 1-36).

*Stigmatium Sauteri*, *S. formosanum*, p. 2.

\_\_\_\_\_ : Nouveautés et observations sur divers Coléoptères (Verhand. VII. Inter. Kong. Ent., Berlin, 1938, I, pp. 342-344).

*Plesiophthalmus nigrocynaenus* var. *olivaceus* (n. var.), p. 342.

**Sawada, H.**: On the Genus *Sericania* of Japan (Scarabaeidae), with Descriptions of new Species (Nippon no Kôchû, II, pp. 5-25).

*Sericania yamaguchii*, p. 18; *S. alternata*, p. 19; *S. testacea*, p. 21; *S. kamiyai*, p. 22; *S. quinquefoliata*, p. 23; *S. takaosana*, p. 24.

\_\_\_\_\_ : Three new *Sericania*-species from Japan (Nippon no Kôchû, II, pp. 69-72).

*Sericania kirai*, p. 69; *S. chikuzensis*, *S. matsuyamana*, p. 70.

\_\_\_\_\_ : Description of a new Genus and Species of the Lamellicorn Coleoptera from Shikoku, Japan (Nippon no Kôchû, II, pp. 73-74).

*Ohkibous* (n. g.), p. 73; *O. quadridentatus*, p. 74.

**Seki, K.**: Notes on Long-horned Beetles of Nippon (I) (Entom. World, Tokyo, VI, pp. 627-630).

*Strangalia chujoi* ab. *dokuritsuzana* (n. ab.), p. 630.

**Yuasa, H.**: The Asparagus Beetles in Nippon (Kontyû, XII, pp. 37-42).

*Crioceris orientalis* ab. *sakahati* (n. ab.), ab. *yotubosi* (n. ab.), p. 41 & ab. *hutahosi* (n. ab.), p. 42.

**Zumpt, F.**: Neue Rüsselkäfer aus der paläarktischen Region (Ent. Blatt., 34, pp. 81-88).



*Hylobius matsumurai* (n. n.) for *H. freyi* KONO (1934), p. 82; *Mylocerus nipponensis*, p. 85.

### LEPIDOPTERA

**Esaki, T.:** The Genus *Zephyrus* of Japan, Corea and Formosa (6) (*Zephyrus*, VII, pp. 225-233).

*Zephyrus taxila japonicus* MURRAY f. *leechi* (n. f.), p. 229.

**Kometani, S.:** On a new aberrant Form of *Papilio sarpedon sarpedonides* FRUHSTORFER (*Insect World*, Gifu, XLII, p. 7).

*Papilio sarpedon sarpedonides* FRUHSTORFER ab *sawanoi* (n. ab.), p. 7.

**Nakahara, W.:** New or imperfectly known *Papilio*-forms from Formosa and Japan (*Zephyrus*, VII, pp. 239-240).

*Papilio thaiwanus* ab. *kurosotsu* (n. ab.), p. 239; *P. protenov* ab. *kagaribi* (n. ab.), p. 239.

**Nomura, K.:** Two new Moths from the Island of Yakushima, South Kyushu (*Ann. Zool. Jap.*, 17, pp. 433-435).

*Orgyia triangularis*, p. 433; *Numenes disparilis yakushmanus* (n. subsp.), p. 434.

—————: On two aberrant Forms of *Colias hyale poliographus* MOTSCHULSKY and the Morphology of their Scales. (*Zephyrus*, VII, pp. 258-262).

*Colias hyale poliographus* MOTSCHULSKY ab. *suzukii* (n. ab.), p. 258, ab. *umotoi* (n. ab.), p. 260.

**Prout, L. B.:** In SEITZ *Macrolepidoptera of the World*, Supplement IV, pp. 129-248.

*Cidaria umbrosaria* ab. *insulata* (n. ab.), *C. umbrosaria phaedropa* (n. subsp.), p. 154; *C. supergressa albigressa* (n. subsp.), p. 163; *Discoloxia laria ilara* (n. subsp.), p. 175; *Palpoctenidia phoenicosoma semilauta* (n. subsp.), p. 182; *Eupithecia scribai*, p. 192; *Somatina indicataria morata* (n. subsp.), p. 220; *Problepsis diazoma*, *P. riminota*, p. 222.

**Seok, D. M.:** On two new Forms of Korean Butterflies (*Zephyrus*, VII, pp. 241-243).

*Argynnis selene sugitanii* (n. subsp.), p. 241; *Apatura ilia clytie* SCHIFFERMÜLLER ab. *kangkeensis* (n. ab.), p. 243.

**Shirôzu, T.:** A new aberrant Form of *Terias laeta* BOISDUVAL (*Zephyrus*, VIII, p. 23).

*Terias laeta* ab. *hyugensis* (n. ab.), p. 23.

**Sonan, J.:** Description of a new Species of Geometridae from Formosa (*Trans. Nat. Hist. Soc. Formosa*, XXVIII, p. 443).

*Boarmia grisCIFUSA*, p. 443.

—————: Notes on some Butterflies from Formosa (5) (*Zephyrus*, VII, pp. 250-257).

*Ypthima yamanakai*, p. 250; *Pantoporia fortuna kodahirai*, p. 251; *Zizera taiwana*, p. 254; *Parnara kiraizana*, p. 255.

**Tanaka, R.:** A new aberrant Form of *Ixias pyrene* from Formosa (*Zephyrus*, VIII, p. 17).

*Ixias pyrene reducta* PARAVICINI ab. *uchidae* (n. ab.), p. 17.

**Ushoda, K.:** On some aberrant Forms of Japanese Butterflies (*Entom. World*, Tokyo, VI, pp. 155-158).

*Nepties pryeri* BUTLER ab. ater (n. ab.), p. 115; *Hypolimnas bolina* L. ab. futoobi (n. ab.), p. 16; *Hestina assimilis formosana* Moore ab. horishana (n. ab.), *Parnassius stubbendorfi* Mén. ab. usuzumi (n. ab.), p. 158.

**Ushoda, K.:** Some aberrant Forms of Japanese Butterflies, Part II (Entom. World, Tokyo, VI, pp. 446-447).

*Parnassius citrinarius* MOTSCH. ab. ater (n. ab.), p. 446.

### TRICHOPTERA

**Tsuda, M.:** Zur Kenntnis der Trichopteren von Liukiu auf Grund des Materials der 1935 Liukiu-Expedition (Biogeographica, Trans. Biogeogr. Soc. Jap., III, pp. 100-104).

*Gumaga* (n. g.), p. 100; *G. okinawaensis*, p. 101.

### RHYNCOTA

**Shinji, O.:** Five new Species of *Pyslla* from North-eastern Japan (Kontyû, XII, pp. 146-151).  
*Pyslla polygoni*, p. 146; *Metapsylla robinæ*, p. 147; *Pyslla tadeana*, p. 148; *P. itadori*, p. 149;  
*P. artemisifoliae*, p. 150.

\_\_\_\_\_ : A new *Myzus* from North-eastern Japan (Zool. Mag., Japan, 50, pp. 108-110).

*Myzus polygoni-yonai*, p. 118.

\_\_\_\_\_ : *Morioka-san no Gumbaimushi to sono 1 Shinshu* (Zool. Mag., Japan, 50, p. 316).  
*Copium artemisifolium*, p. 316.

\_\_\_\_\_ : A new Species *Psyllidae* from Japan (Insect World, Gifu, XLII, pp. 366-367).

*Trizoa berchemiæ*, p. 366.

**Siraiwa, H.:** Description of two new *Coccids* from Japan (Kontyû, XX, pp. 106-110).

*Trionymus mori*, p. 106; *T. soja*, p. 107.

**Takahashi, R.:** List of the *Aphid* Genera proposed in recent Years (Hemiptera) (Tenthredo, II, pp. 1-18).

*Dasyaphis* (n. n.) for *Tuberocarpus* SHINJI (1932) (nec SHINJI, 1929).

\_\_\_\_\_ : Some *Coccidae* from Formosa and Japan (Homoptera), III (Mushi, XI, pp. 42-45).

*Kuwanaspis arundinariæ*, p. 42.

\_\_\_\_\_ : Notes on the *Aleyrodidae* of Japan (Homoptera), VI (Kontyû, XII, pp. 70-74).

*Aleurotuberculatus hikosanensis*, p. 71; *A. trachelospermi*, p. 72; *A. similis*, p. 73.

### THYSANOPTERA

**Kurosawa, M.:** A new Species of *Trichothrips* injuring Lily Bulb in Japan and Korea (Zool. Mag., Japan, 50, pp. 154-156).

*Trichothrips liliorus*, p. 154.

## ODONATA

- Asahina, S.:** Eine neue Aeschna aus Formosa (Ann. Zool. Jap., 17, pp. 541-547).  
Aeschna taiyal, p. 541.
- Doi, K.:** A new Species of Somatochlora from Corea (Akitu, I, pp. 150-152).  
Somatochlora coreana, p. 150.
- Yuki, J. et Doi, K.:** A new Species of Orthetrum (Akitu, I, pp. 153-155).  
Orthetrum miyajimaensis, p. 153.

## PSOCOPTERA

- Takahashi, R.:** Notes on some Psocoptera of Formosa (Mushi, XI, pp. 11-15).  
Stenopsocus makii, p. 14.

## PLECOPTERA

- Uéno, M.:** Miscellaneous Notes on Japanese Plecoptera (Kontyû, XII, pp. 166-174).  
Allocapnia tikumana, p. 169; A. sikokuensis, p. 170.
- \_\_\_\_\_ : Stoneflies and Mayflies collected in Okinawa, Ryukyu Islands (Biogeographica, Trans. Biogeogr. Soc. Jap., III, pp. 92-99).  
Kiotina riukiensis, p. 94.

## ORTHOPTERA

- Furukawa, H.:** Notes on the Genus Anoplophilus (Gryllacridae of Eastern Asia, II) (Mushi, XI, pp. 176-185).  
Anoplophilus esakii, p. 178.
- \_\_\_\_\_ : An Attempt to subdivide Tettigonia orientalis UVAROV (Zool. Mag., Japan, 50, pp. 446-449).  
Tettigonia orientalis yama (n. subsp.), 447; T. orientalis ibuki (n. subsp.), p. 448.

## COLLEMBOLA

- Uchida, H.:** Descriptions of two new Species of Japanese Collembola, Sminthurus melanonotus and Neanura gilvipunctata (Zool. Mag., Japan, 50, pp. 132-134).  
Sminthurus melanonotus, Neanura gilvipunctata, p. 132.

## SUPPLEMENT\*

## HYMENOPTERA

- Santschi, F.:** Fourmis du Japon et de Formose (Bull. Ann. Soc. Ent. Belgique, 77, pp. 361-388, 1937).  
Proceratium japonicum, p. 362; Aenictus latiscapus sauteri var. satoi (n. var.), p. 367; Myrmica

---

\* Ins. Mats., XII, pp. 199-208, 1938.

kurokii var. *sontica* (n. var.), & var. *tipuna* (n. var.), p. 367; *M. margaritae* var. *pulchella* (n. var.), p. 368; *Pheidole javana* st. *soror* (n. st.), p. 369; *P. nodus* var. *flebilis* (n. var.), p. 370; *Vollenhovia satoi*, p. 373; *Tetramorium yanoi*, p. 376; *Camponotus kiusiuensis*, p. 379; *C. nipponensis*, p. 381; *C. tokioensis* var. *atrigenatus* (n. var.), p. 384, & var. *inconstans* (n. var.), p. 385; *Paratrechina teranishii*, p. 386; *Lasius niger* st. *coloratus* (n. st.), p. 387.

#### DIPTERA

**Cresson, E. T.:** Descriptions of two new Species of Indo-Australian Ephydriidae (Arb. morph. taxon. Ent. Berlin-Dahlem, 4, pp. 205-207, 1937).

*Napaea formosana*, p. 206.

**Hall, D. G.:** New Muscoid Flies (Diptera) in the United States National Museum (Proc. U. S. Nat. Mus., 84, no. 3011, pp. 201-216, 1937).

*Zenillia nox*, p. 203.

**Hennig, W.:** Tylidae (Micropezidae, Diptera) aus der Sammlung des British Museum of Natural History. Nachträge zur "Revision der Tyliden-II" (Ann. Mag. Nat. Hist., (10) 19, pp. 521-523, 1937).

*Gymnonerius hendeli*, p. 266.

**Kitakami, S.:** Supplementary Notes on the Blepharoceridae of Japan (Mem. Coll. Sci. Kyoto (B) 12, pp. 115-136, 1937).

*Blepharocera taiwanica*, & *B. uenoi*, p. 125.

**Olsoufieff, N. G.:** Faune de l'URSS, Insectes, Diptères, Vol. VII, No. 2, Fam. Tabanidae, 1937. *Tabanus griseus* subsp. *pallidiventris* (n. subsp.), p. 324; *Chrysozona nana*, p. 345.

**Yamada, M.:** A new Species of Anopheles in Chosen (Keijo Jour. Med., 8, pp. 237-255, 1937). *Anopheles pullus*, p. 238.

#### COLEOPTERA

**Andrewes, H. E.** Papers on Oriental Carabidae, XXXII (Ann. Mag. Nat. Hist., (10) 20, pp. 561-576, 1937).

*Apristus grandis*, p. 572.

**Baliani, A.:** Studi sulle Amara asiatiche (Coleopt. Carab.) (Mem. Soc. ent. Ital., 69, pp. 176-183, 1937).

*Amara longata*, p. 177; *A. coreana*, p. 182.

**Csiki, E.:** Beschreibung neuer Coleopteren (Ent. NachrBl., 11, pp 5-8, 1937).

*Phaeomychus formosanus*, p. 7.

————— : Neue Endomychiden (l. c., 11, pp. 173-174, 1937).

*Asymbius formosanus*, p. 173.

**Jedlička, A.:** Calathus-Arten und ihre Verwandten aus China (Acta Soc. Ent. Csl., 34, pp. 78-83, 1937).

*Calathus cereicus*, p. 79.

**Mader, L.:** Neue Coleopteren aus China and Japan nebst Notizen (Ent. NachrBl., 11, pp. 179-186, 1937).

*Mimenodes emmerichi*, p. 179.

**Straneo, S. L.:** Note sulle *Feronia* paleartiche (Ann. Mus. Stor. nat. Genova, 59, pp. 447-451, 1937).

*Feronia cordatissima*, p. 449.

**Théry, A.:** Un Buprestide nouveau der Japon (Bull. Soc. ent. Fr., 41, pp. 322-324, 1937).

*Paracylindromorphus tokiensis*, p. 322.

### LEPIDOPTERA

**Bang-Haas, O.:** Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopteren-Fauna (Ent. Zeit., Frankfurt. 51, pp. 35-36, 1937).

*Parnassius eversmanni sasai* (n. subsp.), & *P. nomion japonicus* (n. subsp.), p. 35.

**Bryk, F. et Eisner, C.:** Kritische Revision der Gattung *Parnassius* unter Benutzung des Materials der Kollektion Eisner (*Parnassiana*, 5, pp. 9-15, 1937).

*Parnassius nomion chosensis* f. *ocelloalboconstrata* (n. f.), p. 14.

**Clark, B. P.:** Twelve new Sphingidae and Notes on seven others (Proc. New England Zool. Cl., 16, pp. 27-39, 1937).

*Meganoton analis gressitti* (n. subsp.), p. 27; *Marumba gaschkewitschi gressitti* (n. subsp.), p. 29; *M. coreana*, *M. sperchius horiana* (n. subsp.), p. 30; *Marumba cristata bukaiana* (n. subsp.), p. 31; *Rhagastis elongata*, p. 36.

**Prout, L. B.:** In SEITZ *Macrolep. World*, Suppl. 4, pp. 65-112, 1937.

*Ortholitha propinquata* ab. *coaretata* (n. ab.), p. 79; *Stammodes danilovi sugitanii* (n. subsp.), p. 81; *Sauris eupena*, p. 93; *Carige scutimbata*, p. 94; *Lygris ledereri inurbana* (n. subsp.), & *L. pyropata sugitanii* (n. subsp.), p. 109.

**Sonan, J.:** Saturnidae and Bombycidae of Formosa (Trans. Nat. Hist. Soc. Formosa, XXVII, pp. 202-215, 1937).

*Antheraea formosana*, p. 207; *Caligula boisduvali fukudai* (n. subsp.), p. 209.

### MALLOPHAGA

**Kéler, S.:** Ueber einige neue und interessantere Mallophagen des Deutschen Entomologischen Instituts in Berlin-Dahlem (Arb. morph. taxon. Ent. Berlin-Dahlem, 4, pp. 313-324, 1937).

*Bovicola sachtlebeni*, p. 314.

### APPENDIX

#### DIPTERA

**Shinji, O.:** Nobudō-tamabae ni tsuite (A new Gall-fly of *Ampelopsis heterophylla*) (Zool. Mag., Japan, 50, pp. 320-322, 1938).

*Contarinia ampleopsivora*, p. 321.