HOKKAIDO UNIVERSITY

Title	凍結乾燥法に関する文献
Author(s)	根井, 外喜男
Citation	低温科學. 生物篇, 12, 87-113
Issue Date	1954-12-30
Doc URL	https://hdl.handle.net/2115/17572
Type	departmental bulletin paper
File Information	12_p87-113.pdf

Hokkaido University Collection of Scholarly and Academic Papers : HUSCAP

Tokio NEI 1954 Bibliography on Freeze-Drying. *Low Temperature Science, Ser. B, 12.*

綜　　説

凍結乾燥法に關する文献集

根井外喜男

(低溫科學研究所　醫學部門)

(昭和29年12月 受理)

凍結乾燥法は今世紀の初期に考案されたといわれるから，この方法の今日に至るまでの発展の歩みには凡そ50年の歴史が伴つている。その間に発表された本法に関する内外の文献は夥しい数に上つた。特に今次大戦後は応用の範囲が非常に拡大されたので，ここ10年間の公刊論文数も亦それに比例して急激に増した。Flosdorf は1949年発行の彼の著書に於て既に凍結乾燥に関する文献は凡そ300に達すると述べている。

編者は3年前 (1951年) に本法に関する綜説を試み，その当時として集録しうる限りの文献凡そ200を記載した。その後も年々歳々相当数の新しい報文が手許に集り，一方本法に関する綜説も続出し，殊に最近 Harris 編の好著が入手できたので，前回の文献に追加補充すると同時に多少索引の便を考慮して分類収録を企ててみたものである。

そこで以下のような分類を行つてみたが，論文の内容によつては2項目以上に亘るようなものもある。大体に於て主として述べられていると思われる項目の方に編入させたつもりであるが，必ずしも分類の適当でないものがあるかもしれない。

凍結乾燥を論ずるに当つては，その前提条件として当然凍結 (Freezing) の問題にふれなければならない。従つてこの文献集に於ても先ず第一に生物学的材料の凍結に関する論文を載せる必要がある。しかし生きた細胞組織から無生物である溶液に至るまでの極めて多種多様に亘る生物学的材料についての凍結の問題は余りにも範囲が広く，その論文は乾燥の論文にも劣らないくらいの多数に上るので，今回は乾燥に関連した文献のみをとり上げることにした。凍結に関するものは別の機会に譲りたい。

文献欄中 * 印は各項目に関し綜説的に書かれたものを示す。

I. 全般に亘るもの

1). 単行本

Flosdorf の著書をもつて嚆矢とするが，最近刊行された Harris の編著は各専門分野の権威者を網羅し且つ広範囲の文献を収録している。

1) Flosdorf, E. W. (1949) Freeze-Drying (Drying by Sublimation). Reinhold Publ. Corp., N.Y.

2) Harris, R. J. C. (1951) Freezing and Drying. Inst. of Biology, London.

3) Harris, R. J. C. (1954) Biological Applications of Freezing and Drying. Academic Press, N.Y.

4) 中村一男 (1954) 真空技術と凍結乾燥. 納谷書店.

2). 雑誌その他に掲載されたもの

凍結乾燥法の概要を比較的簡単に述べたものが多い。

1) Bradish, C. J. (1947) Freeze-drying. Chem. Products.

2) Flosdorf, E. W. and Mudd, S. (1938) An improved procedure and apparatus for preservation of sera, microorganisms and other substances: The cryochem-process. J. Immunol., 34, 469.

3) Flosdorf, E. W., Hull, L. W. and Mudd, S. (1945) Drying by sublimation. J. Immunol., 50, 21.

4) Flosdorf, E. W. (1945) Advances in drying sublimation. J. Chem. Educ., 22, 470.

5) Flosdorf, E. W. (1947) Freeze-drying as applied to penicillin, blood plasma and orange juice. Chem. Eng. Progr., 43. 343.

6) Flosdorf, E. W. (1950) Quick-freezing and the freezing-drying process, in "Biophysical Research Methods".

7) Flosdorf, E. W. (1954) The development of freeze-drying, in "Biological Applications of Freezing and Drying". Academic Press.

8) Greaves, R. I. N. (1949) Some recent advances in technique for drying from the frozen state. Brit. Sci. News, 2, 173.

9) 林 喬義 (1950) 凍結乾燥の医学領域への応用. 昭和医誌, 10, 151.

10) 根井外喜男 (1951) 凍結乾燥法の発展と現況. 低温科学, 7, 149.

11) 根井外喜男 (1952) 凍結乾燥法とその応用. 日新医学, 39, 6.

12) 根井外喜男 (1954) 凍結乾燥法とその応用の現況. 日本医事新報, No. 1589, 4208.

13) 緒方富雄 (1944) 低温と乾燥と保存. 科学, 14, 272.

14) Plank, R. (1947) Die Gefriertrocknung. Angew. Chem., 19, B, 36.

15) 新間啓三 (1948) ペニシリンその他の真空乾燥. 最近の真空技術とその応用 (コロナ社) 177 頁.

II. 基礎的な問題

凍結乾燥法の方法そのものに関する基礎的な条件，或は技術的な問題を主としてこの項目に集めてみた。

従来は一般に真空技術に関する記載が多く，むしろ試料である生物学的材料自身が凍結や乾燥によつて受ける影響について，その機序の基礎的な追及が不充分なように感ぜられる。

なお使用材料の面からみて応用の項に編入した文献の中にはこの項に入れた方がよいと思われるものもある。

1) Beckett, L. G. (1954) The effects of residual moisture in frozen-dried materials, and its measurement, in "Biological Applications of Freezing and Drying". Academic Press.

2) Bordas, F. and d'Arsonval (1906) Les basses temperatures et d'analyse chimique. Compt. rend. Acad. d. Sc., 142, 1058.

3) Bradish, C. J., Brain, C. M. and McFarlane, A. S. (1947) Vacuum sublimation of ice in bulk. Nature, 159, 28.

4) Carman, P. C. (1948) Molecular distillation and sublimation. Trans. Faraday Soc., 44, 529.

*5) Cowan, S. T. (1951) Infection and drying techniques, in "Freezing and Drying". Inst. Biol., London.

6) Ede, A. J. (1949) Physics of the low-temperature vacuum drying process. J. Soc. Chem. Ind., 68, 340.

7) Flosdorf, E. W. and Webster, G. W. (1937) The determination of residual moisture in dry biological substances. J. Biol. Chem., 121, 353.

8) Flosdorf, E. W., Stokes, F. J. and Mudd, S. (1940) The Desivac process for drying from the frozen state. J.A.M.A., 115, 1095.

9) Greaves, R. I. N. and Adair, M. E. (1939) High vacuum condensation drying of proteins from the frozen state. J. Hyg., 39, 413.

10) Greaves, R. I. N. (1944) Centrifugal vacuum freezing. Its application to the drying of biological materials from the frozen state. Nature, 153, 485.

*11) Greaves, R. I. N. (1954) Theoretical aspects of drying by vacuum sublimation, in "Biological Applications of Freezing and Drying". Academic Press.

12) 駒木知好・入江さわ子・宇都木允之・水野伝一 (1952) 2, 3 の凍結乾燥製剤の含湿度測定について. 薬学雑誌, 72, 1608.

13) Harris, J. E., Sloane, J. F. and King, D. T. (1950) New technique in autoradiography. Nature, 166, 25.

14) 小山栄二・茂貫利次・村上忠夫 (1942) 流動物質の極低温乾燥法研究 (予報). 主として乾燥基礎諸元の考察に就て. 日新医学, 31, 419.

15) Kramers, H. and Stemerding, S. (1951) The sublimation of ice in vacuum. Appl. Sci. Res., 3, 73.

16) Leslie, J. (1818) On a new mode of artificial congelation. Phil. Mag., 51, 411.

17) Levinson, S. O. and Oppenheimer, F. (1944) Drying by ice sublimation. The principle of infra-red radiation for rapid desiccation of plasma and other biologica. Samuel Deutsch Serum Center, Chicago.

18) Makower, J. and Myers, S. (1943) A new method for the determination of moisture in dehydrated vegetables. Proc. Inst. Food Technol., p. 156.

19) Malmstrom, B. G. (1951) Theoretical consideration of the rate of dehydration by histological freezing-drying. Exp. Cell Res., 2, 688.

20) Meeker, I. A. and Gross, R. E. (1951) Low temperature sterilization of organic tissue by high voltage cathode ray irradiation. Science, 114, 283.

21) Morse, R. S. (1947) High vacuum technology. Ind. Eng. Chem., 39, 1064.

22) 内藤良一 (1943) 血清等の凍結真空乾燥法. 陸医校防研報告, 2, No. 715.

23) 根井外喜男・田村浩一 (1950) 生物学的材料の凍結乾燥法. I. 乾燥過程中の真空度と乾燥度及び温度の消長について. 北海道医誌, 25, 200.

24) 根井外喜男・山崎実・田村浩一 (1950) 生物学的材料の凍結乾燥法. II. 予備冷凍を行わない簡易法. 同誌, 25, 249.

25) 根井外喜男・竹田政民・小田柿栄一郎 (1948) ペニシリンの乾燥についての 2, 3 の試み. ペニシリン, 1, 581.

26) 根井外喜男・佐藤 徹 (1950) 生物学的材料の凍結乾燥法 IV. 予備凍結を行わない方法 (続報). 東京医事新誌, 67, No. 12, 9.

27) 根井外喜男・佐藤 徹 (1951) 同上, V. 乾燥過程中の温度の消長について. 同誌, 68, No. 3, 20.

28) 野口徳次郎 (1953) BCG ワクチンの残水量測定法と蒸気圧との関係について. 結核予防会研究業績, 2, 37.

29) Pease, D. C. (1947) The disappearance of salt from glass ice during low-temperature dehydration, and its implication in electron microscopy. Science, 106, 543.

30) 佐原幸雄 (1953, 1954) 凍結乾燥に関する基礎的研究. 乾燥過程の分析. I. 日細菌誌, 8, 611. II. 同誌, 9, 125. III. 同誌, 9, 749. IV. 同誌 9, 963

31) Sager, H. (1952) The water content of dried plasma and its determination. Pharm. Acta Helv., 27, 121.

32) 桜井 杲 (1950) 乾燥 BCG ワクチンの乾燥条件に関する研究. 抗酸菌研誌, 6, 1.

33) Schroeder, C. W. and Nair, J. H. (1948) Determination of water in dry food materials. Karl Fischer method. Anal. Chem., 20, 452.

34) Schroeder, A. L. and Schwarz, H. W. (1949) Low temperature vacuum dehydration. Chem. Eng. Progr., 45, 370.

35) Schwarz, H. W. (1948) Dehydration of heat-sensitive materials. Ind. Eng. Chem., 40, 2028.

36) 新間啓三 (1947) 凍結乾燥について. ペニシリン, 1, 52.

*37) Smith, W. (1951) A difficulty in the quantitative freeze-drying of certain materials, in "Freezing and Drying". Inst. Biol., London.

38) Taylor, A. C. (1945) The rates of freezing, drying and rehydration of nerves. J. Cell. Comp. Physiol., 25, 161.

39) Williams, R. C. (1953) A method of freeze-drying for electron microscopy. Exp. Cell Res., 4, 188.

40) Wollaston, W. H. (1814) On a method of freezing at a distance. Phil. Trans. Royal Soc., London, 103, 71.

41) Wyckoff, R. W. G. (1946) Frozen-dried preparations for the electron microscope. Science, 104, 36.

42) Zamzov, W. H. and Marshall, W. R. (1952) Freeze-drying with radiant energy. Chem. Eng. Prog., 48, 21.

III. 装置に關するもの

装置と操作とは切りはなすことはできないわけであるが，主として操作に関するものは前項 (II.) に入れ，ここでは装置そのものの記載を目標とした。

大型装置では経済的効率から割り出して設計様式が大体固定されてしまつたが，実験室向きの小型装置としては簡易型から高性能型にいたるまで各種型式の考案が夥しい数に上つている。

1) Antoine, L. D. and Hargott, M. V. (1943) Machine for shell-freezing small volumes of biological preparations. J. Bact., 46, 525.

2) Arcadi, J. A. and Tesar, C. (1954) A simplified Altmann-Gersh freezing-drying apparatus. J. Lab. Clin. Med., 43, 479.

3) Bauer, J. H. and Pickels, E. G. (1940) Apparatus for freezing and drying virus in large quantities under uniform conditions. J. Exp. Med., 71, 83.

*4) Beckett, L. G. and Barrett, A. S. D. (1951) Aspect of the design of freeze-drying apparatus, in "Freezing and Drying". Inst. Biol., London.

5) Butler, L. D. and Bell, L. G. E. (1953) A simple tissue freeze-drying apparatus using the principle of short path sublimation. Nature, 171, 971.

6) Campbell, D. H. and Pressman, D. (1944) Scientific apparatus and laboratory methods—A simplified lyophile apparatus. Science, 99, 285.

7) Christensen, R. (1942) A simplified "lyophile" desiccator for small laboratories. J. Lab. Clin. Med., 27, 799.

8) Cook, D. H. (1942) A low temperature vacuum drying apparatus. J. Chem. Education, 19, No. 9.

9) Cooper, M. L. and Grabill, F. J. (1939) A simplified apparatus for the preservation of bacterial cultures in the dried state. J. Lab. Clin. Med., 25, 184.

10) Craigie, J. (1949) A drying apparatus for the study of tumour transplantation. Brit. J. Cancer, 3, 250.

11) Dykstra, T. P. and Dubuy, H. B. (1942) Preserving plant viruses in vitro by means of a simplified lyophile apparatus. Science, 96, 189.

12) Ecker, E. E. and Pillemer, L. (1938) An inexpensive method for the dehydration and preservation of complement and other biological materials. Am. J. Publ. Health, 28, 1231.

13) Flosdorf, E. W. and Webster, G. W. (1939) Neoprene and rubber stoppers for "lyophile" serum containers. India Rubber World, 98, 33.

*14) Flosdorf, E. W. (1951) Large scale freeze-drying as currently carried out in the western hemisphere, in "Freezing and Drying". Inst. Biol., London.

15) Frobischer, M., Parsons, E. I., Pai, S. E. and Hakim, S. (1947) A simplified method for the preservation of bacteria by desiccation in vacuo. J. Lab. Clin. Med., 32, 1008.

16) Hall, W. K., Fader, D. E. and Decherd, G. M. (1940) A simple method of preparing dried serum proteins for therapeutic use. Proc. Soc. Exp. Biol. Med., 44, 390.

17) Hays, E. E. and Koch, F. C. (1942) An apparatus for vaccum drying in the frozen state. Science, 95, 633.

18) Heckly, R. J. (1947) A simple lyophilizing apparatus for laboratory use. J. Immunol., 54, 91.

19) Hill, J. M. and Pfeiffer, D. C. (1940) A new and economical desiccating process particularly suitable for the preparation of concentrated plasma or serum for intravenous use: the Adtevac process. Ann. Int. Med., 14, 201.

20) Holzman, G. (1950) A laboratory lyophile apparatus. Science, 111, 550.

21) 石渡憲治 (1950) 真空冷凍乾燥器. 冷凍, 25, 14.

22) Lanyon, E. C. G. (1941) An apparatus for spin-freezing serum or plasma in circular bottles. J. Hyg., 41, 111.

23) 前田繁・三代勘三郎・松本嘉雄 (1948) ペニシリン製造装置の研究 I. ペニシリン, 2, 137.

24) 松本利貞・蜂須賀養悦 (1950) 研究室用の簡単な凍結乾燥装置について. 医学と生物学, 17, 166.

25) Mendelow, H. and Hamilton, J. B. (1950) A new rapid freezing-drying technique. Anat, Rec., 107, 443.

26) Moberger, G., Lindström, B. and Anderson, L. (1954) Freeze-drying with a modified Glick-Malmstrom apparatus. Exp. Cell Res., 6, 228.

27) 小笠原一夫 (1942) 微生物学的材料の凍結乾燥に就て. —簡単なる硝子装置の製作— 日医健保, No. 3313, 2641.

28) Packer, D.M. and Scott, G.H. (1942) A cryostat of new design for low temperature tissue dehydration. J. Tech. Methods (Bull. Intern. Assoc. Med. Museums), 22, 85.

29) Polding, J.B. (1943) A simple method of preserving bacteria dried in vacuo. J. Path. Bact., 55, 502.

30) Pomes, A.F. and Irving, G.W., Jr. (1945) Lyophilization apparatus. Science, 101. 22.

31) Pratt, H.K. and Yamaguchi, M. (1950) Modified laboratory lyophile apparatus. Science, 112, 560.

32) Rayner, A.G. (1943) A simple method of the preservation of cultures and sera by drying. J. Path. Bact., 55, 373.

33) Scherp, H.W. and Hughes, T.P. (1939) A simple and inexpensive apparatus for the desiccation of biological materials from the frozen state. J. Immunol., 36, 29.

34) Scott, G.H. and Williams, P.S. (1936) A simplified cryostat for the dehydration of frozen tissues. Anat. Rec., 66, 475.

35) 新間啓三 (1949) 真空乾燥. 化学機械, 13, 120.

36) Stowell, R.E. (1951) A modified freezing-drying apparatus for tissues. Stain Technol., 26, 105.

37) Strumia, M.M., Newhouser, L.R., Kendrick, D.B. and McGraw, J.J. (1942) Development of equipment for administration of dried plasma in the armed forces. War Med., 2, 102.

38) Strumia, M.M. and McGraw, J.J. (1943) A method and apparatus for shell-freezing and rapid drying of plasma and other products from the frozen state by low temperature water vapor condensation in vacuo. J. Lab. Clin. Med., 28, 1140.

39) Swift, H.F. (1937) A simple method for preserving bacterial cultures by freezing and drying. J. Bact., 33, 411.

40) Taylor, A.C. (1944) Apparatus for the freezing-drying of tissues for storage. J. Lab. Clin. Med., 29, 657.

41) Taylor, A.C. and Beard, J.W. (1940) An inexpensive apparatus for drying from the frozen state. Science, 92, 611.

42) Van Rooyen and Janes, C. (1954) A small drying apparatus designed for preservation of viruses. J. Lab. Clin Med., 43, 489.

43) Wang, K.J. and Grossman, M.I. (1949) A simplified vacuum dehydration technique for the preparation of sections by freezing-drying. J. Lab. Clin. Med., 34, 292.

44) Warren, J. (1947) A machine for shell-freezing biological materials in small glass ampoules. Proc. Soc. Exp. Biol. Med., 66, 381.

45) Warren, J., Kugler, H. and Hall, H.M. (1951) A portable freeze-drying apparatus employing either mechanical or dry ice refrigeration. J. Immunol., 67, 163.

46) Wells, A. H. (1943) A simple, inexpensive apparatus for high vacuum desiccation with a review of its laboratory uses. Am. J. Clin. Path., 13, No. 1.

47) Wyckoff, R. W. G. and Lagsdin, J. B. (1944) A simple outfit for drying plasma from the frozen state. Am. J. Clin. Path., 8, Tech. Sect., 10.

48) 山田正興 (1953) 組織の凍結乾燥装置の試作と真空脱水速度の測定. 奈良医誌, 4, 6.

IV. 應　　用

1). 血　　液

凍結乾燥法創案の最初から利用され，しかもその保存には本法の利用を最も必要とするところの材料である。主として血漿や血清を乾燥し，輸血材料や免疫体，補体の保存を目的とするが，その外，最近では血球，血漿よりの各種誘導物質の精製保存にも利用されている。

*1) 秋元寿恵夫 (1951) 保存血液と乾燥血漿. 自然, 6. 60.

2) Allen, J. G., Sykes, C., Enerson, D. M. and Moulder, P. V. (1950) Homologous serum jaundice and its relationship to methods of plasma storage. J. Lab. Clin. Med., 36, 796.

*3) Alsever, J. B. (1949) Dried plasma. DeGowin's "Blood Transfusion", Saunders Co., p. 400.

4) Boerner, F. and Lukens, M. (1936) The advantages of vacuum dried complement for use in the routine Wassermann reaction. Am. J. Med. Sci., 192, 272.

5) Bond, D. D. and Wright, D. G. (1938) Treatment of haemorrhage and traumatic shock by the intravenous use of "lyophile" serum. Ann. Surg., 107, 500.

6) Cohn, E. J., Strong, L. E., Hughes, W. L., Mulford, D. J., Ashworth, J. N., Melin, M. and Taylor, H. L. (1946) Preparation and properties of serum and plasma proteins. IV. A system for the separation into fractions of the protein and lipoprotein components of biological tissues and fluids. J. Am. Chem. Soc., 68, 459.

7) Craigie, J. (1931) A method of drying complement from the frozen state. Brit. J. Exp. Path., 12, 75.

8) Drabkin, D. L. (1946) The crystallographic and optical properties of the hemoglobin of man in comparison with those of other species. J. Biol. Chem. 164, 703.

9) Edwards, F. R., Kay, J. and Davie, J. B. (1940) The preparation and use of dried plasma for transfustion. Brit. Med. J., i, 377.

10) Elser, W. J., Thomas, R. A., and Steffen, G. I. (1935) The desiccation of sera and other biological products (including micro-organisms) in the frozen state with the preservation of the originial qualities of products so treated. J. Imm., 28, 433.

11) Farr, L. E. and Hiller, A. (1946) Preparation of dried hemoglobin without loss of activity. Federation Proc., 5, 133.

12) Farr, L. E., Hillier, A. and Van Slyke, D. D. (1947) Preparation of dried hemoglobin without loss of activity. J. Exp. Med., 86, 465.

13) Flosdorf, E. W. and Mudd, S. (1935) Procedure and apparatus for preservation in "Lyophile" form of serum and other biological substances. J. Imm., 29, 389.

14) Flosdorf, E. W., Boerner, F., Lukens, M., and Ambler, T. S. (1940) Cryochem-preserved complement of guinea pig serum. Am. J. Clin. Path., 10, 339.

15) Flosdorf, E. W., McGuinness, A. C. and Armstrong, J. G. (1941) Studies with H. pertussis. II. Preparation and assay of hyperimmune human serum. J. Pediat. 19, 638.

*16) Folsom, T. R. (1942) A method for drying chinically useful quantities of plasma and serum: the unit desiccator. Blood Substitutes and Blood Transfusion, p. 49.

17) Greaves, R. I. N. and Adair, M. E. (1936) A simple method for the preservation of sera by desiccation in the frozen state without the use of refrigerants. J. Hyg., 36, 507,

18) Greaves, R. I. N. (1942) The freezing of human serum and plasma in medical research council transfusion bottles, before drying by sublimation from the frozen state. J. Hyg., 41, 489.

19) Greaves, R. I. N. (1944) Production of blood derivatives to meet war requirements in Great Britain. J. Amer. Med. Ass., 124, 76.

20) Greaves, R. I. N. (1946) The preservation of proteins by drying with special reference to the production of dried human serum and plasma for transfusion. Med. Res. Council, Spec. Rep. Serv., No. 258.

21) Hetherington, D. C. and Craig, J. S. (1939) Effect of frozen-dried plasma and frozen-dried embryo juice on tissue cultures. Proc. Soc. Exp. Biol. Med., 44, 831.

22) Hetherington, D. C. (1944) Frozen-dried serum as a medium constituent for tissue cultures. Proc. Soc. Exp. Biol. Med., 57, 196.

23) Hill, J. M., Muirhead, E. E., Ashwarth, C. T. and Tigertt, W. D. (1941) The use of desiccated plasma with particular reference to shock. J.A.M.A., 116, 395.

24) Hill, J. H. and Muirhead, E. E. (1942) Desiccated plasma for national defense. J. Lab. & Clin. Med., 27, 812.

25) 堀川高大 (1942) 生物学的製剤の凍結乾燥に関する研究 (第1回). 凍結乾燥せる2, 3免疫血清の熱安定性について. 名古屋医誌, 56, 459.

26) 堀川高大 (1943) 生物学的製剤の凍結乾燥に関する研究 (第2回). 凍結乾燥せる補体の長期保存及び熱安定性について. 名古屋医誌, 57, 81.

27) Hughes, J., Mudd, S. and Strecker, E. A. (1938) Reduction of increased intracranial pressuse by concentrated solutions of human lyophile serum. Arch. Neuro. Psychiat., 39. 1277.

28) Ishiguro, K. (1941) Preservation of complement by drying it from the frozen state. Jap. J. Med. Sci., VI. Bact. Parasit., 2, 9–25; C. A., 36,. 5, 1382.

29) 石黒慶之助 (1941) 凍結乾燥による補体の保存に就て. 北海道医誌, 19, 203.

*30) 加 藤 勝 治 (1951) 血漿の凍結と乾燥. 輸血学 (南山堂), 297 頁.

*31) Kilduffe, R. A. and DeBakey, M. (1942) The preparation of concentrated and dried plasma, in "The Blood Bank and the Technique and Therapeutics of Transfusions". Mosby Co., St. Louis.

32) Krejci, L. E. (1942) The effect of drying from the frozen state on the physico-chemical properties of citrated human blood plasma. J. Franklin Inst., 234, 596.

33) Lea, C. H., Hannan, R. S. and Greaves, R. I. N. (1950) The reaction between proteins and reducing sugars in the "dry" state. Dried human blood plasma. Biochem. J., 47, 626.

34) Mahoney, E. B. (1938) A study of experimental and clinical shock with special reference to its treatment by the intravenous injection of preserved plasma. Ann. Surgery, 108, 178.

35) Masucci, P. (1946) Application of "lyophile technique" to biologic products: Sera, antisera and antibody globulin. J. Lab. Clin. Med., 31, 340.

36) McGuinness, A. C., Stokes, J., Jr. and Mudd, S. (1937) The clinical use of human serums preserved by the lyophile process. J. Clin. Invest., 16, 185.

37) McGuinness, A. C., Stokes, J., Jr. and Armstrong, J. G. (1943) Vacuum-dried human serums in the prevention and treatment of certain of the common communicable diseases: and 8-year study. Am. J. Med. Sci., 205, 826.

38) McGuinness, A. C., Armstrong, J. G. and Felton, H. (1944) Hyperimmune whooping-cough serum. J. Pediat., 24, 249.

39) Moskowitz, M. and Calvin, M. (1952) On the components and structure of the human red cell membrane. Exp. Cell Res., 3, 33.

40) Mudd, S., Flosdorf, E. W., Eagle, H., Stokes, J. Jr. and McGuinness, A. C. (1936) The preservation and concentration of human serums for clinical use. J.A.M.A., 107, 956.

41) 西村 武・遠藤好喜 (1954) 凍結真空乾燥補体と薬品添加補体保存の効果について. (1), 宮城県衛研報告.

42) 太田 (1943) 瓦斯壊疽血清の精製濃縮及び凍結乾燥法による抗毒素価の動揺について. 陸医校防研報告, 2, 481.

43) Shackell, L. F. (1909) An improved method of desiccation, with some applications to biological problems. Am. J. Physiol., 24, 325.

44) Smith, W. E. and Pennell, R. B. (1952) Drying of hemoglobin. Blood. 1, 368.

45) Scuter, A. W. and Kark, R. (1940) Quick's prothrombin test simplified by the use of a stable thromboplastin. Am. J. Med. Sci., 200, 603.

46) Stokes, J., Jr., Mudd, S., Roddy, R. L., Eagle, H., Flosdorf, E. W. and Lucchesi, P. (1934) The use of lyophile human serums for prevention and treatment in infectious diseases. Trans. Soc. Pediat. Res., Am. J. Diseases of Children, 48, 1428.

47) Stokes, J., Jr., McGuiness, A. C. and Mudd, S. (1935) Clinical applications of the "lyophile" process. Trans. Soc. Pediat. Res., Am. J. Diseases of Children, 50, 535.

48) Strumia, M. M., McGraw, J. J. and Reichel, J. (1941) The preparation and preservation of human plasma. IV. Drying of plasma from the frozen state by low temperature condensation. Amer. J. Clin. Path., 11, 480.

*49) Strumia, M. M. and McGraw, J. J. (1949) Storage of plasma, in "Blood and Plasma Transfusions". Davis Co., Philadelphia.

50) Strumia, M. M. and Sample, A. B. (1951) Modified globin I. Method for preparation from human erythrocytes. J. Lab. Clin. Med., 37, 959.

*51) Strumia, M. M. (1954) The preservation of blood plasma and blood products by freezing and drying, in "Biological Applications of Freezing and Drying". Academic Press.

52) Wertman, K. and Plotz, H. (1944) Presence of typhus antibodies in commercial frozen and dried complement. Proc. Soc. Exp. Biol. Med., 55, 29.

2). 藥物，化學的物質

ペニシリン製造過程の最後の段階に凍結乾燥法が利用されたが，その結果はこの分野での劃期的な進歩を促すことになつた。

また酵素，ビタミン，ホルモンなどの活性保持の目的にも利用されている。

今日，細菌の菌体成分或は毒素などの保存には殆んど必ず凍結乾燥が用いられるが，それらの文献は枚挙に暇がないので殆んど省略した。

更に種々の材料の化学的抽出の前提として単に脱水の目的だけに凍結乾燥を行うこともある。

1) Brown, G. H., Bierworth, R. A. and Hoyler, C. N. (1946) Radio-frequency dehydration of penicillin solution., Waves and Electron., Feb. (W. 58-65) Proc. Inst. Radio Engineers., p. 58.

2) Carr, C. and Riddick, J. A. (1947) Hygroscopicity of penicillin salts. Ind. Eng. Chem., 39, 1021.

3) Chambers, M. A. and Nelson, J. W. (1950) An investigation of high-vacuum freeze-drying as a means of drug preservation. I. J. Am. Pharm. Assoc. Sci. Ed., 39, 323.

4) Dounce, A., and Howland, J. W. (1943) A study of crystalline beef liver catalase dried in the frozen state. Science, 97; 21.

5) Dounce, A. and Schwalenberg, R. R. (1950) Further investigations of the reducibility of lyophilized catalase. Science, 111, 654.

6) Flosdorf, E. W. and Mudd, S. (1945) Drying Penicillin. Am. J. Med. Sci., 209. 694.

7) Friedgood, H. B., Haagen-Smit, A. J., Garst, J. B. and Steinitz, L. (1947) The concentration and preservation of urinary substances by lyophilization. Science, 105, 99.

8) High, R. H. (1946) Treatment of epidemic diarrhea of newborn. Penn. Med. J., 49, 1334.

9) Levitt, J. (1951) The isolation and preliminary fractionation of proteins from dormant and growing potato tubes. Plant Physiol., 26, 59.

10) Monroy, A. and Runnström, J. (1952) Cytoplasmic fraction acting on the surface layers of the Arbacia punctulata eggs. Exp. Cell Res., 3, 10.

11) 大薗卓・宮木高明・山口修・太田雋一 (1947) ペニシリンの凍結乾燥 第1報. ペニシリン, 1, 73.

12) Railton, I. R., Cunningham, B. and Kirk, P. L. (1941) The preparation of sterile proteins in the "lyophiled" state. Science, 94, 469.

13) Reavell, J. A. (1944) Sublimation of penicillin solutions using infra-red heating. Ind. Chemist, 20, 54.

14) Scott, J. F. (1948) Electron micrograph studies on sodium desoxyribose nucleate. Biochim. Biophys. Acta, 2, 1.

15) Seegers, W. H. (1945) Arrangement for drying proteins from the frozen state. Science, 101, 284.

16) Singer, J. H. (1946–7) Application of freeze-drying to penicillin production. Proc. Inst. Refrig. (London), 42, 167.

*17) Singer, J. H. (1951) Freeze-drying of antibiotics on a commercial scale, in "Freezing and Drying". Inst. Biol., London.

*18) Singer, J. H. (1954) The freeze-drying of antibiotics, in "Biological Applications of Freezing and Drying".

19) Teague, D. M., Galbraith, H., Hummel, F. C., Williams, H. H. and Macy, I. G. (1942) Effects of desiccation procedures on the chemical composition of feces, urine and milk. J. Lab. Clin. Med., 28, 343.

20) Welch, H., Grove, D. C., Davis, R. P. and Hunter, A. C. (1944) The relative toxicity of six salts of penicillin. Proc. Soc. Exp. Biol. Med., p. 246.

21) Westfall, R. J., Miller, O., and Westfall, I. S. (1947) A method of drying partial protein hydrolysates and other hygroscopic materials for nutritional studies. Science, 105, 530.

22) Williams, R. C. (1952) Electron microscopy of sodium desoxyribonucleate by use of a new freeze-drying method. Biochim. Biophys. Acta., 9, 237.

23) Young, R. G. and Reithel, F. J. (1952) Purification of calf intestinal lactase. Biochim. Biophys. Acta., 9, 283.

3). 細菌，バイラス

細菌，バイラスの株の保存には昔から利用され，従つてその応用の範囲は殆んどあらゆる菌種に亘つている。

またワクチンにも利用されるようになり，BCG については最も詳細に検討された。

1) Allen, E. G., Kaneda, B., Giargi, A. J., McNair Scott, T. F. and Sigel, M. M. (1952) Preservation of viruses of the psittacosis-lymphogranuloma venereum group and herpes simplex under various conditions of storage. J. Bact., 63, 369.

2) 安東　清 (1941)　乾燥痘苗に関する研究. 陸医校防研報告, 2, 198.

3) 阿多実茂・辛　釣 (1944)　凍結乾燥による結核菌に就て. 生物学的製剤の凍結乾燥に関する研究 (第3回). 日本医学, 3385, 777.

4) Appleman, M. D. and Sears, O. H. (1946) Studies on lyophiled cultures: Lyophile storage of cultures of Rhizobium leguminosarum. J. Bact., 52, 209.

5) Aronson, J. D. and Schneider, P. (1950) The problem of standardization of BCG vaccine. Am. J. Publ. Health, 40, 533.

6) Atkin, L., Moses, W. and Gray, P. P. (1949) The preservation of yeast cultures by lyophilization. J. Bact., 57, 575.

7) Beaudette, F. R., Hudson, C. B., Bivins, J. A. and Miller, B. R. (1948) The viability of dried viruses of avian origin. Am. J. Vet. Res., 9, 190.

8) Behrens, C. A. and Ferguson, W. W. (1935) Preservation of purified suspensions of the virus of vaccinia. J. Inf. Dis., 56, 84.

9) Birkhaug, K. (1951) Antigenic activity of fresh, frozen, and dry BCG vaccine. Am. Rev. Tbc., 63, 85.

10) Birkhaug, K. (1950) Antigenic activity of dry glucose BCG vaccine. Am. J. Publ. Health, 40, 545.

11) Böe, J. & Greaves, R. I. N. (1950) Observations on the biological properties of BCG treated by freeze-drying. Acta. Tbc. Scand., 24, 37.

12) Campell-Renton, M. L. (1941) Experiments on drying and on freezing bacteriophage. J. Path. Bact., 53, 371.

13) Carr, J. G. and Harris, R. J. C. (1951) Preservation of the agent of the Rous sarcoma No. 1 by freeze-drying. Brit. J. Cancer, 5, 95.

14) Casals, J. (1943) Non-virulent frozen and dried antigens for complement-fixation tests with central nervous system virus infections. Science, 97, 337.

15) Chargaff, E. and Saidel, H. F. (1949) On the nucleoprotein of avian tubercle bacilli. J. Biol. Chem., 177, 417.

*16) Collier, L. H. (1951) The preservation of vaccinia virus by freeze-drying, in "Freezing and Drying". Inst. Biol., London.

17) Collier, L. H. (1954) The preservation of vaccinia virus. Bact. Rev., 18, 74.

18) Cook, E. A. and Hudson, N. P. (1937) The preservation of the virus of St. Louis encephalitis. J. Inf. Dis., 61, 289.

*19) Daubney, R. (1951) The freeze-drying of living virus vaccines for veterinary use, in "Freezing and Drying". Inst. Biol., London.

20) Durieux, C. (1944) Note on the preservation of lymphogranuloma virus. Compt. rend. Soc. biol., 139, 759.

21) 海老名敏明・加藤慶五・小林達郎　BCG ワクチンの凍結真空乾燥に関する研究. 抗研誌, 1, 1.

22) 海老名敏明 外9名 (1951)　BCG 乾燥ワクチンの含水度研究. 抗研誌, 7, 86.

23) Ebina, T. et al (1951)　A study on the water content in the dried BCG vaccine. Sci. Rep. Res. Inst. Tohoku Univ., 3, 255.

24) 海老名敏明・篠原近知 (1953)　凍結乾燥の細菌形態に与える影響について. 科研結核研究班, 予防接種研究科会記録.

25) Eyer, H. and Rohrmann, A. (1940)　Zur Frage der Kälte-Hochvakuumtrocknung empfindlicher biologischer Substrate. I. Z. Hyg., 122, 584.

26) Faber, H. K. Dong, L. and Silverberg, R. J. (1951)　A search for policmyelitis virus in house dust and a study of the effects of drying on the viability of virus. J. Inf. Dis., 88, 189.

27) Fasquelle, R. and Barbier, P. (1950)　Some examples of the preservation of the vitality of viruses and bacteria by freeze-drying. Compt. rend. soc. biol., 144, 1618.

28) Fenner, F. (1951)　The viability of BCG vaccine. Am. Rev. Tbc., 63, 714.

29) Fisher, P. J. (1950)　Viability of dried cultures. A note on the immediate death rate. J. Gen. Microbiol., 4, 455.

30) Flosdorf, E. W. and Kimball, A. C. (1940)　Studies with H. pertussis. II. Maintenance of cultures in phase I. J. Bact., 39, 255.

*31) Flosdorf. E. W. (1950)　Technique and application of drying of viruses in the frozen state. Handb. d. Virusforsch. Ergänzungsband II.

32) Fry, R. M. and Greaves, R. I. N. (1951)　The survival of bacteria during and after drying. J. Hyg., 49, 220.

*33) Fry, R. M. (1951)　The influence of the suspending fluid on the survival of bacteria after drying, in "Freezing and Drying". Inst. Biol., London.

*34) Fry, R. M. (1954)　The preservation of bacteria, in "Biological Applications of Freezing and Drying".

35) 藤本芙二雄 (1951)　BCG ワクチンの凍結乾燥の研究. 福岡医誌, 42, 416.

36) 藤本芙二雄・佐原幸雄 (1951)　BCG 乾燥ワクチンの含水量測定 (メスアンプル法) に於ける2, 3の誤差について. 福岡医誌, 42, 455.

*37) Galloway, I. A. (1951)　Contributions on problems encountered in drying viruses, vaccines and anti-sera by sublimation, in "Freezing and Drying". Inst. Biol., London.

38) Glover, R. E. (1946)　The effects of (a) freeze-drying and (b) low temperature on the viability of Mycobacterium tuberculosis. J. Path. Bact., 58, 111.

39) Hahn, R. G. (1951)　A combined yellow-fever-smallpox vaccine for cutaneous application. Am. J. Hyg., 54, 50.

40) Hammer, B. W. (1911)　A note on the vacuum desiccation of bacteria. J. Med. Research, 24, 527.

41) Harris, D. L. and Shackell, L. F. (1911) The effect of vacuum desiccation upon the virus of rabies with remarks upon a new method. J. Am. Publ. Health Assoc., 7, 52.

*42) Harris, R. J. C. (1954) The preservation of viruses, in "Biological Applications of Freezing and Drying".

43) 林 武夫 (1943～1944) BCG 乾燥ワクチンに関する研究. 日医健保, 3355, 1802. 日本医学, 3370, 367.

44) Heller, G. (1941) A quantitative study of environmental factors involved in survival and death of bacteria in the desiccated state. J. Bact., 41, 109.

45) Hilleman, M. R., Buescher, E. L. and Smadel, J. E. (1951) Preparation of dried antigen and antiserum for the agglutination-inhibition test for virus influenza. Publ. Health Repts. (U.S.), 66, 1195.

46) Hoffstadt, R. E., and Tripi, H. B. (1946) A study of the survival of certain strains of viruses after lyophilization and prolonged storage. J. Inf. Dis., 78, 183.

47) Hornibrock, J. W. (1950) Useful menstruum for drying organisms and viruses. J. Lab. Clin. Med., 35, 788.

48) Hutton, R. S., Hilmore, R. J. and Roberts, J. L. (1951) Some physical factors that influence the survival of Brucella abortus during freeze-drying. J. Bact., 61, 309.

49) 石黒慶之助 (1942) 凍結乾燥痘苗の温熱に対する抵抗に就て. 北海道医誌, 20, 703.

50) 石川 恒 乾燥痘苗に関する研究. 北里実験医学, 26, 119, 125, (1953), 191 (1954).

51) 市川洋一・粟野林 (1954) Treponema pallidum 麹町株について. 日細菌誌, 9, 723.

52) Jennens, M. G. (1954) The effect of desiccation on antigenic structure. J. Gen. Microbiol., 10, 127.

53) Kaiser, M. (1937) Zur Frage der Herstellung eines bakterienfreien Trocken-impfstoffes gegen Pocken. Zbl. Bakt., I, Orig., 139, 405.

54) Kaiser, M. (1938) Weitere Erfahrungen über Trockenimpfstoffe für den Pocken-schutz. Zbl. Bakt., I. Orig., 142, 359.

55) 神田幸重 (1952) 凍結乾燥の結核菌に及ぼす影響 (会). 久留米医誌, 15, 235.

56) Kanngiesser, W. and Deubner, B. (1953) Elektronenmikroskopische Aufnahmen von Kartoffel-X-Virus in gefriertrocknetem Tabakrohsaft. Naturwiss., 40, ii, 442.

57) 加藤慶五 (1947) 凍結真空乾燥 BCG ワクチンの研究. 抗研誌, 2, 20.

58) 小林達郎 (1947) 凍結真空乾燥法による乾燥 BCG ワクチン調製並びに保存上の諸条件に就て. 抗研誌, 1, 8.

59) 児玉 威 (1938) 低温乾燥による菌株の保存について. 関西医事, 379, 8.

60) 小南 清 (1949) ライオフィル法による菌の保存について (予報). ペニシリン, 2, 546.

61) 小酒井望 (1949) 乾燥痘苗に関する知見補遺. 新潟医誌, 63, 409.

62) Kriss, A. E. and Roukina, E. A. (1948) The role of protective colloids for the preservation of bacteriophages from denaturing influence. Microbiology, 17, 24.

63) Kuchiki, G. and Ota, S. (1954) Correlation between the viability of BCG vaccine and the incubation period of cultures on Sauton's medium. Rep. Med. Res. Probl. Jap. Anti-Tbc. Ass., 3, 38.

64) Kusamitsu, G. (1954) Studies on the effect of sealing condition particularly of vacuum grade on the preservation of dried BCG vaccine. Rep. Med. Res. Probl. Jap. Anti-Tbc. Ass., 3, 66.

65) Langner, P. H. Jr., and Forrester, J. S. (1939) The disintegration of bacteria by mechanical means. J. Imm., 37, 133.

66) Leifson, E. (1936) The preservation of bacteria by drying in vacuc. Am. J. Hyg., 23, 231.

67) Leshchinskaya, E. N. (1944) The immunizing value of the BCG dry glucose vaccine. Problemy tuberculeza, No. 6, 55. (Translated in Amer. Rev. Soviet Med., Feb. 210, 1946).

68) 柳 (Lew) 駿 (1951) 癩の実験的研究. 3. 鼠癩菌の凍結乾燥による保存について. 医学研究, 21, 99.

69) Libby, R. L. (1947) The use of tagged antigens in immuno-chemical studies. Transact. New York Acad. Sci., May, p. 248.

70) Lloyd, W. and Mahaffy, A. F. (1935) Cultivation of vaccinia viues by River's method. Proc. Soc. Exp. Biol. Med., 33, 154.

71) Morton, H. E. and Pulaski, E. J. (1938) The preservation of bacterial cultures. J. Bact., 35, 163.

72) Munce, T. W., and Reichel, J. (1943) The preservation of hog-cholera virus by desiccation under high vacuum. Am. J. Veterin. Res., 4, 270.

73) 室橋豊穂・橋本達一郎・高橋宏 (1954) 市販乾燥 BCG vaccin の力価について. 結核, 29, 423.

74) 長野泰一・四宮定吉 (1939) 耐熱痘苗の研究. 東京医事新誌, No. 3159, 2750.

*75) 長野泰一・四宮定吉・佐伯潔 (1941) 乾燥痘苗の人体接種成績. 日医健保, No. 3241, 1806.

76) 長野泰一・佐伯潔 (1944) 乾燥痘苗について. 日本臨牀, 2, 465.

77) 長野泰一 (1953) BCG 並びに各種 vaccin 血清等の凍結乾燥保存に関する研究. 学術月報別冊資料, 32 号, 99.

78) 中川 洋・中村昌弘 (1954) 鼠癩菌の凍結乾燥による保存の研究 (第1報). 日細菌誌, 9, 891.

79) Naylor, H. B. and Smith, P. A. (1946) Factors affecting the viability of Serratia marcescens during dehydration and storage. J. Bact., 52, 565.

80) 根井外喜男・佐藤徹・有馬純 (1951) 生物学的材料の凍結乾燥法. VI. 種々のメヂウムを用いた細菌浮游液の乾燥. 低温科学, 8, 179.

81) 根井外喜男・佐々木芳郎 (1955) 凍結乾燥菌体の電子顕微鏡像. 科学, 25, 86.

82) Noda, H. (1953) The dimensions of T series bacteriophages of Esch. coli B. Biochim. Biophys. Acta, 12, 495.

83) 野口 (1942) 弱毒ペスト菌の凍結真空乾燥による生存保存法の研究 I～VII. 陸医校防研報告, 2 部, 208, 216, 262, 444, 445, 464.

84) Nymon, M. G., Gunsales, I. C., and Gortner, W. A. (1945) An application of the lyophile process to the maintenance of cultures for microbiological assay. Science, 102, 125.

85) Obayashi, Y. and Kawasaki, J. (1954) Studies on the effect of preservation of dried BCG vaccine on its viability and potency. Rep. Med. Res. Probl. Jap. Anti-tbc. Ass., 3, 51.

86) 緒方規雄・吉井宗武 (1943) デング熱病毒の分離保存及び性状に関する研究. 日医健保, No. 3338, 1124.

87) 緒方規雄・橋本治雄 (1944) デング熱病毒の体外に於ける生存期間並びにその保存法. 日本医学, No. 3379, 639.

*88) 太田勇夫 (1954) ワクチンの真空冷凍乾燥. 真空技術, 5, 47.

89) Otten, L. (1927) Trockenlymphe. Zschr. Hyg., 107, 677.

90) Otten, L. (1930) Die Trockenkonservierung von pathogenen Bakterien. Zbl. Bakt., 116, 199.

91) Pollard, M. (1951) The inactivation of poliomyelitis virus by freeze-drying. Texas Repts. Biol. and Med., 9, 749.

92) Probey, T. F. (1947) Loss of virulence of Treponema pallidum during processing of dried blood serum. Publ. Health Rep., 62, 1199.

93) Proom, H. and Hemmons, L. M. (1949) The drying and preservation of bacterial cultures. J. Gen. Microbiol., 3, 7.

*94) Proom, H. (1951) Some of the factors affecting the viability of bacterial cultures subjected to the freeze-drying process, in "Freezing and Drying". Inst. Biol. London.

95) Rake, G. (1935) Viability and virulence of frozen and dried cultures of meningococcus. Proc. Soc. Exp. Biol. Med., 32, 975.

96) Record, B. R. and Taylor, R. (1953) Some factors influencing the survival of Bact. coli on freeze-drying. J. Gen. Microbiol., 9, 475.

97) Rhodes, M. (1950) Viability of dried cultures. J. Gen. Microbiol., 4, 450.

98) Rice, R. V., Kaesberg, P. and Strahmann, M. A. (1953) The breaking of tobacco mosaic virus using a new freeze drying method. Biochim. Biophys. Acta., 11, 337.

99) Rivers, T. M. and Ward, S. M. (1935) Jennerian prophylaxis by means of intradermal injections of culture vaccine virus. J. Exp. Med., 62, 549.

100) Roe, A. F. (1936) Preserving anaerobes by desiccation. J. Bact., 31, 28.

101) Rogers, L. A. (1914) The preparation of dried cultures. J. Inf. Dis., 14, 100.

102) Salton, M. R. J. and Williams, R. C. (1954) Electron microscopy of the cell walls of Bacillus megatherium and Rhodospirillum rubrum. Biochim. Biophys. Acta, 14, 455.

103) 佐藤和男・三橋進・栗原孝子・堀越嵩 (1952) 生菌の凍結乾燥に関する基礎的研究 (会). 日細菌誌, 7, 397.

104) Sawyer, W.A., Lloyd, W.D.M., and Kitchen, S.F. (1929) The preservation of yellow fever virus. J. Exp. Med., 50, 1.

105) Schade, A.L., and Caroline, L. (1943) The preparation of a polyvalent dysentery bacteriophage in a dry and stable form. J. Bact., 46, 463.

106) Schade, A.L. and Caroline, L. (1944) The preparation of a polyvalent dysentery bacteriophage in a dry and stable form. II. and III. J. Bact., 48, 179 and 243.

107) Scherp. H.W., Flesdorf, E.W., and Shaw, D.R. (1938) Survival of the influenzal virus under various conditions. J. Imm., 34, 447.

108) Scott, G.R. and Brotherston, J.G. (1952) The viability and potency of freeze-dried lapinized rinderpest vaccine. J. Comp. Path. Therap., 62, 108.

109) Seibert, F.B., and DuFour, E.H. (1940) Methods of preserving the tuberculin protein. Am. Rev. Tuberc., 41, 471.

110) 辛 釣 (1942) 「インフルエンザ・ウィールス」の抵抗性に関する実験的研究. 第1編「インフルエンザ・ウィールス」に感染せる「マウス」肺乳剤並びにその凍結乾燥せる粉末の温熱に対する抵抗性について. 名古屋医誌, 56, 347.

111) 舌間慶太郎 (1943) 冷凍乾燥法による菌株保存. 日微生物誌, 37, 475.

112) Siedentopf, H.A. and Green, R.G. (1942) Factors in the preservation of the distemper virus. J. Inf. Dis., 71, 253.

113) Siler, J.F. (1936) Typhoid vaccine studies. Investigation of virulence and antigenic properties of selected strains of the typhoid organisms. Am. J. Publ. Health., 26, 219.

114) Smadel, J.E., Randall, R. and Warren, J. (1947) Preparation of Japanese encephalitis vaccine. Bull. U.S. Army Med. Dept., p. 963.

115) Speck, M.L. and Meyers, R.P. (1946) The viability of dried skim-milk cultures of Lactobacillus bulgaricus as affected by the temperature of reconstitution. J. Bact., 52, 657.

116) Stamp, L. (1947) The preservation of bacteria by drying. J. Gen. Microbiology., 1, 251.

117) Speck, R.S., Jawetz, E. and Coleman, V.R. (1951) Studies on herpes simplex virus. I. Stability and preservation of egg-adapted herpes simplex. J. Bact., 61, 253.

118) Stein, C.D. and Rogers, H. (1950) Recovery of viable microorganisms and viruses from vapors removed from frozen suspensions of biologic material during lyophilization. Am. J. Vet. Res., 11, 339.

119) Stillman, E.G. (1941) The preservation of pneumococcus by freezing and drying. J. Bact., 42, 689.

120) 鈴木幸朗 (1949) Penicillin 及び streptomycin の生産菌培養に関する研究 I. 菌株の保存法特に Lyophile process について. ペニシリン, 2, 660.

121) Swift, H. F. (1921) Preservation of stock cultures of bacteria by freezing and drying. J. Exp. Med., 33, 69.

122) Thorne, A. L. C. (1953) Recovery of caprinized and lapinized rinderpest viruses from condensed water vapor removed during desiccation. Nature, 171, 609.

123) 戸田忠雄・舌間慶太郎・平野覚・山田倫子 (1946) BCG 乾燥ワクチンの研究. 日本医学, No. 3400, 10.

124) 戸田忠雄・中川洋・舌間慶太郎 (1944) デング熱病原体に関する研究. 日本医学, No. 3369, 338.

125) 戸田忠雄・中川洋・舌間慶太郎 (1946) デング熱病原体に関する研究. 臨牀と研究, 23, 155.

126) 戸田忠雄・中川洋・舌間慶太郎 (1950) デング熱病原体に関する研究. 東京医誌, 67. No. 6, 3.

127) Topping, N. (1940) The preservation of the infectious agents of some of the rickettsiosis. Publ. Health Repts. (U.S.), 55, 545.

128) Van Deinse (1951) Vaccination against tuberculosis with freeze-dried BCG vaccine. Am. J. Publ. Health., 41, 1209.

129) Vausteenbergh, P. (1903) Procede de conservation du virus rabique a latat sec. Compt. rend. Soc. d. Biol., 4, 1646.

130) Weiser, R. S. and Hennum, L. A. (1947) Studies on the death of bacteria by drying. I. The influence of in vacuo drying from the frozen state and from the liquid state on the initial mortality and storage behaviour of Escherichia coli. J. Bact., 54, 17.

131) Wickerham, L. J., and Andreasen, A. A. (1942) The lyoplile process: its use in the preservation of yeasts. Wallerstein Labs. Commun., 5, 165.

132) Wickerham, L. J., and Flickinger, M. H. (1946) Viability of yeasts preserved two years by the lyophil process. Brewers Digest., 21, 48.

133) Williams, R. C. (1952) High resolution electron microscopy of particles of tobacco mosaic virus. Biochim. Biophys. Acta, 8, 227.

*134) Williams, R. C. (1954) The application of freeze-drying to electron microscopy, in "Biological Applications of Freezing and Drying".

135) Wooley, J. G. (1939) The preservation of lymphocytic choriomeningitis and St. Louis encephalitis viruses by freezing and drying in vacuo. Publ. Health Rep., 54, 1077.

136) Wyckoff, R. W. G. (1947) Electron micrographs from concentrated solutions of the tobacco mosaic virus protein. Biochim. Biophys. Acta, 1, 139.

137) 八鍬英一郎 (1952) 乾燥 BCG vaccine 製造法の研究. 製造過程中 BCG 生菌数に及ぼす影響. 抗酸菌研誌, 8, 31.

138) 山本琢三 (1951) 乾燥細菌の凝集元性に関する研究(1～3). 兵庫県医大紀要, 2, 81.

139) 矢追秀武・多ケ谷勇・吉野亀三郎 (1950) 百日咳菌の保存に関する研究. 日細菌誌, 5, 39.

4). 組　　織

組織への応用には2つの大きな傾向がある。

1つは各種の動物組織或は腫瘍組織を乾燥保存することで，移植用材料としての目的に多く用いられるものであり，他は顕微鏡標本作製時の固定方法として，主として組織化学的檢査に用いられる外，radioautography，螢光顕微鏡，電子顕微鏡標本としても応用されるものである。

*1) Altmann, R. (1890) "Die Elementarorganismen und ihre Beziehungen zur den Zellen". Leipzig,

2) Anfinsen, C. B., Lowry, O. H. and Hastings, A. B. (1942) The application of the freeze-drying technique to retinal histochemistry. J. Cell. Comp. Physiol., 20, 231.

3) Arcadi, J. A. (1952) Some polysaccharide components of the prostate gland of the dog. Anat. Rec., 112, 593.

4) Aterman, K. (1952) Some local factors in the restoration of the rat's liver after partial hepatectomy. I. Glycogen; the Golgi apparatus; sinusoidal cells; the basement membrane of the sinusoids. Arch. Pathol., 53, 197.

*5) Bell, L. G. E. (1951) Some applications of freezing and drying in cytochemistry, in "Freezing and Drying". Inst. Biol., London.

*6) Bell, L. G. E. (1952) The application of the freezing and drying techniques in cytology, in "International Rev. of Cytology, I.", Academic Press.

7) Bensley, R. R. and Gersh, I. (1933) Studies on cell structure by the freezing-drying method. I. Anat. Rec., 57, 205. II. Ibid. 57, 217. III. Ibid., 57, 369. IV. Ibid., 58, 1.

8) Bensley, R. R. and Hoerr, N. L. (1934) Studies on cell structure by the freezing-drying method. V. Anat, Rec., 60, 251. VI. Ibid, 60, 449.

9) Bensley, R. R. (1951) Facts versus artefacts in cytology: the Golgi apparatus. Exp. Cell Res., 2, 1.

10) Bevelander, G. and Johnson, P. L. (1950) A histochemical study of the development of membrane bone. Anat. Rec., 108, 1.

*11) Billingham, R. E. and Medawar, P. B. (1951) The viability of mammalian skin after freezing, thawing and freeze-drying, in "Freezing and Drying". Inst. Biology, London.

12) Billingham, R. E. and Medawar, P. B. (1952) The freezing, drying and storage of mammalian skin. J. Exp. Biol., 29, 454.

*13) Billingham, R. E. (1953) Storage of skin, in "Preservation and transplantation of normal tissues." Ciba Foundation Symposium.

*14) Billingham, R. E. (1954) The preservation of tissues, in "Biological Applications of Freezing and Drying". Academic Press.

15) Boell, E. J. (1945) Cholinesterase activity of peripheral nerves. J. Cell. Comp. Physiol., 25, 75.

16) Catchpole, H. R. and Gersh, I. (1947) Pathogenetic factors and pathological consequences of decompression sickness. Physiol. Revs., 27, 360.

17) Catchpole, H. R. (1949) Distribution of glycoprotein hormones in the anterior pituitary gland of the rat. J. Endocrinol., 6, 218.

18) Cobb, J. D. (1953) Relation of glycogen, phosphorylase and ground substance to calcification of bone. Arch. Pathol., 55, 496.

19) Davis, M. E., Plotz, E. J. and Plotz, E. (1953) A quantitative study of the vascularity of the adrenal gland of the rat during pregnancy and after cortisone treatment. Endocrinology, 52, 164.

20) Deane, H. W. and Dempsey, E. W. (1945) The localization of phosphatases in the Golgi region of intestinal and other epithelial cells. Anat. Rec., 93, 401.

21) De Bruyn, P. P. H., Robertson, R. C. and Farr, R. S. (1950) In vivo affinity of diaminoacridines for nuclei. Anat. Rec., 108, 279.

22) De Robertis, E. (1942) Intracellular colloid in the initial stages of thyroid activation. Anat. Rec., 84, 125.

23) Deviks, F. and Hanssen, O. E. (1951) The freezing-drying technique applied to investigation of vascular reactions in the skin of mice. Acta Pathol., 29, 357.

24) Dmochowski, L. and Millard, A. (1950) Cellular transmission of mouse sarcomata with frozen-dried tumour tissues. Brit. Med. J. ii, 1136.

25) Doyle, W. L. (1948) Effects of dehydrating agents on phosphatases in the lymphatic nodules of the rabbit appendix. Proc. Soc. Exp. Biol. Med., 69, 43.

26) Doyle, W. L. (1950) Peptidase activity of paraffin-embedded tissue. Federation Proc., 9, 34.

27) Eastcott, H. H. G., Holt, L. B., Peacock, J. H. and Rob, C. G. (1954) Preservation of arterial grafts by freeze-drying. A simplified method. Lancet, i, 1311.

28) Emmel, V. M. (1946) The intracellular distribution of alkaline phosphatase activity following various methods of histologic fixation. Anat. Rec., 95, 159.

29) Engel, M. B. (1948) Glycogen and carbohydrate-protein complex in the developing teeth of the rat. J. Dental Res., 27, 681.

30) Engström, A. (1952) X-ray absorption methods in histochemistry. Lab. Invest., 1, 278.

31) Farr, R. S. (1951) Experiments on the fate of the lymphocyte. Anat. Rec., 109, 515.

32) Flosdorf, E. W. and Hyatt, G. W. (1952) The preservation of bone grafts by freeze-drying. Surgery, 31, 716.

33) Gersh, I. (1932) The Altmann technique for fixation by drying while freezing. Anat. Rec., 53, 309.

34) Gersh, I. (1948) Application in pathology of the method of fixation by freezing and drying of tissues. Bull. Intern. Assoc. Med. Mus., 28, 179.

35) Gersh, I. (1949) A protein component of the Golgi apparatus. Arch. Path., 47, 99.

36) Gersh, I. & Catchpole, H. R. (1949) The organization of ground substance and basement membrane and its significance in tissue injury, disease and growth. Am. J. Anat., 85, 457.

*37) Gersh, I. (1951) Some recent experiments in fixation by freezing and drying, in "Freezing and Drying". Inst. Biol., London.

*38) Gersh, I. and Stephenson, J. L. (1954) Freezing and drying of tissues for morphological and histochemical studies, in "Biological Applications of Freezing and Drying".

*39) Glick, D. (1949) Techniques of histo- and cytochemistry. Interscience Publ., p. 3.

40) Glick, D. & Malmstrom, B. G. (1952) Studies in hictochemistry XXIII. Simple and efficient freezing-drying apparatus for the preparation of empedded tissues. Exp. Cell Res., 3, 125.

41) Goodspeed, T. H. and Uber, F. M. (1934) Application of the Altmann freezing-drying technique to plant cytology. Proc. Nat. Acad. Sci., 20, 495.

42) Goodspeed, T. H., Uber. F. M. and Avery, P. (1935) Application of the Altmann freezing-drying technique to plant cytology. III. Chromosome structure in Lillium longiflorum. Univ. Calif. Publs. Botany, 18, 33.

43) Gye, W. E. (1949) The propagation of mouse tumours by means of dried tissue. Brit. Med. J., i, 511.

44) Gye, W. E., Begg, A. M., Mann, I. and Craigie, J. (1949) The survival of activity of mouse sarcoma tissue after freezing and drying. Brit. J. Cancer, 3, 259.

45) Hack, M. H. (1952) A new histochemical technique for lipides applied to plasmal. Anat. Rec., 112, 275.

46) Harter, B. T. (1948) Glycogen and carbohydrate-protein complexes in the ovary of the white rat during the oestrus cycle. Anat. Rec., 102, 349.

47) Heller-Steinberg, M. (1951) Ground substance, bone salts, and cellular activity on bone formation and destruction. Am. J. Anat., 89, 347.

48) Hoerr, N. L. (1936) Cytological studies by the Altmann-Gersh freezing-drying method. I. Recent advances in the technique. Anat. Rec., 65, 293.

*49) Hoerr, N. L. and Scott, G. H. (1948) Frozen-dehydration method for histologic fixation. Medical physics, p. 466.

50) Holt, M. W., Cowing, R. F. & Warren, S. (1949) Preparation of radioautographs of tissues without loss of water-soluble P^{32}. Science, 110, 328.

51) Holt, M. W. and Warren, S. (1950) A radioautographic method for detailed localization of radio active isotopes in tissues without isotope loss. Proc. Soc. Exp. Biol. Med., 73, 545.

52) Holt, M. W. and Warren, S. (1951) Raidoautograpic solubitity studies of I^{131} and P^{32} in frozen-dehydrated tissues. Proc. Soc. Exp. Biol. Med., 76, 4.

53) Holt, M. W. and Warren, S. (1951) P^{32} localization in the intestine. Proc. Soc. Exp. Biol. Med., 76, 709.

54) Holt, M. W., Sommers, S. C. and Warren, S. (1952) Preparation of tissue sections for quantitative histochemical studies. Anat. Rec., 112, 177.

55) Holtfreter, J. (1948) Concepts on the mechanism of embryonic induction and its relation to parthenogenesis and malignancy. Symposia Soc. Exp. Biol., 2, 17.

*56) Hufnagel, C. A. (1953) Experimental and clinical observations on the transplantation of blood vessels, in "The preservation of normal tissues for transplantation". Ciba Foundation Symposium.

57) Hyatt, G. W., Turner, T. C., Bassett, C. A. L., Pate, J. W. and Sawyer, P. N. (1952) New methods for preserving bone, skin and blood vessels. Postgrad. Med., 12, 239.

58) Hydén, H. (1943) Protein metabolism in the nerve cell during growth and function. Acta Physiol. Scand., 6, Suppl. 17.

59) Jansen, M. T. (1954) Testing the performance of a simple freeze-drying apparatus for histochemical purposes. Exp. Cell Res., 7, 318.

60) Jensen, W. A. (1954) A new approach to the freeze-drying of tissue. Exp. Cell Res., 7, 572.

61) Kaliss, N. and Newton, O. (1949) The effect of injection dosage level of lyophilized mouse tissue on the subsequent growth of a tumor homoiotranplant. Anat. Rec., 105, 535.

62) Kaliss, N. and Snell, G. D. (1951) The effects of injections of lyophilized normal and neoplastic mouse tissues on the growth of tumor homoiotransplants in mice. Cancer Res., 11, 122.

63) 兼平信一 (1953) 生物学的材料の凍結乾燥法. VII. 組織標本作製方法としての凍結乾燥法について. 特に凍結並びに乾燥条件の吟味. 低温科学, 10, 137.

64) Katzin, H. M. (1947) The preservation of corneal tissue by freezing and dehydration. Am. J. Opthalmol., 30, 1128.

65) 河邨文一郎 (1953) 骨移植の新しい動き. 札幌医学雑誌, 4, 381.

66) 河邨文一郎・内海寿海 (1954) 骨髄並びに可塑骨 (冷凍乾燥微細骨片) の血球凝集反応について. 札幌医学雑誌, 5, 54.

67) 河邨文一郎・柳田 隆 可塑骨 A の刺戟性について. 札幌医学雑誌, 5, 57.

*68) 河邨文一郎 (1954) 骨移植の動向と可塑骨. 整形外科, 5, 8.

69) 河邨文一郎・内海寿海 (1954) 可塑骨 (冷凍乾燥骨微細片) の製法とその性状. 日整形外科誌, 27, 471.

70) 河邨文一郎・星井孜・柳田隆・浜田愛子 移植用骨片・特に可塑骨の塑形について. 日整形外科誌, 27, 480.

71) 河邨文一郎・柳田隆・浜田愛子 可塑骨 (冷凍乾燥骨微細片) 移植に関する実験的研究. 日整形外科誌, 27, 487.

*72) Kawamura, B. (1954) The "moderable bone" as a new homograft. Sapporo Med. J., 5, 205.

73) Knox, R. (1939) Desiccation of filterable tumours and other biological materials. J. Path. Bact., 49, 467.

74) Koonz, C. H. and Ramsbottom, J. M. (1939) A method for studying the histological structure of frozen products. I. Poultry. Food Res., 4, 117.

75) Kreuz, F. P., Hyatt, G. W., Turner, T. C. and Bassett, A. L. (1951) The preservation and clinical use of freeze-dried bone. J. Bone & Joint Surg., 33-A, 863.

76) Leblond, C. P. (1943) Locating iodine in tissues autographically, especially after fixation by freezing and drying. Stain Technology, 18, 159.

77) Leopold, I. H. and Adler, F. H. (1947) Use of frozen-dried cornea as transplant material. Arch. Opthalmol., 37, 268.

78) Lev, M. and Saphir, O. (1951) Endophlebohypertrophy and phlebosclerosis. Arch. Pathol., 51, 154.

79) Linderstrøm-Lang, K., Lanz, H., and Mogensen, K. R. Studies on enzymic histology. XIII. C. r. Lab. Carlsberg. Serie Chim., 20, 66, (1935) XXIX. Ibid., 21, 315, (1938) XXXI. Ibid., 23, 27, (1938).

80) Lowry, O. H. (1953) The quantitative histochemistry of the brain. J. Histochem. Cytochem., 1, 420.

81) Mancini, R. E. (1948) Histochemical study of glycogen in tissues. Anat. Rec., 101, 149.

82) Mann, I. & Dunn, W. J. (1949) Propagation of mouse carcinoma by dried tumor tissue. Brit. Med. J., ii, 255.

83) Marrangoni, A. G. and Cecchini, L. P. (1951) Homotransplantation of arterial segments preserved by the freeze-drying method. Ann. Surg., 134, 977.

84) Marshall, J. M. (1951) Localization of adrenocorticotrophic hormone by histochemical and immunochemical methods. J. Exp. Med., 94, 21.

85) McDonald, A. M., Cobb, J., Solomon, A. K. and Steinberg, D. (1949) Stripping film technique for radioautographs. Proc. Soc. Exp. Biol. Med., 72.

*86) Medewar, P. B. and Billingham, R. E. (1951) The viability of mammalian skin after freezing, thawing and freeze-drying, in "Freezing and Drying". Inst. Biol., London.

87) Naidoo, D. and Pratt, O. E. (1951) The localization of some acid phosphatases in brain tissue. J. Neurol. Neurosurg. & Psych., 14, 287.

*88) 中島雅男・辻井禎・直良博人 (1950) 凍結乾燥による顕微鏡切片標本の製作法. 科学, 20, 204.

89) 根井外喜男・兼平信一 (1953) 生物学的材料の凍結乾燥法. VIII. 凍結乾燥組織の酸素消費について. 低温科学, 10, 163.

90) Passey, R. D. and Dmochowski, L. (1950) Freezing and desiccation of mouse tumours. Brit. Med. J., ii, 1129.

91) Passey, R. D., Lansnitzki, I. and Millard, A. (1950) Cultivation in vitro of frozen and dessicated mouse tumour tissues. Brit. Med. J., ii, 1134.

*92) Passey, R. D. and Dmochowski, L. (1951) Freeze-drying of tumour tissues, in "Freezing and Drying". Inst. Biol., London.

*93) Pate, J. W. (1953) Transplantation of preserved non-viable tissue, in "Preservation and Transplantation of Normal Tissues". Ciba Foundation Symposium.

94) Polge, C., Smith, A. U. and Parkes, A. S. (1949) Revival of spermatozoa after vitrification and dehydration at low temperature. Nature, 164, 666.

95) Richins, C. A. (1948) Use of the freezing-drying technique for study of vasomotor activity. Science, 107, 25.

96) Robertis, E. (1941) The intracellular colloid of the normal and activated thyroid gland of the rat studied by the freezing-drying method. Am. J. Anat. 68, 317.

*97) Scott, G. H. (1934) A critical study and review of the method of microincineration. Protoplasma, 20, 133.

*98) Scott, G. H. and Hoerr, N. L. (1950) Drying: Frozen-dehydration method for histologic fixation. in "Med. Physics", Chicago.

99) 七戸幸夫 (1953) 胸廓形成術肋骨の臨床的利用に関する細菌学的並びに放射線学的研究。I. 放射線の結核菌並びに骨微細片に混入した冷凍乾燥 BCG に及ぼす影響. 札幌医学雑誌, 4, 189.

100) 七戸幸夫 (1953) 同上. II. 同誌, 4, 271.

*101) 白木博次 (1953) 生物化学ハンドブック. 技報堂.

102) 白木博次・山本達也・室伏君士 (1954) 神経組織の凍結乾燥法と二三の成果. 精神神経誌, 56, 111.

103) Simpson, W. L. (1941) An experimental analysis of the Altmann technic of freezing-drying. Anat. Rec. 80, 173.

104) Sjöstrand, F. (1944) Uber die Eigenfluoreszenz tierischer Gewebe mit besonderer Berücksichtigung der Säugetierniere. Acta Anat. Suppl. 1.

*105) Sjöstrand, F. (1951) Freeze-drying of tissues for cell analysis by light and electron microscopy, in "Freezing and Drying". Inst. Biol., London.

106) Snell, G. D., Cloudman, A. M., Failor, E. and Douglass, P. (1946) Inhibition and stimulation of tumor homoiotransplants by prior injections of lyophilized tumor tissue. J. Natl. Cancer Inst., 6, 303.

107) Strominger, J. L. and Lowry, O. H. (1952) Microchemical determination of several dehydrogenase enzymes in rabbit brain. Federation Proc., 11, 295.

*108) Strong, W. R. (1953) The tissue bank. Its operation and management. "Preservation and Transplantation of Normal Tissues". Ciba Foundation Symposium.

109) Strumia, M. M. and Hershey, J. I. (1948) Imbedding of pathologic specimens in transparent plastic. J. Lab. Clin. Med., 33, 1311.

110) 朱雀素道 (1954) 凍結乾燥法，ホルマリン固定法及びロスマン液固定法による動物細胞核の収縮性の比較. 福岡医誌, 45, 36.

*111) Sylvén, B. (1951) Effects of freezing and drying compared with common fixation procedures, in "Freezing and Drying". Inst. Biol., London.

112) Treffenberg, L. (1953) A method of freezing-drying of histological preparations. Arkiv Zool., 4, 295.

113) Wang, K. J. and Grossman, M. I. (1949) Histochemical study of alkaline phaphatase in tissue prepared by the freezing-drying method. Anat. Rec., 104, 79.

114) Warner, P. T. J. C. P. and Gostling, J. V. T. (1950) The effect of freezing and freeze-drying on the transplantation of sarcome 37. Brit, J. Cancer, 4, 380.

115) Warner, P. T. J. C. P., Gostling, J. V. T. and Thackray, A. C. (1950) The fate of grafts of sarcoma 37 mince after exposure to low temperature and freez-drying. Brit. J. Cancer, 4, 396.

116) Webster, J. P. (1944) Refrigerated skin grafts. Ann. Surg., 120, 431.

117) Weiss, P. (1943) Repair of peripheral nerves by grafts of frozen-dried nerve. Proc. Soc. Exp. Biol. Med., 52, 326.

118) Weiss, P. (1943) Nerve reunion with sleeves of frozen-dried artery in rabbits, cats and monkeys. Proc. Soc. Exp. Biol. Med., 54, 274.

119) Weiss, P. (1943) Functional nerve regeneration through frozen-dried nerve grafts in cats and monkeys. Proc. Soc. Exp. Biol. Med., 54, 277.

120) Weiss, P. (1944) The morphogenetic properties of frozen-dried tissues. Anat. Rec., 88, 48.

121) Weiss, P. and Taylor, A. C. (1943) Repair of peripheral nerves by grafts of frozen-dried nerve. Proc. Soc. Exp. Biol. Med., 52, 326.

122) Weiss, P. and Taylor, A. C. (1944) Transplantation of frozen-dried cornea in the rat. Anat. Rec., 88, 49.

123) 山田正興 (1953) 組織の凍結乾燥装置の試作と真空脱水速度の測定. 奈良医誌, 4, 6

124) 吉田和夫 (1954) 凍結乾燥法による組織標本の作成. 京都医学会雑誌, 5. 241.

5). 食　　品

食品の凍結乾燥は新鮮なものの性質をなるべく失なわないということを最大の目的としている。

果汁類への応用が多いようであるが, いずれにせよ工業的な大量生産のものばかりである。

1) Barker, J., Gane, R., and Mapson, L. W. (1946) The quality of green peas dried in the frozen state. Food Manufacture, 21, 345.

2) Brooks, J. and Hawthorne, J. R. (1943) Dried egg. V. The pH of reconstituted dried egg. J. Soc. Chem. Ind. (London), 62, 181.

3) Burton, L. V. (1947) High vacuum techniques utilized for drying orange juice. Food Ind., 19, 107.

4) Cloud, H. R. (1950) Advances in evaporation freezing made by minute-maid plant. Food Ind., 22, 1891.

5) Ede, A. J. (1949) The low-temperature vacuum drying process as applied to green peas. J. Soc. Chem. Ind., 68. 336.

6) Gane, R. (1950) The water relations of some dried fruits, vegetables and plant products. J. Sci. Food Agr. 2, 42.

*7) Gane, R. (1951) Freeze-drying of foodstuffs, in "Freezing and Drying". Inst. Biol., London.

*8) Gane, R. (1954) The freeze-drying of foodstuff, in "Biological Applications of Freezing and Drying". Academic Press.

9) Goresline, H. E. (1947) A discussion of bacteriological standards for dehydrated foods. Am. J. Publ. Health., 37, 1277.

10) Hellier, E. G. (1949) High vac belt dryer improves product, cuts costs. Food Ind., 21, 1191.

11) Hirschmann, D. J. and Lightbody, H. D. (1947) Rosazurin reduction test and microbiology of egg powders prepared by lyophilization. Food Res., 12, 372.

12) Hirschmann, D. J. and Lightbody, H. D. (1947) Effect of bacteria on quality of stored lyophilized egg powders. Food Res., 12, 381.

13) Howard, L. B. (1945) Desiccants improve dry packs. Food Packer, 26, No. 4. 31.

*14) Mastenbroek, G. G. A. (1954) The freeze-drying of mother's milk, in "Biological Applications of Freezing and Drying". Academic Press.

15) McFarlane, A. S. (1942-3) The drying of foodstuffs in the frozen state. Proc. Brit. Assoc. Refrig., 39, 69.

16) Meyer, J. C. and Stolz, E. (1946) The freeze-drying of foods – A look into the future. Farm Res., 12.

17) Schroeder, A. L. and Cotton, R. H. (1948) Dehydration of orange juice. Ind. Eng. Chem., 40, 803.

18) Schwarz, H. W. and Penn, F. E. (1948) Production of orange juice concentrate and powder. Ind. Eng. Chem., 40, 938.

19) Sluder, J. C., Olsen, R. W., and Kenyon, E. M. (1947) A method for the production of dry powdered orange juice. Food Res., 1, 85.

6). 其 の 他

1) Hetherington, D. C. and Craig, J. S. (1939) Tissue culture growth stimulants from ground frozen-dried chick embryos. Proc. Soc. Exp. Biol. Med., 44, 282.

2) Hetherington, D. C. (1954) The preservation of media for the culture of bacteria and tissues, in "Biological Applications of Freezing and Drying". Academic Press.

3) Peacock, P. R. and Shukoff, R. I. (1940) Use of desiccated chick cmbryo in tissue culture technique. Nature, 146, 30.

4) Shukoff, R. I. (1942) Use of desiccated chick embryo in tissue culture technique. Nature, 150, 461.

5) Svihla, R. D. and Osterman, E. (1943) Growth of orchid seeds after dehydration from the frozen state. Science, 98, 23.