



HOKKAIDO UNIVERSITY

Title	X III. References
Citation	MEMOIRS OF THE FACULTY OF FISHERIES HOKKAIDO UNIVERSITY, 44(1), 53-60
Issue Date	1997-05
Doc URL	https://hdl.handle.net/2115/21907
Type	departmental bulletin paper
File Information	44(1)_P53-60.pdf



XIII. References

- Allen, D.M., Loew, D.M. and McFarland, W.N.(1982). Seasonal changes in the amount of visual pigment in the retinae of fish. *Can. J.Zool.*, 60, 281-287.
- Amano, M., Oka, Y., Aida, K., Okumoto, N., Kawashima, S. and Hasegawa, Y.(1991). Immunocytochemical demonstration of salmon GnRH and chicken GnRH-II in the brain of masu salmon, *Oncorhynchus masou*. *J. Comp. Neurol.* 314, 587-597.
- Andel, T.H.V.(1985). *New Views on an Old Planet*. Uda, T.(ed). Tukiiji Shokan, Tokyo.
- Aoyama, J., Kobayashi, T. and Tsukamoto, K.(1996). Phylogeny of eels suggested by mitochondrial DNA sequences. *Nippon Suisann Gakkaishi*, 62, 370-375.
- Ashihara, M., Suzuki, M., Kubokawa, K., Yoshiura, Y., Kobayashi, M., Urano, A. and Aida, K.(1995) Two differing precursor genes for the salmon-type gonadotropin-releasing hormone exist in salmonids. *J. Mol. Endocrinol.*, 15, 1-9.
- Avise, J.C., Helfman, G.S., Saunders, N.C. and Hales, L.S.(1986). Mitochondrial DNA differentiation in North Atlantic eels; Population genetic consequences of an unusual life history pattern. *Proc. Natl. Acad. Sci. USA.*, 83, 4350-4354.
- Avise, J.C., Nelson, W.S., Arnold, J., Koehn, R.K., Williams, G.C. and Thorsteinsson, V.(1990). The evolution genetic status of Icelandic eels. *Evolution*, 44, 1254-1262.
- Bates, M.K.(1990). Recent experience in cost efficient fish passage in Washington State. p.335-342, *Proc. Fishways'90 in Gifu, Gifu*.
- Bates, M.K.(1992). *Fishway Design Guidelines for Pacific Salmon*. Ken Bates, Olympia, Washington.
- Bern, H.A. and Nishioka, R.S.(1993). Aspects of salmonid endocrinology: the known and the unknown. *Bull. Fac. Fish. Hokkaido Univ.*, 44, 55-67.
- Blackbourn, D.J.(1987). Sea surface temperature and the pre-season prediction of return timing in Fraser River sockeye salmon (*Oncorhynchus nerka*). *Can. Spec. Publ. Fish. Aquat. Sci.* 96, 296-306.
- Bodznick, D.(1978a). Water source preference and lakeward migration of sockeye salmon fry (*Oncorhynchus nerka*). *J. Comp. Physiol.*, 127A, 139-146.
- Bodznick, D.(1978b). Calcium ion: an odorant for natural water discriminations and the migratory behavior of sockeye salmon. *J. Comp. Physiol.*, 127A, 157-166.
- Bradley, B., Clark, J.M. and Kraus, F.(1991). When molecules and morphology clash: A phylogenetic analysis of the North American ambystomatid salamanders (Caudata: Ambystomatidae). *Systematic Zool.*, 40, 284-303.
- Brannon, E.L.(1987). Mechanisms stabilizing salmonid fry emergence. *Can. Spec. Publ. Fish. Aquat. Sci.*, 96, 120-124.
- Brett, J.R.(1995). Energetics. p.1-68, Groot, C., Margolis, L. and Clarke, W.C.(eds.). *Physiological Ecology of Pacific Salmon*. University of British Columbia Press, Vancouver.
- Buck, R.J.G. and Hay, D.W.(1984). The relation between stock size and progeny of Atlantic salmon *Salmo salar* L. in a Scottish stream. *J. Fish. Biol.*, 24, 1-11.
- Calderwood, W.L.(1908). *The life of the salmon, with reference more especially to the fish of Scotland*. Arnold, London.
- Castle, P.H.J.(1974). On the validity of the freshwater eel species *Anguilla ancestralis* Ege, from Celebes. *Copeia*, 2, 569-570.
- Chernitsky, A.G.(1980). Functional state of chloride cells of Baltic salmon (*Salmo salar* L.) at different stages of its life cycle. *Comp. Physiol. Biochem.* 67A, 519-522.
- Clarke, W.C. and Hirano, T.(1995). Osmoregulation. p.317-377, Groot, C., Margolis, L. and Clarke, W.C.(eds.). *Physiological Ecology of Pacific Salmon*. University of British Columbia Press, Vancouver.
- Clarke, W.C., Kreiberg, H., Jensen, J. and Blackburn, J.(1996). Temperature effect on swimming performance and on sexual maturation in early Stuart sockeye salmon. *Can. MS. Rep. Fish. Aquat. Sci.* (In press)
- Clarke, W.C., Shelbourn, J.E. and Brett, J.R.(1981). Effect of artificial photoperiod cycles, temperature, and salinity on growth and smolting in underyearling coho (*Oncorhynchus kisutch*), chinook (*O. tshawytscha*), and sockeye (*O. nerka*) salmon. *Aquaculture*, 22, 105-116.
- Clarke, W.C., Shelbourn, J.E., Ogasawara, T. and Hirano, T.(1989). Effects of initial daylength on growth, seawater adaptability and plasma growth hormone levels in underyearling coho, chinook and chum salmon. *Aquaculture*, 82, 51-62.
- Clarke, W.C. and Smith, H.D.(1972). Observations on the migration of sockeye salmon fry (*Oncorhynchus nerka*) in

- thelower Babine River. J. Fish. Res. Board. Can., 29, 151-159.
- Clarke, W.C., Withler, R.E. and Shelbourn, J.E.(1992). Genetic control of juvenile life history pattern in chinook salmon (*Oncorhynchus tshawytscha*). Can. J. Fish. Aquat. Sci., 49, 2300-2306
- Clarke, W.C., Withler, R.E. and Shelbourn, J.E. (1994). Heritability of smolting phenotypes in backcrosses of stream-type x ocean-type hybrid chinook salmon (*Oncorhynchus tshawytscha*). Estuaries, 17, 13-25.
- Clay, C.H.(1961). Design of Fishways and Other Fish Facilities. Dept. of Fisheries of Canada, Ottawa.
- Cunjak, R.A. and Green, J.M.(1984). Species dominance by brooktrout and rainbow trout in a simulated stream environment. Trans. Am. Fish. Soc., 113, 737-743.
- Eddy, F.B. and Talbot, C.(1985). Urine production in smolting Atlantic salmon *Salmo salar* L. Aquaculture, 45, 67-72.
- Ege, V.(1939). A revision of the genus *Anguilla* Shaw, asystematic, phylogenetic and geographical study. Dana Report, 16, 1-256.
- Felsenstein, J.(1993). PHYLIP, Version 3.5. University of Washington, Seattle.
- FISCO (1994) Report to Mizushigen Kaihatsu Koudan on Fishway Research in Muro-Matsubara Diversion Weir. Aichi-Toyogawa Yousui Shinkou Kyokai, Nagoya.
- Foighil, D. and Smith, M.J.(1995). Evolution of asexuality in the cosmopolitan marine clam *Lasaea*. Evolution, 49, 140-150.
- Fraser, N.H.C., Metcalfe, N.B. and Thorpe, J.E.(1993). Temperature dependent switch between diurnal and nocturnal foraging in salmon. Proc. Roy. Soc. London B, 252, 135-139.
- Fried, S.M., McCleave, J.D. and LaBar, G.W.(1978). Sea ward migration of hatchery-reared Atlantic salmon, *Salmo salar*, smolts in the Penobscot River estuary, Maine: Riverine movements. J. Fish. Bd. Can., 35, 76-87.
- Garcia de Leaniz, C.(1987). Site fidelity and homing of Atlantic salmon parr in a small Scottish stream. p.70-80, Brannon, E. and Jonsson, B. (eds.). Proceedings of the Salmonid Migration and Distribution Symposium. University of Washington Press, Seattle.
- Godin, J.G.J.(1981). Migrations of salmonid fishes during early life history phases: daily and annual timing. p.22-50, Brannon, E.L. and Salo, E.O.(eds). Proceedings of the Salmon and Trout Migratory Behavior Symposium. School of Fisheries, University of Washington, Seattle.
- Godin, J.G.J., Dill, P.A. and Drury, D.E.(1974). Effects of thyroid hormones on behaviour of yearling Atlantic salmon (*Salmo salar*). J. Fish. Res. Bd. Can., 31, 1787-1790.
- Grande, R.(1995). Fishway solutions in connection with hydraulic-electric plants and regulated rivers in Norway. p.17-24, Proc. Fishways'90 in Gifu, Gifu.
- Grant, J.W.A.(1990). Aggressiveness and foraging behavior of young-of-the-year brook charr (*Salvelinus fontinalis*). Can. J. Fish. Aquat. Sci., 47, 915-920.
- Grant, J.W.A. and Noakes, D.L.G.(1987). Simple model of optimal territory size for drift-feeding fish. Can. J. Zool., 65, 270-276.
- Greenstreet, S.P.R.(1992a). Migration of hatchery reared juvenile Atlantic salmon (*Salmo salar*) smolts down a release ladder. I. Environmental effects on migratory behaviour. J. Fish. Biol., 40, 655-666.
- Greenstreet, S.P.R.(1992b). Migration of hatchery reared juvenile Atlantic salmon, *Salmo salar* L., smolts down a release ladder. 3. Reactions on exiting the ladder. J. Fish. Biol., 40, 683-694.
- Groot, C.(1981). Modifications on a theme - a perspective on migratory behavior of Pacific salmon. p.1-21, Brannon, E.L. and Salo, E.O.(eds). Proceedings of the Salmon and Trout Migratory Behavior Symposium. School of Fisheries, University of Washington, Seattle.
- Groot, C. and Margolis, L.(1991). Pacific Salmon Life Histories. University of British Columbia Press, Vancouver.
- Groot, C. and Quinn, T.P.(1987). Homing migration of sockeye salmon, *Oncorhynchus nerka*, to the Fraser River. Fish. Bull.(US), 85, 455-469.
- Gross, M.R.(1987). Evolution of diadromy in fishes. Amer. Fish. Soc. Symp., 1, 14-25.
- Gross, M.R.(1994). The evolution of behavioural ecology. Trends Ecol. Evol., 10, 358-360.
- Gross, M.R., Coleman, R.M. and McDowall, R.M.(1988). Aquatic productivity and the evolution of diadromous fish migration. Science, 239, 1291-1293.
- Gross, M.R. and Maekawa, K.(1989). The evolution of reproductive strategies in fishes. p.162-210, Goto, A. and Maekawa, K.(eds.). Reproductive Behaviour in Fish: Styles and Strategies. Tokai University Press, Tokyo.
- Hadfield, K.A., Swalla, B.J. and Jeffery, W.R.(1995). Multiple origin of anurans inferred from rDNA sequences. J. Mol. Evol., 40, 413-427.
- Hamano, T., Yoshimi, K., Hayashi, K., Kakimoto, H. and Shokita, S.(1995). Experiments on fishways for freshwater amphidromous shrimps. Nippon Suisan Gakkaishi, 61, 171-178.

- Hansen, L.P. and Jonsson, B.(1985). Downstream migration of hatchery-reared smolts of Atlantic salmon (*Salmo salar* L.) in the River Isma. *Aquaculture*, 45, 237-248.
- Hansen, L.P. and Jonsson, B.(1989). Salmon ranching experiments in the River Isma; Effect of timing of Atlantic (*Salmo salar*) smolt migration on the survival to adults. *Aquaculture*, 82, 367-373.
- Haq, B.U.(1984). Paleogeography: A synoptic overview of 200 million years of ocean history. p.201-234, Haq, B.U. and Millimanin, J.D.(eds). *Marine Geography and Oceanography of Arabian Sea and Coastal Pakistan*. Van Nostrand Reinhold, New York.
- Harden-Jones, F.R.(1968). *Fish migration*. Edward Arnold, London.
- Harden-Jones, F.R., Arnold, G.P. and Greer-Walker, M.(1979). Selective tidal stream transport and the migration of plaice (*Pleuronectes platessa*) in the southern North Sea. *J. Cons.int. Explor. Mer.*, 39, 331-337.
- Heifetz, J.S., Johnson, W., Koski, K.V. and Murphy, M.L.(1989). Migration timing, size and salinity tolerance of sea-type sockeye salmon (*Oncorhynchus nerka*) in an Alaska estuary. *Can.J. Fish. Aquat. Sci.*, 46, 633-637.
- Hinch, S.G., Healey, M.C., Diewert, R.E., Thomson, K.A., Hourston, R., Henderson, M.A. and Juanes, F.(1995). Potential effects of climate change on marine growth and survival of Fraser River sockeye salmon. *Can. J. Fish. Aquat. Sci.*, 52, 2651-2659.
- Hiraoka, S., Suzuki, M., Yanagisawa, T., Iwata, M. and Urano, A.(1993). Divergence of gene expression in neurohypophysial hormone precursors among salmonids. *Gen. Comp. Endocrinol.*, 92, 292-301.
- Hoar, W.S.(1954). The behaviour of juvenile Pacific salmon, with particular reference to the sockeye (*Oncorhynchus nerka*). *J.Fish. Res. Bd. Can.*, 11, 131-139.
- Hoar, W.S.(1965). The endocrine system as a chemical link between the organism and its environment. *Trans. R. Soc. Can.* 4, 175-200.
- Huntingford, F.A., Thorpe, J.E., Garcia de Leaniz, C. and Hay, D.W.(1992). Patterns of growth and smolting in autumn migrants from a Scottish population of Atlantic salmon *Salmo salar* L. *J. Fish. Biol.*, 41 (Suppl. B), 43-51.
- Huntsman, A.G.(1962). Method in ecology-ectology. *Ecology*, 43, 552- 556.
- Hyodo, S., Fujiwara, M., Kozono, S., Sato, M. and Urano, A.(1988) Development of an in situ hybridization method for neurohypophysial hormone mRNAs using synthetic oligonucleotide probes. *Zool. Sci.*, 5, 397-406.
- Hyodo, S., Kato, Y., Ono, M. and Urano, A.(1991). Cloning and sequence analyses of cDNAs encoding vasotocin and isotocin precursors of chum salmon, *Oncorhynchus keta*: Evolutionary relationships of neurohypophysial hormone precursors. *J. Comp.Physiol. B*, 160, 601-608.
- Idler, D.R. and Clemmons, W.A.(1959). The energy expenditures of Fraser River sockeye salmon during the spawning migration to Chilko and Stuart lakes. *Int. Pac. Salmon. Fish. Comm. Prog.Rep.*, 6, 80.
- Iwata, M.(1995). Downstream migratory behavior of salmonids and its relationship with cortisol and thyroid hormones: a review. *Aquaculture*, 135, 131-139.
- Iwata, M., Yamanome, T., Tagawa, M., Ida, H. and Hirano, T.(1989). Effects of thyroid hormones on phototaxis of chum and coho salmon juveniles. *Aquaculture*, 82, 329-338.
- Iwata, M., Yamauchi, K., Nishioka, R.S., Lin, R. and Bern, H.A.(1990). Effects of thyroxine, growth hormone and cortisol on salinity preference of juvenile coho salmon (*Oncorhynchus kisutch*). *Mar. Behav. Physiol.*, 17, 191-201.
- Jokura, Y. and Urano, A.(1987). Extrahypothalamic projection of immunoreactive vasotocin fibers in the brain of the toad, *Bufo japonicus*. *Zool. Sci.* 4, 675-681.
- Kaeriyama, M.(1985). Adaptation and differentiation of *Oncorhynchus*. *Aquabiology*, 7, 426-432.
- Kaeriyama, M.(1986). Ecological study on early life of the chum salmon, *Oncorhynchus keta* (Walbaum). *Sci. Rep. Hokkaido Salmon Hatchery*, 40, 31-92.
- Kaeriyama, M.(1991). Dynamics of the lacustrine sockeye salmon population in Lake Shikotsu, Hokkaido. *Sci. Rep. Hokkaido Salmon Hatchery*, 45, 1-24.
- Kaeriyama, M.(1992). Efficient techniques for producing sockeye salmon smolt and improving adult returns from Kokanee salmon. p.75, Ishida, Y., Nagasawa, K., Welch, D.W., Myers, K.W. and Shershhev, A.P. (eds). *Proceeding of the International Workshop on Future Salmon Research in the North Pacific Ocean*. National Research Institute of Far Seas Fisheries, Fisheries Agency of Japan, Shimizu.
- Kaeriyama, M.(1994). Life history strategy of sockeye salmon (in Japanese). p.101-113, Goto, A., Tsukamoto, K. and Maekawa, K.(eds.). *Freshwater fishes migrating between river and sea*. Tokai University Press, Tokyo.

- Kaeriyama, M.(1996). Population dynamics and stock management of hatchery-reared salmon in Japan. Bull. Natl. Res. Inst.Aquacult. Suppl., 2, 11-15.
- Kaeriyama, M. and Sato, S.(1979). Studies on a growth and feedinghabit of the chum salmon fry during seaward migration in theTokachi River System -III. Relationship between migration timeand growth or the feeding behavior of the fry during 1977. Sci.Rep. Hokkaido Salmon Hatchery, 33, 47-73.
- Kaeriyama, M, Urawa, S. and Suzuki, T.(1992). Anadromous sockeyesalmon (*Oncorhynchus nerka*) derived from nonanadromous kokanee:life history in Lake Toro. Sci. Rep. Hokkaido Salmon Hatchery,46, 157-174.
- Kalleberg, H.(1958). Observations in a stream tank ofterritoriality and competition in juvenile salmon and trout(*Salmo salar* L. and *Salmo trutta* L.). Rep. Inst. Fresh. Res.Drotningholm, 39, 55-98.
- Kamula, R.(1995). Interdisciplinary research for successful fishmigration improvement. p.385-390, Proc. Fishways'90 in Gifu,Gifu.
- Katopodis, C.(1982). A Study of the hydraulics of Denil fishways.Master thesis to the University of Alberta, Edmont.
- Katopodis, C.(1995). On developing sturgeon fishways. p.37-53,River-Front Center (ed.). Proc. of Sapporo Meeting on FishPassage for Northern Countries, Tokyo.
- Kennedy, G.J.A. and Greer, J.E.(1988). Predation by cormorants,*Phalacrocorax carbo* (L.), on the salmonid populations of anIrish river. Aqua. Fish. Manag., 19, 159-170.
- Kennedy, G.J.A., Strange, C.D., Anderson, R.J. and Johnston, P.M.(1984). Experiments on the descent and feeding of hatchery- reared salmon smolts (*Salmo salar* L.) in the River Bush. Fish.Manag., 15, 15-25.
- Kimura, M.(1980). A simple method for estimating evolutionaryrate of base substitution through comparative studies ofnucleotide sequences. J. Mol. Evol., 16, 111-120.
- Kocher, T.D., Thomas, W.K., Meyer, A., Edwards, S.V., Paabo, V.Villablanca, F.X and Wilson, A.C.(1989). Dynamics ofmitochondrial DNA evolution in animals: Amplification andSequencing with conserved primers. Proc. Natl. Acad. Sci. USA.,86, 6196-6200.
- Krebs, J.R. and Davies, N.B.(1991). Behavioural Ecology: AnEvolutionary Approach. 3rd ed, Blackwell ScientificPublications, Oxford.
- Kubo, T.(1974). Notes on the phase differentiation and smolttransformation of juvenile masu salmon (*Oncorhynchus masou*). Sci. Rep. Hokkaido Salmon Hatchery, 28, 9-26.
- Kuno, S., Kubokawa, K., Urano, A., Ishii, S. and Nagasawa, H.(1995) Cloning and sequence analysis of isotocin-I gene of chum salmon. Zool. Sci., 12 suppl, 7.
- Kuroda, K.(1991). Studies on the recruitment process focusing onthe early life history of the Japanese sardine, *Sardinops melanostictus* (Schlegel). Bull. Natl. Res. Inst. Fish. Sci., 3, 25-287.
- LaBar, G.W., McCleave, J.D. and Fried, S.M.(1980). Seawardmigration of hatchery-reared Atlantic salmon, *Salmo salar*,smolts in the Penobscot River estuary, Maine: open watermovements. J. Cons. int. Exp. Mer., 38, 257-269.
- Langdon, J.S. and Thorpe, J.E.(1985). The ontogeny ofsmoltification: developmental patterns of gill Na⁺/K⁺ATPase, SDHand chloride cells in juvenile Atlantic salmon *Salmo salar* L.Aquaculture, 45, 83-95.
- Langdon, J.S., Thorpe, J.E. and Roberts, R.J.(1984). Effects ofcortisol and ACTH on gill Na⁺/K⁺ATPase, SDH and chloride cells in juvenile Atlantic salmon *Salmo salar* L. Comp. Biochem.Physiol., 77A, 9-12.
- Larinier, M., Porcher, J.P., Travade, F. and Gosset, C.(1994).Fish Passes. Conseil Superieur de la Peche, Paris.
- Lundqvist, H. and Eriksson, L-O.(1985). Annual rhythms of swimmingbehaviour and sea water adaptation in young Baltic salmon,*Salmo salar*, associated with smolting. Env. Biol. Fish., 14,259-267.
- Mayama, H.(1992). Studies on the freshwater life and propagationtechnology of masu salmon, *Oncorhynchus masou* (Brevoort). Sci.Rep. Hokkaido Salmon Hatchery, 46, 1-156.
- Mayama, H., Kato, Seki, J. and Shimizu, I.(1982). Studies on thechum salmon released in the Ishikari River System - I. On theseaward migration and inshore distributions of liberated fry in1979. Sci. Rep. Hokkaido Salmon Hatchery, 36, 1-17.
- Mayama, H. and Takahashi, T.(1977). Ecological observation on theadult salmon-(1). Sci. Rep. Hokkaido Salmon Hatchery, 31, 21- 28.
- McCleave, J.D.(1978). Rhythmic aspects of estuarine migration ofhatchery reared Atlantic salmon (*Salmo salar*) smolts. J. Fish.Biol., 12, 559-570.
- McDowall, R.M.(1987). Evolution and importance of diadromy: Theoccurrence and distribution of diadromy among fishes. Amer.Fish. Soc. Symp., 1, 1-13.
- McDowall, R.M.(1988). Diadromy In Fishes: Migrations BetweenFreshwater And Marine Environments. Croom

Helm, London

- McDowall, R.M.(1992). Diadromy: origins and definitions of terminology. *Copeia*, 1992, 248-251.
- McGechaen, R.(1994). Recent developments relating to fish passage on the Fraser River. p.104-109, *River-Front Center* (ed.). *Procof Fish Habitat/Stream Improvement Forum*. Tokyo.
- McKeown, B.(1984). *Fish migration*. Croom Timber Press, Beaverton.
- Metcalfe, N.B., Huntingford, F.A., Graham, D. and Thorpe, J.E.(1989). Early social status and the development of life history strategies in Atlantic salmon. *Proc. Roy. Soc. London B*, 236, 7- 19.
- Metcalfe, N.B., Taylor, A.C. and Thorpe, J.E.(1995). Metabolic rate, social status and life-history strategies in Atlantic salmon. *Anim. Behav.*, 49, 431-436.
- Meyer, A.(1993). Evolution of mitochondrial DNA in fishes. p.1- 38. Hochachke, P.W. and Mommsen, T.P. (eds). *Biochemistry and Molecular Biology of Fishes*. Elsevier Science Publishers, New York.
- Mitchel, C.P.(1995). Fish passage problems in New Zealand. p.33- 41, *Proc. Fishways'90 in Gifu, Gifu*.
- Mommsen, T.P., French, C.J., and Hochachka, P.W.(1980). Sites and patterns of protein and amino acid utilization during the spawning migration of salmon. *Can. J. Zool.*, 58, 1785-1799.
- Moore, A. and Potter, E.C.E.(1994). The movements of sea trout (*Salmo trutta* L.) smolts through the estuary of the River Avon, Southern England. *Fish. Manag. Ecol.*, 1, 1-14.
- Moore, A., Potter, E.C.E. and Buckley, A.A.(1992). Estuarine behaviour of migrating Atlantic salmon (*Salmo salar* L.) smolts. p.389-399, Priede, I.G. and Swift, S.M. (eds.). *Wildlife Telemetry Remote Monitoring and Tracking of Animals*. Ellis Horwood, London.
- Moore, A., Potter, E.C.E., Milner, N.J. and Bamber, S.(1995). The migratory behaviour of wild Atlantic salmon (*Salmo salar*) smolts in the estuary of the River Conwy, North Wales. *Can. J. Fish. Aquat. Sci.*, 52, 1923-1935.
- Moore, A., Russell, I.C. and Potter, E.C.E.(1990a). Preliminary results from the use of a new technique for tracking the estuarine movements of Atlantic salmon (*Salmo salar* L.) smolts. *Aqua. Fish. Manag.* 21, 369-371.
- Moore, A., Russell, I.C. and Potter, E.C.E.(1990b). The effects of intraperitoneally implanted dummy acoustic transmitters on the behaviour and physiology of juvenile Atlantic salmon, *Salmo salar* L. *J. Fish. Biol.*, 37, 713-721.
- Naito, Y., Asaga, T. and Ohyama, Y.(1990). Diving behavior of Adélie penguins determined by time-depth recoder. *Condor*, 92, 582-586.
- Nakamura, S.(1994). Hydraulics of bending-slope fishway, p.143- 153, *Proc. Habitat Hydraulics. SINTEF NHL and NINA, Trondheim*.
- Nakamura, S.(1995). Recent habitat restoration and fish passage efforts in Japanese streams. *Fisheries and Oceans Canada, Winnipeg*.
- Nakamura, S., Noda, M., Misawa, H and Nakahara, Y.(1995). Temporarily installed long, steep Denil fishways on the Ohkohchi Sabo-Dam. p.155-162, *Proc. Fishways'95 in Gifu, Gifu*.
- Obata, I.(1993). *Natural History of the Cretaceous* (in Japanese). University of Tokyo Press, Tokyo.
- Ogura, M. and Ishida, Y.(1995). Homing behavior and vertical movements of four species of Pacific salmon (*Oncorhynchus* spp.) in the central Bering Sea. *Can. J. Fish. Aquat. Sci.* 52, 532- 540.
- Palumbi, S., Martin, A., Romano, S., McMillan, W.O., Stice, L. and Grabowski, G.(1991). *The Simple Fool's Guide to PCR Ver.2.0*. University of Hawaii, Honolulu.
- Pohjamo, T.(1995). A combination of fishway and boat channel. p.371-375, *Proc. Fishways'90 in Gifu, Gifu*.
- Primmatt, D.R.N., Eddy, F.B., Miles, M.S., Talbot, C. and Thorpe, J.E.(1988). Transepithelial ion exchange in salmon. I. Seaward migration may be caused by ion regulatory stress. *Fish. Physiol. Biochem.*, 5, 181-186.
- Prunet, P. and Boeuf, G.(1989). Plasma prolactin levels during smolting in Atlantic salmon, *Salmo salar* L. *Fish. Physiol. Biochem.*, 5, 181-186.
- Ricker, W.E.(1938). "Residual" and kokanee salmon in Cultus Lake. *J. Fish. Res. Bd. Can.*, 4, 192-217.
- Ricker, W.E.(1940). On the origin of kokanee, a freshwater type of sockeye salmon. *Proc. Trans. R. Soc. Can. Ser.*, 34, 121-135.
- Rimmer, D.N., Paim, U. and Saunders, R.L.(1984). Changes in the selection of microhabitat by juvenile Atlantic salmon (*Salmo salar*) at the summer-autumn transition in a small river. *Can. J. Fish. Aquat. Res. Bd. Can.*, 41, 460-475.
- Saitou, N. and Nei, M.(1987). The neighbor-joining method: A new method for reconstructing phylogenetic trees. *Mol. Biol. Evol.* 4, 406-425.
- Satomi, Y., Kubokawa, K., Ando, H., Ono, M. and Urano, A.(1994). Cloning and sequence analysis of vasotocin-I gene of chum salmon. *Zool. Sci.*, 11 suppl, 9.

- Saunders, R.L.(1965). Adjustment of buoyancy in young Atlantic salmon and brook trout by changes in swimbladder volume. *Can.J. Fish. Aquat. Res. Bd. Can.*, 22, 335-352.
- Scottish Office (1995). Notes for Guidance on the Provision of Fish Passage and Screens. *Agr. Fish. Dept., Scotland*.
- Simpson, T.H.(1985). *Epilogue. Aquaculture*, 45, 395-398.
- Smirnov, A.I.(1959). Differences in the biology of reproduction and development of residual or dwarf sockeye and anadromous sockeye, *Oncorhynchus nerka* (Walbaum). *Nauchn. Dokl. Vyssh. Shk. Biol.Nauk.*, 3, 59-65.
- Solomon, D.J.(1978). Some observations on salmon smolt migration in a chalk stream. *J. Fish. Biol.* 12, 571-574.
- Stradmeyer, L. and Thorpe, J.E.(1987). Feeding behaviour of wild Atlantic salmon *Salmo salar* L., parr in mid- to late summer in a Scottish river. *Aqua. Fish. Manag.*, 18, 33-49.
- Sugita, R. and Urano, A.(1986). Responses of magnocellular neurons in *in vitro* eel preoptic nucleus (PONmg) to acetylcholine, catecholamines, vasotocin, isotocin, angiotensin, and Na⁺. *Zool. Sci.*, 3, 1081.
- Suzuki, M., Hyodo, S., Kobayashi, M., Aida, K. and Urano, A.(1992). Characterization and localization of mRNA encoding the salmon- type gonadotrophin-releasing hormone precursor of the masu salmon. *J. Mol. Endocrinol.* 9, 73-82.
- Suzuki, M., Hyodo, S. and Urano, A.(1992). Cloning and sequence analyses of vasotocin and isotocin precursor cDNAs in the masu salmon, *Oncorhynchus masou*: Evolution of neurohypophysial hormone precursors. *Zool. Sci.*, 9, 157-167.
- Tagawa, M. and Hirano, T.(1989). Changes in tissue and blood concentrations of thyroid hormones in developing chum salmon. *Gen. Comp. Endocrinol.*, 76, 437-443.
- Tannatt, T.E.P.(1938). *Fish Passes*. Edward Arnold, London.
- Taylor, E.B.(1990). Phenotypic correlates of life-history variation in juvenile chinook salmon, *Oncorhynchus tshawytscha*. *J. Anim. Ecol.*, 59, 455-468.
- Taylor, E.B.(1991). Behavioral interaction and habitat use in juvenile chinook, *Oncorhynchus tshawytscha*, and coho, *O. kisutch*, salmon. *Anim. Behav.*, 42, 729-744.
- Taylor, L. and Taylor, R.A.J.(1977). Aggregation, migration and population mechanics. *Nature*, 265, 415-421.
- Tesch, F.W.(1977). *The Eel*. Chapman and Hall, London.
- Thorpe, J.E.(1982). Migration in salmonids with special reference to juvenile movements in freshwater. p.86-97. Salo, E.O. and Bannon, E.L. (eds.). *Proceedings of the Salmon and Trout Migratory Behaviour Symposium*. University of Washington Press, Seattle.
- Thorpe, J.E.(1994). Salmonid fishes and the estuarine environment. *Estuaries*, 17, 76-93.
- Thorpe, J.E., McConway, M.G., Miles, M.S. and Muir, J.S.(1987). Diel and seasonal changes in resting plasma cortisol levels in juvenile Atlantic salmon *Salmo salar* L. *Gen. Comp. Endocrinol.*, 65, 19-22.
- Thorpe, J.E., Metcalfe, N.B. and Fraser, N.H.C.(1994). Temperature dependence of switch between nocturnal and diurnal smolt migration in Atlantic salmon. p.83-86. MacKinlay, D.D. (ed.). *High Performance Fish*. Fish Physiology Association, Vancouver.
- Thorpe, J.E. and Morgan, R.I.G.(1978). Periodicity in Atlantic salmon *Salmo salar* L. smolt migration. *J. Fish. Biol.*, 12, 541- 548.
- Thorpe, J.E., Morgan, R.I.G., Pretswell, D. and Higgins, P.J.(1988). Movement rhythms in juvenile Atlantic salmon, *Salmo salar* L. *J. Fish. Biol.* 33, 391-940.
- Thorpe, J.E., Ross, L.G., Struthers, G. and Watts, W.(1981). Tracking Atlantic salmon smolts *Salmo salar* L. through Loch Voil, Scotland. *J. Fish. Biol.*, 19, 519-537.
- Tsukamoto, K.(1992). Discovery of spawning area of the Japanese eel. *Nature*, 356, 789-791.
- Tytler, P., Thorpe, J.E. and Shearer, W.M.(1978). Ultrasonic tracking of the movements of Atlantic salmon smolts (*Salmo salar*) in the estuaries of two Scottish rivers. *J. Fish. Biol.*, 12, 575-586.
- Urano, A.(1988). Neuroendocrine control of anterior preoptic neurons and initiation of mating behavior. *Zool. Sci.*, 5, 925- 937.
- Urano, A., Kubokawa, K. and Hiraoka, S.(1994). Expression of the vasotocin and isotocin gene family in fish. *Fish. Physiol.* XIII, 101-132.
- Van den Thillart, G.(1986). Energy metabolism of swimming trout (*Salmo gairdneri*). *J. Comp. Physiol. B*, 156, 511-520.
- Varnavsky, V.S., Kinas, N.M. and Rostomova, S.A.(1993). Development of seawater adaptation in pink salmon, *Oncorhynchus gorbuscha*, during downstream migration: relationships to temperature and residual yolk. *Envir. Biol. Fish.* 36, 373-379.
- Videler, J.J.(1993). *Fish Swimming*. Chapman and Hall, London.
- Wada, K., Nakamura, S. and Azuma, N.(1996). Field experiment on standard Denil and steep-pass at a diversion

- weir in the Okitsuriver (in preparation for the Int. Symp. on Implementing and Advancing Fish Passage Technology, Monterey, CA, 1997).
- Wada, T. and Kashiwai, M.(1991). Changes in growth and feeding ground of Japanese sardine with fluctuation in stock abundance. p.181-190. Kawasaki, T., Tanaka, S., Toba, Y. and Taniguchi, A.(eds.). Long-term Variability of Pelagic Fish Populations and Their Environment. Pergamon Press, Oxford.
- Wankowski, J.W.J. and Thorpe, J.E.(1979). Spatial distribution and feeding in Atlantic salmon, *Salmo salar* L. juveniles. *J. Fish. Biol.*, 14, 239-247.
- Watanabe, Y., Zenitani, H. and Kimura, R.(1995). Population decline of the Japanese sardine *Sardinops melanostictus* owing to recruitment failures. *Can. J. Fish. Aquat. Sci.*, 52, 1609-1616.
- Watanabe, Y., Zenitani, H. and Kimura, R.(1996a). Causes of population decline in the Japanese sardine (*Sardinops melanostictus*): Overfishing or early mortality? p.83-94. Watanabe, Y., Yamashita, Y. and Oozeki, Y.(eds.). Survival Strategies in Early Life Stages of Marine Resources. A.A. Balkema, Rotterdam.
- Watanabe, Y., Zenitani, H. and Kimura, R.(1996b). Offshore expansion of spawning of the Japanese sardine, *Sardinops melanostictus*, and its implication for egg and larval survival. *Can. J. Fish. Aquat. Sci.*, 53, 55-61.
- Watanuki, Y., Mori, Y. and Naito, Y.(1992). Adélie penguin parental activities and reproduction: Effects of device size and timing of its attachment during chick rearing period. *Polar Biol.*, 12, 539-544.
- Webb, P.W.(1995). Locomotion. p.69-99, Groot, C., Margolis, L. and Clarke, W.C.(eds.). *Physiological Ecology of Pacific Salmon*. University of British Columbia Press, Vancouver.
- Welch, D.W., Chigirinsky, A.I. and Ishida, Y.(1995). Upper thermal limits on the oceanic distribution of Pacific salmon (*Oncorhynchus* spp.) in the spring. *Can. J. Fish. Aquat. Sci.*, 52, 489-503.
- White, H.C. and Huntsman, A.G.(1938). Is local behaviour in salmon inheritable? *J. Fish. Res. Bd. Can.*, 4, 1-8.
- Wilson, R.P., Grant, W.S. and Duffy, D.C.(1986). Recording devices on free-ranging marine animals: Dose measurement after foraging performance? *Ecology*, 67, 1091-1093.
- Wood, C.C., Riddell, B.E. and Rutherford, D.T.(1987). Alternative juvenile life histories of sockeye salmon (*Oncorhynchus nerka*) and their contribution to production in the Stikine River, Northern British Columbia. *Can. Spec. Publ. Fish. Aquat. Sci.* 96, 12-24.
- Yamagishi, H.(1962). Growth relation in some small experimental populations of rainbow trout fry, *Salmo gairdneri* Richardson with special reference to social relations among individuals. *Jpn. J. Ecol.*, 12, 43-53.
- Youngson, A.F., Buck, R.G.J., Simpson, T.H. and Hay, D.W.(1983). The autumn and spring emigrations of juvenile Atlantic salmon, *Salmo salar* L. from the Girmock Burn, Aberdeenshire, Scotland: environmental release of migration. *J. Fish. Biol.*, 23, 625-639.

