



# HOKKAIDO UNIVERSITY

Title	MARINE ALGAE EPIPHYTIC ON LAMINARIALES PLANTS
Author(s)	TOKIDA, Jun
Citation	北海道大學水産學部研究彙報, 11(3), 73-105
Issue Date	1960-11
Doc URL	<a href="https://hdl.handle.net/2115/23102">https://hdl.handle.net/2115/23102</a>
Type	departmental bulletin paper
File Information	11(3)_P73-105.pdf



# MARINE ALGAE EPIPHYTIC ON LAMINARIALES PLANTS

Jun TOKIDA

*Faculty of Fisheries, Hokkaido University*

## Contents

Introduction .....	73
List of Epiphytes .....	78
Cyanophyceae .....	78
Chlorophyceae .....	79
Phaeophyceae .....	81
Rhodophyceae .....	91
Summary .....	102
Literature .....	102

## Introduction

Since the time of Tobler's classical work entitled "Epiphyten der Laminarien," published in 1909, many phycologists have accumulated numerous data about the epiphytic marine algae growing on or in the thallus of Laminariales plants. However, no one has ever published to date a list of those epiphytes, so far as the writer is aware. The list here presented has been prepared by consulting 63 publications of previous investigators and by adding certain new data obtained during a research on the organisms growing on the Laminariales plants that was carried out by the writer in collaboration with one of his students (Tokida & Yama, 1960).

Epiphytism of seaweeds is in certain cases a fixed character of a species but in others merely an occasional phenomenon occurring in a species only by chance. Many seaweeds which usually grow on rocks can also attach epiphytically to other seaweeds if conditions are favourable. So it may seem meaningless to enumerate the epiphytes of Laminariales plants. As a matter of fact, however, there is always a definite tendency in the quality and quantity of epiphytic seaweeds growing on a certain species of Laminariales at a given locality and in a given season. Far-distance migration of a seaweed may be a matter of possibility if the seaweed grows epiphytically on a detached and drifting thallus of a kelp such as *Nereocystis luetkeana*. Epiphytic organisms growing more or less markedly on some economically important kelps may draw the attention of fishermen. A list of epiphytic marine algae such as the present one will be of some use in providing certain items of information for a study of these and related problems.

The present list comprises 126 genera and 285 species of seaweeds that have been reported to be epiphytic on the Laminariales plants belonging to 22 genera. These epiphytes

include 2 genera and 3 species of Cyanophyceae, 16 genera and 22 species of Chlorophyceae, 37 genera and 116 species of Phaeophyceae, and 71 genera and 144 species of Rhodophyceae. They are all attaching directly to, or growing in the tissue of, the surface of the host frond except only two endozoic species, viz., *Endodictyon infestans* GRAN (No. 47) and *Acrochaetium infestans* HOWE et HOYT (No. 154). The former grows in the body of a Bryozoa, *Membranipora* sp., attached to the old blade of *Laminaria*, and the latter in stolons and hydrocaules of a Hydrozoa, *Obelia geniculata*, attached to the frond of *Laminaria*.

Certain relations between the hosts and the epiphytes are summarized in Tables I and II. Among the 22 genera of Laminariales, *Laminaria* stands first in the number of epiphytic algal genera which count 106 in total. Next comes *Alaria* whose epiphytes are 27 in number of genera. Then follows *Chorda* with 21 epiphytic genera. The giant kelps, *Macrocystis* and *Nereocystis*, show comparatively few epiphytes contrary to one's quite natural expectation, having been reported to furnish substrata to 4 and 10 genera of epiphytic algae respectively. From the view point of discovery of new epiphytic species and forms, however, *Nereocystis luetkeana* is most remarkable among the hosts as it has been reported by Setchell & Gardner (1922, 1925) to be the host on which they discovered and described many new algae including 9 species of *Compsonema*, 2 *Myrionema* and one *Streblonema*, not to speak of varieties and forms.

As learnt from the present list, a host plant is often mentioned in the literature with its full specific name but sometimes only with its generic name. As for the genus *Laminaria*, 16 specific names can be picked up from the list. Of those species, *L. hyperborea*\* stands first in the number of epiphytes which comprise 50 genera and 66 species; next come *L. digitata* and *L. saccharina* whose epiphytes comprise 36 genera with 61 species and 24 genera with 29 species respectively. For the remaining 13 species of *Laminaria*, their respective epiphytes are recorded to be only one to six species in number.

In view of the literature cited, it may be said that the present list gives the general aspect of the epiphytic algae of the Laminariales plants known from the noteworthy regions of the world if not a complete enumeration of all the epiphytes ever reported.

---

\**Laminaria hyperborea* in this paper includes *Laminaria Cloustonii* according to the conception of Du Rietz, G. E. (Nomenclature of *Laminaria digitata* (Huds.) Lamour. and *Laminaria hyperborea* (Gunn.) Foslie. *Sv. Bot. Tidskr.* 47 (1), 15-23. 1953).

Table I. Generic names of the hosts and the epiphytes that are treated in the present paper and the relation between them

Epiphyte \ Host	Host																						
	Chorda	Agarum	Alaria	Arthrothamnus	Costaria	Dictyonium	Ecklonia	Eckloniopsis	Egregia	Eisenia	Hedophyllum	Laminaria	Lessoniopsis	Macrocystis	Nereocystis	Pleurophycus	Pleuropterum	Postelsia	Pterygophora	Saccorhiza	Thalassiohyllum	Undaria	
CYANOPHYCEAE																							
Xenococcus (2)*	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Calothrix (1)	+	..	..	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
CHLOROPHYCEAE																							
Ulothrix (1)	..	..	..	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Acrochaete (1)	+	..	..	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Bolbocoleon (1)	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Pseudodictyon (1)	..	..	..	..	..	+	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Pseudopringsheimia (2)	..	..	..	..	..	..	..	+	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Ulvelia (1)	..	..	..	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Acrosiphonia (1)	..	..	..	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Chaetomorpha (1)	..	..	..	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Cladophora (2)	..	..	..	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Rhizoclonium (1)	+	..	..	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Spongomorpha (3)	..	..	..	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Ulva (2)	..	..	..	..	..	..	..	+	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Monostroma (2)	..	..	+	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Codiolum (1)	..	..	..	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Derbesia (1)	..	..	..	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Struvea (1)	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
PHAEOPHYCEAE																							
Ectocarpus (21)	+	..	+	..	..	..	..	..	+	..	..	+	..	+	..	..	..	..	..	..	..	+	+
Endodictyon (1)	..	..	..	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Entonema (2)	+	..	..	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Laminariocolax (1)	..	..	+	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Phaeostroma (2)	+	..	..	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Pylaiella (3)	..	..	+	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Streblonema (9)	..	..	+	..	..	..	..	..	..	..	+	+	..	..	+	..	..	..	..	..	..	..	..
Ralfsia (2)	..	..	..	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Sphacelaria (4)	+	..	..	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Chaetopteris (1)	..	..	+	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Halopteris (1)	..	..	..	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Acrothrix (2)	+	..	..	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Chordaria (1)	..	..	..	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..
Papenfussiella (1)	..	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..
Microcoryne (1)	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

(Continue)

(Continued)

Epiphyte \ Host	Host																						
	Chorda	Agarum	Alaria	Arthrothamnus	Costaria	Dictyoneurum	Ecklonia	Eckloniopsis	Egregia	Eisenia	Hedophyllum	Laminaria	Lessoniopsis	Macrocystis	Nereocystis	Pleurophycus	Pleuropterum	Postelsia	Pterygophora	Saccorhiza	Thalassiohyllum	Undaria	
Elachista (1)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Leptonema (1)	..	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Ascocyclus (5)	..	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Chilonema (1)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Clathrodiscus (1)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Compsonea (11)	..	..	..	..	..	..	..	..	+	..	+	..	..	..	..	..	..	..	..	..	..	..	..
Hecatonema (8)	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Myrionema (14)	..	..	..	..	+	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Symphycarpus (1)	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Coilodesme (1)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Dictyosiphon (2)	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Giraudia (1)	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Myriotrichia (1)	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Asperococcus (3)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Desmotrichum (1)	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Halorhipis (1)	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Litosiphon (5)	+	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rhadinocladia (1)	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Isthmoplea (1)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Desmarestia (1)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Tilopteris (1)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Laminaria (2)	..	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
RHODOPHYCEAE																							
Goniotrichum (1)	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Erythrocladia (1)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Erythrotrichia (2)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Porphyropsis (1)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Porphyra (5)	..	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Porphyrella (1)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Acrochaetium (10)	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Audouinella (1)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Chantransia (1)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Kylinia (1)	..	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rhodochorton (7)	..	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Dumontia (1)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Cruoriella (1)	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

(Continue)

(Continued)

Epiphyte	Host																						
	Chorda	Agarum	Alaria	Arthrothamnus	Costaria	Dictyoneurum	Ecklonia	Eckloniopsis	Egregia	Eisenia	Hedophyllum	Laminaria	Lessoniopsis	Macrocystis	Nereocystis	Pleurophycus	Pleuropterum	Postelsia	Pterygophora	Saccorhiza	Thalassiohyllum	Undaria	
Peyssonelia (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rhododermis (2) .....	..	..	+	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	+	..	+	..
Cruoria (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Petrocelis (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Callophyllis (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Cirrularcarpus (1) .....	..	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	+	..
Euthora (2) .....	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Kallymenia (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	+	..	..	..	+	..	..	..
Clathromorphum (1) ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Corallina (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Dermatolithon (5) .....	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Epilithon (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Heteroderma (1) .....	..	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..
Lithophyllum (1) .....	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Lithothamnium (5) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Melobesia (3) .....	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	+
Phymatolithon (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Chondrus (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Phyllophora (2) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Plocamium (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Cystoclonium (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rhodophyllis (2) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Bonnemaisonia (2) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Gastroclonium (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Lomentaria (3) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Botryocladia (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rhodymenia (2) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Antithamnion (8) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Callithamnion (3) .....	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Campylaephora (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Ceramium (7) ..	..	+	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Microcladia (1) .....	..	..	..	..	..	..	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..
Neoptilota (1) .....	..	..	..	+	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Pleonosporium (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	+
Plumaria (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Ptilota (3) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	+

(Continue)

(Continued)

Epiphyte	Host																						
	Chorda	Agarum	Alaria	Arthrohamnus	Costaria	Dictyoneurum	Ecklonia	Eckloniopsis	Egregia	Eisenia	Hedophyllum	Laminaria	Lessoniopsis	Macrocystis	Nereocystis	Pleurophycus	Pleuropterum	Postelsia	Pterygophora	Saccorhiza	Thalassophyllum	Undaria	
Ptilothamnion (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Spermothamnion (1) ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Acrosorium (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Apoglossum (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Delesseria (2) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Hymenena (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Hypoglossum (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Membranoptera (4) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Pantoneura (3) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Phycodrys (2) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Yendonia (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Heterosiphonia (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Amplisiphonia (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Brongniartella (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Chondria (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Laurencia (2) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Odonthalia (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Placophora (2) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Polysiphonia (9) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Pterosiphonia (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rhodomela (2) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Taenioma (1) .....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

\* Numeral in parentheses is the number of species enumerated in the genus concerned.

## List of Epiphytes

## CYANOPHYCEAE

## PLEUROCAPSALES

## PLEUROCAPSACEAE

1. *Xenococcus laminariae* J. FELDM.J. Feldmann (1954): On *Laminaria hyperborea* (blade).2. *X. crouanii* J. FELDM.J. Feldmann (1954): On *Laminaria ochroleuca* (blade).

Table II. Number of epiphyte genera reported to have been found on each of the 22 host genera

Host	Number of Epiphytic algal genera				
	Cyano.	Chloro.	Phaeo.	Rhodo.	Total
Laminaria	2	13	30	61	106
Alaria	0	1	11	15	27
Chorda	1	3	12	5	21
Nereocystis	0	0	5	5	10
Egregia	0	2	4	3	9
Thalassiophyllum	0	1	1	6	8
Saccorhiza	0	0	5	3	8
Pterygophora	0	0	0	7	7
Macrocystis	0	0	1	3	4
Ecklonia	0	0	0	4	4
Agarum	0	0	0	2	2
Eisenia	0	0	1	1	2
Hedophyllum	0	0	2	0	2
Pleurophycus	0	0	1	1	2
Arthrothamnus	0	0	0	1	1
Costaria	0	0	1	0	1
Dictyoneurum	0	1	0	0	1
Eckloniopsis	0	1	0	0	1
Lessoniopsis	0	0	1	0	1
Pleuropterum	0	0	0	1	1
Postelsia	0	0	1	0	1
Undaria	0	0	0	1	1

## OSCILLATORIALES

## OSCILLATORIACEAE

3. *Calothrix confervicola* (ROTH) AG.Printz (1926): On *Chorda filum*, *Laminaria* (blade).

## CHLOROPHYCEAE

## ULOTRICHALES

## ULOTRICHACEAE

4. *Ulothrix flacca* (DILLW.) THUR.Jónsson (1901-3): On *Laminaria*.

## CHAETOPHORACEAE

5. *Acrochaete repens* PRINGSH.Jónsson (1901-3), Kylin (1910), Waern (1952); On *Chorda filum*.Taylor (1937, 1957): On *Chorda* (cortex), *Laminaria* (cortex).

6. **Bolbocoleon piliferum** PRINGSH.  
Kylin (1910): On *Chorda filum*.  
Setchell & Gardner (1920), Kylin (1949): On *Chorda*.
7. **Pseudodictyon geniculatum** GARDN.  
Setchell & Gardner (1920): On *Laminaria sinclairii*.  
G. M. Smith (1944): On *Dictyoneurum californicum* (cortex).
8. **Pseudopringsheimia apiculata** SETCH. et GARDN.  
Setchell & Gardner (1920), G. M. Smith (1944): On *Egregia menziesii*.
9. **P. confluens** (ROSENV.) WILLE  
Kylin (1910, as *P. penetrans* KYLIN), Levring (1937): On *Laminaria hyperborea*.
10. **Ulvella fucicola** ROSENV.  
Jónsson (1901-3): On *Laminaria digitata* (stipe).  
CLADOPHORACEAE
11. **Acrosiphonia spinescens** (KÜTZ.) KJELLM.  
Printz (1926): On *Laminaria* (old blade).
12. **Chaetomorpha melagonium** (WEB. et MOHR.) KÜTZ.  
Kylin (1910): On *Laminaria hyperborea* (stipe).
13. **Cladophora rupestris** (L.) KÜTZ.  
Kylin (1910): On *Laminaria hyperborea*.
14. **Cladophora** sp.  
Sundene (1953): On *Laminaria saccharina*.
15. **Rhizoclonium kochianum** KÜTZ.  
Sundene (1953): On *Chorda filum*.
16. **Spongomorpha arcta** (DILLW.) KÜTZ.  
Printz (1926): On *Laminaria*.
17. **S. duriuscula** COLL. var. **tenuis** YAMADA  
Yamada (1935): On *Thalassiophyllum clathrus* (blade).
18. **Spongomorpha** sp.  
Jónsson (1901-3): On *Laminaria hyperborea*.  
ULVALES  
ULVACEAE
19. **Ulva angusta** SETCH. et GARDN.  
G. M. Smith (1944): On *Egregia laevigata*.
20. **U. pertusa** KJELLM.  
Tokida & Yama (1960): On *Laminaria japonica* and *L. religiosa* (blade).  
MONOSTROMACEAE
21. **Monostroma lactuca** (L.) J. AG.  
Printz (1926): On *Laminaria* and *Alaria*.

**22. M. undulatum** WITTR.

Jónsson (1901-3): On *Laminaria* (stipe).

## CHLOROCOCCALES

## CHLOROCHYTRIACEAE

**23. Codiolum petrocelidis** KUCK.

Jónsson (1901-3): On *Laminaria hyperborea* (stipe).

## SIPHONALES

## DERBESACEAE

**24. Derbesia marina** (LYNGB.) KJELLM.

Printz (1926): On *Laminaria hyperborea*.

Levring (1937): On *Laminaria* (stipe).

## VALONIACEAE

**25. Struvea delicatula** KÜTZ.

Segawa (1938): On *Eckloniopsis radicata* (blade).

## PHAEOPHYCEAE

## ECTOCARPALES

## ECTOCARPACEAE

**26. Ectocarpus confervoides** (ROTH) LE JOL.

Printz (1926): On *Laminaria* (stipe, blade).

f. **typica** KJELLM.

Rosenvinge & Lund (1941): On *Chorda filum*, *Laminaria digitata*.

f. **dasycarpa** (KUCK.) ROSENV.

Rosenvinge & Lund (1941): On *Laminaria* (stipe).

f. **penicillata** (AG.) KJELLM.

Rosenvinge & Lund (1941): On *Chorda filum*.

f. **pygmaea** (ARESCH.) ROSENV.

Rosenvinge & Lund (1941): On *Laminaria digitata* (stipe, blade).

G. M. Smith (1944, as var. *pygmaeus* (ARESCH.) KJELLM.): On Laminariales.

f. **siliculosa** (AG.) KJELLM.

Rosenvinge & Lund (1941): On *Chorda filum*, *Laminaria*.

**27. E. cylindricus** SAUND.

Setchell & Gardner (1925): On *Egregia menziesii*.

G. M. Smith (1944): On Laminariales, *Egregia menziesii*.

**28. E. dimorphus** SILVA

G. M. Smith (1944, as *E. variabilis* (SAUND.) G. M. SMITH.): On *Laminaria setchellii*, *Lessoniopsis littoralis*.

Silva (1957), Scagel (1957): On Laminariales.

**29. E. draparnaldioides** (CR.) KJELLM.

Kjellman (1883), Levring (1937): On *Laminaria digitata*.

- Kylin (1910): On *Laminaria digitata*, *L. hyperborea*.  
 Printz (1926): On *Laminaria* (blade).  
 Rosenvinge & Lund (1941): On *Laminaria digitata*, *L. saccharina*.  
 J. Feldmann (1954): On *Laminaria* (blade), *Saccorhiza polyschides* (blade).
- 30. E. fasciculatus** (GRIFF.) HARV.  
 Jónsson (1901-3): On *Laminaria digitata* f. *stenophylla*, *Alaria esculenta* (stipe, blade).  
 Kylin (1910): On *Alaria*.  
 Printz (1926): On *Laminaria digitata*.  
 Levring (1937): On *Laminaria*.  
 Taylor (1937, 1957): On Laminariaceae.  
 Rosenvinge & Lund (1941): On *Laminaria digitata*, *Chorda filum*.  
 J. Feldmann (1954): On *Chorda filum*.  
 Jaasund (1957): On *Laminaria digitata*, *L. hyperborea*.
- 31. E. fructuosus** SETCH. et GARDN.  
 G. M. Smith (1944): On *Nereocystis luetkeana*.
- 32. E. fusiformis** NAGAI  
 Yamada & Tanaka (1944): On *Laminaria* sp. (blade).  
 Nagai (1941): On *Thalassiophyllum clathrus* (stipe).
- 33. E. granulosooides** SETCH. et GARDN.  
 G. M. Smith (1944): On *Nereocystis luetkeana*.
- 34. E. granulatus** (SMITH) AG.  
 Rosenvinge & Lund (1941): On *Laminaria digitata*.  
 J. Feldmann (1954, as *Giffordia granulosa* (SMITH) HAMEL): On *Laminaria saccharina*.
- 35. E. hiemalis** CROUAN  
 Printz (1926): On *Laminaria hyperborea* (blade).
- 36. E. hincksiae** HARV.  
 Jónsson (1901-3): On *Laminaria hyperborea*.  
 Printz (1926): On *Laminaria* (old blade).  
 Levring (1937): On *Saccorhiza bulbosa*.  
 J. Feldmann (1954, as *Giffordia hincksiae* (HARV.) HAMEL): On Laminariales (blade), particularly on *Saccorhiza polyschides*.
- 37. E. ovatus** KJELLM.  
 Printz (1926): On *Laminaria* (stipe).
- 38. E. oviger** HARV.  
 Setchell & Gardner (1925), G. M. Smith (1944): On *Nereocystis luetkeana*.  
 Scagel (1957): On *Nereocystis* (stipe).
- 39. E. penicillatus** (AG.) KJELLM.

- Jónsson (1901-3) : On *Laminaria digitata*, *Alaria esculenta*.  
 Printz (1926) : On *Laminaria*.
40. **E. sandrianus** ZANARD.  
 Rosenvinge & Lund (1941) : On *Laminaria digitata*.
41. **E. secundus** KÜTZ.  
 J. Feldmann (1954, as *Giffordia secunda* (KÜTZ.) BATT.) : On *Saccorhiza polyschides* (apex of leathery segment of blade), *Laminaria digitata*.
42. **E. siliculosus** (HUDS.) LYNGB.  
 Printz (1926) : On *Chorda filum*, *Laminaria digitata*, *L. saccharina*.  
 Sundene (1953) : On *Chorda tomentosa*.  
 J. Feldmann (1954, as *E. siliculosus* (DILLW.) LYNGB.) : On *Laminaria saccharina* (blade).
43. **E. terminalis** KÜTZ.  
 Setchell & Gardner (1925) : On *Alaria fistulosa*.  
 Printz (1926) : On *Laminaria digitata* (stipe).
44. **E. tomentosus** (Huds.) LYNGB.  
 Printz (1926) : On *Laminaria digitata* f. *stenophylla* (blade).
45. **E. yezoensis** YAMADA et TANAKA  
 Yamada & Tanaka (1944) : On *Laminaria* sp.
46. **Ectocarpus** sp.  
 Tokida & Yama (1960) : On *Laminaria ochotensis*.
47. **Endodictyon infestans** GRAN  
 Printz (1926) : Endozoic in Bryozoa on *Laminaria saccharina* (old blade).  
 Levring (1937) : Endozoic in *Membranipora* on *Laminaria*.
48. **Entonema aequale** (OLTM.) KYLIN  
 Rosenvinge & Lund (1941, as *Streblonema aequale* OLTM.), Sundene (1953), J. Feldmann (1954) : On *Chorda filum*.
49. **E. maculans** (P. DANG.) HAMEL  
 J. Feldmann (1954) : On *Laminaria digitata* (endophytic in blade).
50. **Laminariocolax tomentosoides** (FARL.) KYLIN  
 Jónsson (1901-3, as *Ectocarpus tomentosoides* FARL.) : On *Laminaria digitata*, *L. hyperborea*, *Alaria esculenta* (stipe).  
 Printz (1926, as *Ectocarpus tomentosoides* subsp. *norvegicus* GRAN.) : On *Laminaria hyperborea* (blade), *L. saccharina*.  
 Levring (1937), Taylor (1937, 1957) : On *Laminaria*.  
 Rosenvinge & Lund (1941) : On *Laminaria digitata*.  
 Sundene (1953) : On *Laminaria saccharina*.  
 J. Feldmann (1954) : On *Laminaria digitata* (blade).

- Jaasund (1957) : On *Laminaria digitata*, *L. hyperborea*, *L. saccharina*.
51. **Phaeostroma pustulosum** KUCK.  
 Jónsson (1901-3) : On *Chorda tomentosa*, *Laminaria saccharina* and f. *phyllitis*.  
 Levring (1937) : On *Laminaria saccharina*.
52. **Phaeostroma** sp.  
 Printz (1926) : On *Laminaria* (old blade).
53. **Pylaiella gardneri** COLLINS  
 Setchell & Gardner (1925), G. M. Smith (1944) : On *Postelsia palmaeformis*.
54. **P. littoralis** (L.) KJELLM.  
 Jónsson (1901-3) : On *Alaria esculenta*, *Saccorhiza dermatodea*.
55. **P. tenella** SETCH. et GARDN.  
 Setchell & Gardner (1925) : On *Pleurophycus gardneri*.  
 Scagel (1957) : On *Pleurophycus*.
56. **Streblonema aecidioides** (ROSENV.) FOSL.  
 Jónsson (1901-3) : On *Laminaria digitata* f. *cucullata*, *L. saccharina* and f. *phyllitis*.  
 Taylor (1937, 1957) : On *Laminaria* (endophytic).
57. **S. deformans** (P. DANG.) HAMEL  
 J. Feldmann (1954) : On *Laminaria digitata* (endophytic in stipe, sometimes causing spiral twist of the stipe).
58. **S. evagatum** SETCH. et GARDN.  
 Setchell & Gardner (1925), G. M. Smith (1944) : On *Laminaria setchellii*.  
 Yamada & Tanaka (1944) : On *Laminaria* sp. (among paraphyses).
59. **S. irregulare** SAUND.  
 Setchell & Gardner (1925) : On *Nereocystis luetkeana*.
60. **S. myrionematoides** SETCH. et GARDN.  
 Setchell & Gardner (1925) : On *Laminaria setchellii*.
61. **S. pacificum** SAUND.  
 Setchell & Gardner (1925) : On *Alaria*.
62. **S. rugosum** SETCH. et GARDN.  
 Setchell & Gardner (1925) : On *Alaria tenuifolia*.  
 Scagel (1957) : On *Alaria tenuifolia* f. *tenuifolia*.
63. **S. scabiosum** SETCH. et GARDN.  
 Setchell & Gardner (1925) : On *Nereocystis luetkeana*.
64. **S. stilophorae** CR. var. **caespitosa** ROSENV.  
 Jónsson (1901-3) : On *Laminaria digitata*.
- RALFSIACEAE
65. **Ralfsia deusta** (AG.) J. AG.

Kjellman (1883) : On *Laminaria* (stipe).

**66. R. pusilla** (STRÖMF.) FOSL.

Strömfelt (1888), Norum (1913) (cf. Levring, 1937) : On *Laminaria saccharina*.

Printz (1926) : On *L. saccharina* (blade).

SPHACELARIALES

SPHACELARIACEAE

**67. Sphacelaria caespitula** LYNGB.

Norum (1913) (cf. Levring 1937) : On *Laminaria*.

Rosenvinge & Lund (1950) : On *Laminaria hyperborea* (stipe).

Sundene (1953) : On *Laminaria digitata*, *L. hyperborea* (stipe).

**68. S. cirrosa** AG.

Sundene (1953) : On *Chorda filum*, *Laminaria saccharina* (blade).

Printz (1926) : On *Laminaria hyperborea* (stipe).

Levring (1937), Rosenvinge & Lund (1950) : On *Laminaria*.

**69. S. furcigera** KÜTZ.

Rosenvinge & Lund (1950) : On *Laminaria digitata*, *L. hyperborea*.

**70. S. olivacea** PRINGSH.

Jónsson (1901-3), Kylin (1907, as *Sphacelaria caespitula*, cf. Rosenvinge & Lund, 1950) : On *Laminaria hyperborea* (stipe).

**71. Chaetopterus plumosa** (LYNGB.) KÜTZ.

Kylin (1910) : On *Laminaria hyperborea*.

Printz (1926) : On *Laminaria* (hapteres).

Rosenvinge & Lund (1950) : On *Laminaria* (hapteres), *L. digitata* (stipe).

Svendsen (1959) : On *Alaria*.

**72. Halopteris filicina** (GRAT.) KÜTZ.

J. Feldmann (1954) : On *Laminaria hyperborea* (base of stipe).

CHORDARIALES

ACROTHRICEAE

**73. Acrothrix gracilis** KYLIN

Rosenvinge & Lund (1943) : On *Laminaria*.

**74. A. pacifica** OKAMURA et YAMADA f. **pacifica** INAGAKI

Yamada (1932), Tokida (1954), Inagaki (1954, 1958) : On *Chorda filum*.

f. **crassa** INAGAKI

Inagaki (1954, 1958) : On *Chorda filum*.

CHORDARIACEAE

**75. Chordaria flagelliformis** (MÜLL.) AG.

Svendsen (1959) : On *Laminaria digitata* (blade).

**76. Papefussiella kuromo** (YENDO) INAGAKI f. **kuromo** INAGAKI

Inagaki (1958) : On *Eisenia bicyclis*.

## CORYNOPHLAEACEAE

77. *Microcoryne ocellatus* STRÖMF.Rosenvinge & Lund (1943) : On *Chorda filum*.

## ELACHISTACEAE

78. *Elachista fucicola* (VELL.) ARESCH.Rosenvinge (1935) : On *Laminaria digitata*.79. *Leptonema fasciculatum* REINKETobler (1909) (cf. Printz, 1926) : On *Laminaria*.Jónsson (1901-3) : On *Laminaria*, *Alaria esculenta*, *Saccorhiza dermatodea*.Rosenvinge (1935) : *Laminaria digitata*.

## MYRIONEMATACEAE

80. *Ascocyclus foecundes* (STRÖMF.) COTTONLevring (1937) : On *Laminaria*, *Alaria esculenta*.81. *A. hispanicus* SAUV.J. Feldmann (1954) : On *Laminaria hyperborea* (blade).82. *A. islandicus* H. JÓNSSONJónsson (1901-3) : On *Laminaria saccharina*.83. *A. orbicularis* (J. AG.) MAGNUSPrintz (1926) : On *Laminaria digitata*.84. *A. saccharinae* COTTONJaasund (1957) : On *Laminaria saccharina*.85. *Chilionema borgeseni* PRINTZPrintz (1926) : On *Laminaria digitata* (blade).86. *Clathrodiscus mandoulii* (SAUV.) HAMELJ. Feldmann (1954) : On *Saccorhiza polyschides* (apex of young blade).87. *Componema fructuosum* SETCH. et GARDN.Setchell & Gardner (1925) : On *Nereocystis luetkeana* (cyst).88. *C. myrionematoides* SETCH. et GARDN.Setchell & Gardner (1925), G. M. Smith (1944) : On *Nereocystis luetkeana* (stipe).89. *C. nummuloides* SETCH. et GARDN.Setchell & Gardner (1925) : On *Nereocystis luetkeana* (cyst).90. *C. pusillum* SETCH. et GARDN.Setchell & Gardner (1925), G. M. Smith (1944) : On *Nereocystis luetkeana*.91. *C. ramulosum* SETCH. et GARDN.Setchell & Gardner (1925) : On *Nereocystis luetkeana*.92. *C. secundum* SETCH. et GARDN.Setchell & Gardner (1925), G. M. Smith (1944) : On *Nereocystis luetkeana*.f. *terminale* SETCH. et GARDN.

- Setchell & Gardner (1925) : On *Nereocystis luetkeana*.  
 Yamada & Tanaka (1944) : On *Laminaria* sp., *Alaria angusta*.
93. *C. serpens* SETCH. et GARDN.  
 G. M. Smith (1944) : On *Egregia menziesii*.
94. *C. sessile* SETCH. et GARDN.  
 Setchell & Gardner (1925), Scagel (1957) : On *Hedophyllum sessile*.
95. *C. speciosum* (BÖRG.) SETCH. et GARDN. f. *piliferum* SETCH. et GARDN.  
 Setchell & Gardner (1925) : On *Nereocystis luetkeana*.
96. *C. sporangiiferum* SETCH. et GARDN.  
 Setchell & Gardner (1925) : On *Nereocystis luetkeana*.
97. *C. streblonematoides* SETCH. et GARDN.  
 Setchell & Gardner (1925) : On *Nereocystis luetkeana*.  
 Scagel (1957) : On *Nereocystis* (cyst).
98. *Hecatonema clavatum* SETCH. et GARDN.  
 Setchell & Gardner (1925) : On *Nereocystis luetkeana*.
99. *H. diffusum* KYLIN  
 Kylin (1910) : On *Laminaria digitata*, *L. hyperborea*.  
 Sundene (1953) : On *Laminaria digitata*.
100. *H. lawsonii* SETCH. et GARDN.  
 Setchell & Gardner (1925) : On *Nereocystis* (sporophyll).
101. *H. maculans* (COLL.) SAUV.  
 Printz (1926) : On *Laminaria hyperborea*, *L. saccharina*.
102. *H. reptans* (CROU.) SAUV.  
 Levring (1937) : On *Laminaria digitata*.
103. *H. speciosum* (BÖRG.) COTTON  
 Levring (1937) : On *Laminaria digitata*, *L. hyperborea*.
104. *H. terminale* (KÜTZ.) KYLIN  
 Levring (1937) : On *Laminaria*.  
 Sundene (1953) : On *Laminaria digitata*.
105. *H. variabile* SETCH. et GARDN.  
 Setchell & Gardner (1925), G. M. Smith (1944) : On *Nereocystis luetkeana* (cyst).
106. *Myrionema aecidioides* (ROSENV.) SAUV.  
 Kylin (1910) : On *Laminaria digitata*, *L. saccharina*.  
 Levring (1937) : On *Laminaria saccharina*.
107. *M. alariae* (NORUM) PRINTZ  
 Norum (1913, as *Phycocelis alariae* NORUM) : On *Alaria*.\*

\*Though Norum's paper has not been consulted by the writer, "*Alaria*" is here listed as the host because the species name of the epiphyte suggests so.

- Printz (1926) : On *Laminaria digitata* (endophytic in stipe).
108. **M. attenuatum** SETCH. et GARDN.  
 Setchell & Gardner (1925), G. M. Smith (1944) : On *Nereocystis luetkeana* (stipe), *Laminaria farlowii*.
- f. **doliiforme** SETCH. et GARDN.  
 Setchell & Gardner (1925) : On *Macrocystis pyrifera* (stipe).
109. **M. balticum** (REINKE) FOSL.  
 Taylor (1937, 1957) : On *Laminaria*.
110. **M. compsonematoides** SETCH. et GARDN.  
 Setchell & Gardner (1925), Scagel (1957) : On *Laminaria complanata*.
111. **M. coronnae** SAUV.  
 Jónsson (1901-3) : On *Laminaria hyperborea* (sorus).  
 Kylin (1910) : On *Laminaria digitata*.  
 Setchell & Gardner (1925) : On *Laminaria pallida*.  
 Taylor (1937, 1957) : On *Laminaria*.  
 Levring (1937) : On *Laminaria*, *Alaria esculenta*.  
 Sundene (1953) : On *Laminaria digitata*, *L. saccharina*.  
 Kurogi (1954) : On *Alaria crassifolia*.  
 J. Feldmann (1954) : On *Laminaria ochroleuca* (blade).  
 Jaasund (1957) : On *Laminaria digitata* f. *stenophylla*.
- f. **angulatum** SETCH. et GARDN.  
 Setchell & Gardner (1925) : On *Egregia menziesii*.
- var. **filamentosa** JÓNSSON  
 Jónsson (1901-3) : On *Laminaria hyperborea* (sorus).
- f. **sterile** SETCH. et GARDN.  
 Setchell & Gardner (1925), G. M. Smith (1944) : On *Nereocystis luetkeana*.
- f. **uniforme** SETCH. et GARDN.  
 Setchell & Gardner (1925). On *Laminaria sinclairii*, *Alaria marginata*, *Costaria costata*.
112. **M. foecundum** (STRÖMF.) FOSL.  
 Kylin (1910) : On *Laminaria digitata*, *Alaria esculenta*.  
 Printz (1926), Taylor (1937, 1957) : On *Laminaria* spp.
- f. **divergens** SETCH. et GARDN.  
 Setchell & Gardner (1925) : On *Nereocystis luetkeana* (sporophyll).
- f. **majus** SETCH. et GARDN.  
 Setchell & Gardner (1925) : On *Laminaria ephemera*.
- f. **ramulosum** SETCH. et GARDN.  
 Setchell & Gardner (1925), Scagel (1957) : On *Nereocystis luetkeana*.

- f. **simplissimum** SETCH. et GARDN.  
Setchell & Gardner (1925), Scagel (1957) : On *Nereocystis luetkeana* (sporophyll).
- f. **subulatum** SETCH. et GARDN.  
Setchell & Gardner (1925) : On *Nereocystis luetkeana*.
113. **M. globosum** (REINKE) FOSL.  
Printz (1926) : On *Laminaria*.
114. **M. hecatonematoides** SETCH. et GARDN.  
Setchell & Gardner (1925) : On *Nereocystis luetkeana* (cyst).
115. **M. laminariae** (ROSENV.) JÓNSSON  
Jónsson (1901-3) : On *Laminaria saccharina* f. *phyllitis* (in outer membrane).
116. **M. minutissimum** SETCH. et GARDN.  
Setchell & Gardner (1925) : On *Egregia menziesii*.
117. **M. obscurum** SETCH. et GARDN.  
Tokida & Yama (1960) : On *Laminaria religiosa* (blade).  
Setchell & Gardner (1925) : On *Costaria costata*.
118. **M. papillosum** SAUV.  
J. Feldmann (1954) : On *Laminaria digitata* (blade).
119. **M. primarium** SETCH. et GARDN.  
Setchell & Gardner (1925) : On *Costaria costata*.  
G. M. Smith (1944) : On Laminariales.
- f. **acuminatum** SETCH. et GARDN.  
Setchell & Gardner (1925) : On *Macrocystis pyrifera*.
120. **Symphiocarpus strangulans** ROSENV.  
Kylin (1910) : On *Laminaria hyperborea* (stipe).
- DICTYOSIPHONALES  
COILODESMACEAE
121. **Coilodesme fucicola** (YENDO) NAGAI  
Nagai (1940) : On *Laminaria longipes* (blade).
- DICTYOSIPHONACEAE
122. **Dictyosiphon ekmani** ARESCH.  
Kylin (1910) : On *Laminaria digitata* (blade).
123. **D. foeniculaceus** (HUDS.) GREV.  
Rosenvinge & Lund (1947) : On *Chorda filum*.
- GIRAUDIACEAE
124. **Giraudia sphacelarioides** DERB. et SOL.  
Rosenvinge & Lund (1947) : On *Chorda filum*, *Laminaria* (hapteres).
- MYRIOTRICHIAEAE
125. **Myriotrichia clavaeformis** HARV.

Rosenvinge & Lund (1947) : On *Chorda filum*.

## PUNCTARIACEAE

126. *Asperococcus bullosus* LAMOUR.

Tobler (1909) (cf. Printz, 1926) : On *Laminaria*.

127. *A. echinatus* (MERT.) GREV.

Tobler (1909) (cf. Printz, 1926) : On *Laminaria*.

Rosenvinge & Lund (1947) : On *Laminaria digitata*, *L. hyperborea*.

f. *vermicularis* (GRIFF.) HARV.

Kylin (1910) : On *Laminaria saccharina* (blade).

128. *A. fistulosus* (HUDS.) HOOK.

Levring (1937) : On *Laminaria*.

129. *Desmotrichum undulatum* (J. AG.) REINKE

Rosenvinge & Lund (1947) : On *Chorda filum*, *Laminaria saccharina* (young frond).

130. *Halorhipis winstonii* (AND.) SAUND.

G. M. Smith (1944) : On *Egregia laevigata*.

131. *Litosiphon filiformis* (REINKE) BATT.

Printz (1926) : On *Laminaria digitata* f. *stenophylla*, *L. saccharina*.

Levring (1937), Rosenvinge & Lund (1947), Jaasund (1957) : On *Laminaria saccharina*.

Sundene (1953) : On *Laminaria digitata*, *L. saccharina*.

132. *L. laminariae* (LYNGB.) HARV.

Kylin (1910), Printz (1926), Levring (1937), J. Feldmann (1954), Jaasund (1957) : On *Alaria esculenta*.

133. *L. pusillus* (CARM.) HARV.

Kylin (1910), Levring (1937), Sundene (1953), J. Feldmann (1954), Jaasund (1957) : On *Chorda filum*.

Printz (1926) : On *Chorda filum*, *Laminaria saccharina*, *Saccorhiza bullosa*.

Rosenvinge & Lund (1947) : On *Chorda filum*, *Laminaria saccharina*.

134. *L. tenuis* LEVRING

Levring (1937), Jaasund (1957) : On *Laminaria digitata*.

135. *L. yezoense* YAMADA et NAKAMURA

Yamada (1944), Yamada & Tanaka (1944) : On *Laminaria* (blade).

136. *Rhadinocladia farlowii* SCHUH

Taylor (1937, 1957) : On *Chorda*.

## STRIARIACEAE

137. *Isthmoplea sphaerophora* (CARM.) KJELLM.

Jónsson (1901-3) : On *Laminaria digitata*.

Printz (1926) : On *Laminaria hyperborea* (stipe).

## DESMARESTIALES

## DESMARESTIACEAE

138. *Desmarestia viridis* (MÜLL.) LAMOUR.

Jónsson (1901-3) : On *Laminaria*.

Printz (1926) : On *Laminaria digitata*.

## TILOPTERIDALES

## TILOPTERIDACEAE

139. *Tilopteris mertensii* (SMITH) KÜTZ.

Printz (1926) : On *Laminaria* (hapteres).

## LAMINARIALES

## LAMINARIACEAE

140. *Laminaria angustata* KJELLM. (young plants).

Hasegawa & Fukuhara (1956) : On *Laminaria angustata* (old blade).

141. *L. japonica* ARESCH. (young plants).

Tokida & Ohiwa (1957) : On *Alaria crassifolia* (old stipe).

## RHODOPHYCEAE

## PROTOFLORIDEAE

## PORPHYRIDIALES

## PORPHYRIDACEAE

142. *Goniotrichum elegans* (CHAUV.) LE JOL.

Reinsch (1875, as *Callonema olivaceum* REINSCH, cf. Hamel, 1924) : On *Chorda filum*.

Tokida (1954) : On *Chorda*.

## BANGIALES

## ERYTHROPELTIDACEAE

143. *Erythrocladia subintegra* ROSENV.

Printz (1926) : On *Laminaria digitata* (blade).

144. *Erythrotrichia carnea* (DILLW.) J. AG.

Sundene (1953) : On *Laminaria saccharina*.

145. *E. welwitschii* (RUPR.) BATT.

G. M. Smith (1944) : On *Nereocystis luetkeana* (stipe).

146. *Porphyropsis coccinea* (J. AG.) ROSENV.

Rosenvinge (1909) : On *Laminaria digitata* (stipe).

Printz (1926) : On *Laminaria hyperborea* (stipe and blade margin).

## BANGIACEAE

147. *Porphyra drachii* J. FELDM.

J. Feldmann (1954) : On Laminariales (blade), *Saccorhiza polyschides*, *Laminaria hyperborea*, *L. digitata*.

148. **P. miniata** (LYNGB.) AG.  
 Printz (1926) : On *Laminaria*, *Alaria pylaii* (stipe).  
 Levring (1937) : On *Laminaria* (stipe).  
 Taylor (1937, 1957) : On *Laminaria* (base).  
 Svendsen (1959) : On *Alaria*, *Laminaria digitata*.
149. **P. nereocystis** ANDERSON  
 G. M. Smith (1944), Scagel (1957) : On *Nereocystis luetkeana* (stipe). \*
150. **P. occidentalis** SETCH. et GARDN.  
 G. M. Smith (1944) : On *Pterygophora californica* (stipe).
151. **P. woolhousiae** HARV.  
 Levring (1953) : On *Macrocystis pyrifera*.
152. **Porphyrella gardneri** G. M. SMITH et HOLLENB.  
 G. M. Smith (1944), Scagel (1957) : On *Laminaria setchellii*, *Egregia menziesii*.
- FLORIDEAE  
 NEMALIONALES  
 CHANTRANSIACEAE
153. **Acrochaetium daviesii** (DILLW.) NÄG.  
 Sundene (1953) : On *Laminaria digitata*.  
 Nakamura (1944, as *Rhodochorton daviesii* (DILLW.) DREW) : On *Ecklonia*.  
 J. Feldmann (1954) : On *Laminaria hyperborea*, *Saccorhiza polyschides*.
154. **A. infestans** HOWE et HOYT  
 J. Feldmann (1954) : Endozoic in stolons and hydrocaules of *Obelia geniculata* attached to *Laminaria* frond.
155. **A. laminariae** J. FELDM.  
 J. Feldmann (1954) : On *Laminaria digitata* (stipe, semi-endophytic).
156. **A. pacificum** KYLIN  
 Scagel (1957) : On *Agarum fimbriatum*.
157. **A. plumosum** (DREW) G. M. SMITH  
 G. M. Smith (1944) : On *Laminaria setchellii*, *Egregia menziesii*, *Pterygophora californica*.
158. **A. sancti-thomae** BÖRG.  
 Nakamura (1941, as *Rhodochorton sancti-thomae* (BÖRG.) NAKAMURA) : On *Ecklonia cava*.
159. **A. secundatum** (LYNGB.) NÄG.  
 Sundene (1953) : On *Laminaria digitata*.
160. **A. strictum** (ROSENV.) HAMEL  
 Sundene (1953) : On *Laminaria hyperborea* (stipe).
161. **A. variabile** (DREW) G. M. SMITH

- G. M. Smith (1944) : On *Laminaria setchellii*, *Pterygophora californica*.  
 Scagel (1957) : On *Laminaria* and *Pterygophora*.
162. *A. virgatulum* (HARV.) J. AG.  
 J. Feldmann (1954) : On *Laminaria hyperborea*.
163. *Audouinella efflorescens* (J. AG.) PAPENF.  
 Sundene (1953, as *Grania efflorescens* (J. AG.) KYLIN) : On *Laminaria saccharina*.
164. *Chantransia thuretii* (BORN.) KYLIN  $\beta$ . *agama* ROSENV.  
 Rosenvinge (1909) : On *Laminaria* (stipe).
165. *Kylinia alariae* (Jónsson) Kylin  
 Jónsson (1901-3, as *Chantransia alariae* JÓNSS.), Kylin (1910), Levring (1937) :  
 On *Alaria esculenta* (blade).  
 Taylor (1937, 1957, as *Acrochaetium alariae* (JÓNSS.) BORN.) : On *Alaria*.
166. *Rhodochorton membranaceum* MAGNUS  
 Jónsson (1901-3) : On *Laminaria*.
167. *Rh. penicilliform* (KJELLM.) ROSENV.  
 Jónsson (1901-3) : On *Laminaria*.
168. *Rh. purpureum* (LIGHTF.) ROSENV.  
 Taylor (1937, 1957) : On *Laminaria* (base).
169. *Rh. repens* JÓNSSON  
 Jónsson (1901-3) : On *Alaria esculenta* (stipe).
170. *Rh. rothii* (THUR.) NÄG.  
 Kylin (1910) : On *Laminaria hyperborea* (stipe).  
 Rosenvinge (1923-4) : On *Laminaria hyperborea*, *L. digitata* (stipe and hapteres).  
 Hamel (1928) : On *Laminaria saccharina* (stipe).  
 Levring (1937) : On *Laminaria* (stipe).
171. *Rh. sparsum* (CARM.) KJELLM.  
 Kjellman (1883) : On Laminariaceae (stipe).  
 Tobler (1909) (cf. Printz, 1926) : On *Laminaria*.
172. *Rh. velutinum* (HAUCK) HAMEL  
 Hamel (1928) : On *Laminaria hyperborea*.
- CRYPTONEMIALES  
 DUMONTIACEAE
173. *Dumontia incrassata* (MÜLL.) LAMOUR.  
 Printz (1926) : On *Laminaria hyperborea* (old blade).
- SQUAMARIACEAE
174. *Cruoriella armorica* CROUAN  
 J. Feldmann (1954) : On *Laminaria hyperborea* (stipe).
175. *Peyssonelia rosenvingii* SCHMITZ

- Jónsson (1901-3) : On *Laminaria hyperborea* (hapteres).
176. *Rhododermis elegans* CROUAN  
 Rosenvinge (1917) : On *Laminaria digitata* (hapteres).  
 G. M. Smith (1944) : On *Pterygophora californica* (sporophyll).
177. *Rh. parasitica* BATT.  
 Jónsson (1901-3) : On *Laminaria hyperborea* (stipe).  
 Taylor (1937, 1957) : On *Laminaria*.  
 Nagai (1941) : On *Laminaria platymeris*, *Arthrothamnus kurilensis*, *Alaria dolichorhachis*, *Thalassiophyllum clathrus* (holdfast, stipe).
- CRUORACEAE
178. *Cruoria pellita* (LYNGB.) FRIES  
 Printz (1926) : On *Laminaria* (hapteres, stipe).  
 Levring (1937) : On *Laminaria* (stipe).
179. *Petrocelis hennedyi* (HARV.) BATT.  
 Jónsson (1901-3), Kylin (1910), Rosenvinge (1917), Levring (1937) : On *Laminaria hyperborea* (stipe).  
 Printz (1926) : On *Laminaria hyperborea*, *L. digitata* (stipe).
- KALYMENIACEAE
180. *Callophyllis laciniata* (HUDS.) KÜTZ.  
 Levring (1937) : On *Laminaria* (stipe).  
 Sundene (1953) : On *Laminaria hyperborea*.  
 J. Feldmann (1954) : On *Laminaria hyperborea* (stipe).
181. *Cirrularcarpus gmelini* (GRUN.) TOKIDA et MASAKI  
 Nagai (1941, as *Erythrophyllum gmelini* (GRUN.) YENDO) : On *Laminaria ochotensis*, *Alaria fistulosa*, *Thalassiophyllum clathrus* (holdfast).
182. *Euthora cristata* (L.) J. AG.  
 Kjellman (1883) : On *Laminaria digitata*.  
 Jónsson (1901-3) : On *Laminaria* (hapteres), *L. hyperborea*.  
 Kylin (1910) : On *Laminaria hyperborea* (stipe).  
 Rosenvinge (1931) : On *Laminaria hyperborea*, *L. saccharina* (hapteres).  
 Levring (1937), Sundene (1953) : On *Laminaria hyperborea*.  
 Taylor (1957) : On *Laminaria* (base).
183. *E. fruticulosa* (RUPR.) J. AG.  
 Kawabata (1931) : On *Agarum cribrosum*.
184. *Kallymenia oblongifructa* SETCH.  
 Scagel (1957) : On *Pleurophycus*, *Pterygophora* (stipe).
- CORALLINACEAE
185. *Clathromorphum circumscriptum* (STRÖMF.) FOSL.

- Jónsson (1901-3) : On *Laminaria* (hapteres).
186. **Corallina officinalis** L.  
Kjellman (1883) : On *Laminaria*.
187. **Dermatolithon ascripticum** (FOSL.) SETCH. et L. R. MASON  
Mason (1953) : On *Laminaria sinclairii* (stipe).
188. **D. canescens** (FOSL.) FOSL.  
Masaki & Tokida (1960) : On *Alaria crassifolia* (hapteres).
189. **D. crouanii** (FOSL.) HAMEL et LEMOINE  
Jónsson (1901-3, as *Lithophyllum crouanii* FOSL.) : On *Laminaria hyperborea*  
(stipe).  
Foslie (1905) : On *Laminaria digitata*, *L. hyperborea* (hapteres, stipe).
190. **D. macrocarpum** (ROSAN.) FOSL.  
Kjellman (1883, as *Melobesia macrocarpa* ROSAN.) : On *Laminaria digitata*.  
Jónsson (1901-3) : On *Laminaria hyperborea* (stipe).  
f. **laminariae** (CR.) FOSL.  
Foslie (1898, as *Melobesia laminariae* CR.) : On *Laminaria hyperborea* (stipe).
191. **D. pustulatum** (LAMOUR.) FOSL.  
Suneson (1943) : On *Laminaria hyperborea* (hapteres).  
f. **laminariae** (CR.) FOSL.  
J. Feldmann (1954) : On *Laminaria hyperborea* and *L. digitata* (hapteres, base  
of stipe).
192. **Epilithon membranaceum** (ESP.) HEYDR.  
Foslie (1905, as *Lithothamnium membranaceum* (ESP.) FOSL.) : On *Laminaria  
digitata* (stipe).  
Suneson (1943) : On *Laminaria digitata*.  
Sundene (1953) : On *Laminaria saccharina*.
193. **Heteroderma nicholsii** SETCH. et L. R. MASON.  
Mason (1953) : On *Eisenia arborea*.
194. **Lithophyllum orbiculatum** (FOSL.) FOSL.  
Suneson (1943) : On *Laminaria hyperborea* (hapteres).
195. **Lithothamnium eckloniae** FOSL.  
Foslie (1902, as *Lithothamnium capense* f. *eckloniae* FOSL.) : On *Ecklonia*  
(stipe).
196. **Lithoth. haptericum** FOSL.  
Foslie (1906) : On *Ecklonia* (hapteres).
197. **Lithoth. japonicum** FOSL.  
Foslie (1899), Yendo *in* Okamura (1936) : On *Laminaria* (hapteres).
198. **Lithoth. vescum** FOSL.

- Foslie (1907) : On *Ecklonia* (hapteres).  
 Yendo *in* Okamura (1936) : On *Ecklonia cava* (hapteres).
- 199. Lithothamnium** sp.  
 Svendsen (1959) : On *Laminaria* (hapteres).
- 200. Melobesia farinosa** LAMOUR. (See "Addendum" on p. 105).  
 Rosanoff (1866) : On *Ecklonia radiata*.  
 Masaki & Tokida (1960) : On *Undaria undarioides* (hapteres).
- 201. M. limitata** (FOSL.) ROSENV.  
 Rosenvinge (1917) : On *Laminaria digitata*.  
 Levring (1937), Sundene (1953) : On *Laminaria*.  
 Suneson (1943) : On *Laminaria saccharina*, *L. hyperborea* (blade).
- 202. M. minutula** FOSL. f. *lacunosa* FOSL.  
 Suneson (1943) : On *Laminaria saccharina*.
- 203. Phymatolithon polymorphum** (L.) FOSL.  
 Printz (1926) : On *Laminaria* (hapteres, stipe).
- GIGARTINALES  
 GIGARTINACEAE
- 204. Chondrus crispus** (L.) STACKH.  
 Rosenvinge (1931) : On *Laminaria hyperborea* (stipe).
- PHYLLOPHORACEAE
- 205. Phyllophora epiphylla** (FL. DAN.) BATT.  
 Levring (1937) : On *Laminaria* (stipe).
- 206. Ph. palmettoides** J. AG.  
 J. Feldmann (1954) : On *Laminaria hyperborea* (old stipe).
- PLOCAMIACEAE
- 207. Plocamium coccineum** (HUDS.) LYNGB.  
 Kylin (1910), J. Feldmann (1954) : On *Laminaria hyperborea* (stipe).  
 Rosenvinge (1931) : On *Laminaria hyperborea*.  
 Sundene (1953) : On *Laminaria hyperborea* (hapteres).  
 Printz (1926) : On *Laminaria* (hapteres, stipe).  
 Levring (1937) : On *Laminaria* (stipe).
- RHODOPHYLLIDACEAE
- 208. Cystoclonium purpurascens** (HUDS.) KÜTZ.  
 Printz (1926) : On *Laminaria* (stipe).
- 209. Rhodophyllis bifida** (GOOD. et WOODW.) KÜTZ.  
 Levring (1937) : On *Laminaria hyperborea*.
- 210. Rh. dichotoma** (LEPECH.) GOBI  
 Kjellman (1883) : On Laminariaceae.
- BONNEMAISONIALES

## BONNEMAISONIACEAE

211. *Bonnemaisonia asparagoides* (WOODW.) AG.

Rosenvinge (1923-4) : On *Laminaria saccharina*.

Printz (1926) : On *Laminaria saccharina* (hapteres, stipe).

212. *B. intricata* (AG.) SILVA (sporophyte)

Printz (1926, as *Trailiella intricata* (AG.) BATT.) : On *Laminaria* (hapteres, stipe).

Sundene (1953, as *Trailiella intricata*) : On *Laminaria saccharina*.

## RHODYMENIALES

## CHAMPIACEAE

213. *Gastroclonium ovatum* (HUDS.) PAPENF.

J. Feldmann (1954) : On *Laminaria* (base).

214. *Lomentaria articulata* (HUDS.) LYNGB.

J. Feldmann (1954) : On *Laminaria hyperborea* (stipe).

215. *L. clavellosa* (TURN.) GAIL

Jónsson (1901-3) : On *Laminaria hyperborea* (hapteres).

Levring (1937) : On *Laminaria hyperborea*.

J. Feldmann (1954) : On *Laminaria hyperborea* (stipe).

216. *L. rosea* (HARV.) THUR.

Jónsson (1901-3) : On *Laminaria hyperborea* (hapteres).

Levring (1937) : On *Laminaria hyperborea*.

## RHODYMENIACEAE

217. *Botryocladia pseudodichotoma* (FARL.) KYLIN

G. M. Smith (1944) : On *Macrocystis pyrifera* (holdfast).

218. *Rhodymenia palmata* (L.) GREV.

Rosenvinge (1931), Sundene (1953) : On *Laminaria digitata*, *L. hyperborea* (stipe).

J. Feldmann (1954) : On *Laminaria hyperborea* (stipe).

var. *mollis* SETCH. et GARDN.

G. M. Smith (1944) : On *Nereocystis luetkeana* (stipe).

f. *prolifera* KÜTZ.

Kylin (1910) : On *Laminaria hyperborea* (stipe).

219. *Rh. pseudopalmata* (LAM.) SILVA

J. Feldmann (1954) : On *Laminaria hyperborea* (stipe).

## CERAMIALES

## CERAMIACEAE

220. *Antithamnion boreale* (GOBI) KJELLM.

Printz (1926) : On *Laminaria*.

221. *A. defectum* KYLIN

- G. M. Smith (1944) : On *Nereocystis luetkeana* (stipe).
222. **A. glanduliferum** KYLIN  
G. M. Smith (1944) : On *Nereocystis luetkeana* (stipe).  
Scagel (1957) : On *Laminaria* (blade).
223. **A. occidentale** KYLIN  
G. M. Smith (1944) : On *Nereocystis luetkeana* (stipe).  
Scagel (1957) : On *Nereocystis*.
224. **A. pacificum** (HARV.) KYLIN  
G. M. Smith (1944), Scagel (1957) : On *Nereocystis luetkeana* (stipe).
225. **A. plumula** (ELLIS) THUR.  
Printz (1926) : On *Laminaria* (hapteres, blade).
226. **A. uncinatum** GARDN.  
G. M. Smith (1944) : On *Macrocystis pyrifer*, *Nereocystis luetkeana*.
227. **Antithamnion** sp.  
Nagai (1941) : On *Alaria fistulosa* (holdfast).
228. **Callithamnion corymbosum** (SMITH) LYNGB.  
Printz (1926) : On *Laminaria* (blade).  
J. Feldmann (1954) : On *Chorda filum*.
229. **C. polyspermum** AG.  
Printz (1926) : On *Laminaria*.
230. **C. tetragonum** (WITH.) AG. var. **brachiatum** (BONN.) J. AG.  
J. Feldmann (1954) : On *Laminaria hyperborea* (stipe, blade).
231. **Campylaephora hypnaeoides** J. AG. f. **typica** NAKAMURA  
Nakamura (1950) : On *Laminaria*.  
f. **hamata** (COTTON) NAKAMURA  
Nakamura (1950) : On *Laminaria*.  
Tokida & Yama (1960) : On *Laminaria religiosa* (blade).
232. **Ceramium areschougii** KYLIN  
Kylind (1910) : On *Laminaria* spp. (blade).
233. **C. deslongchampsii** CHAUV.  
Levring (1937) : On *Laminaria digitata*.
234. **C. rubrum** (HUDS.) AG.  
Printz (1926) : On *Alaria*.  
Sundene (1953) : On *Chorda filum*, *Laminaria* spp.
235. **C. secundum** LYNGB.  
Printz (1926) : On *Laminaria* (stipe).
236. **C. septentrionalis** HENNING  
Printz (1926) : On *Laminaria* (blade).

237. *C. strictum* GREV. et HARV.  
Tobler (1909) (cf. Printz, 1926) : On *Laminaria*.  
Sundene (1953) : On *Chorda filum*, *Laminaria* spp.
238. *C. tenuissimum* (LYNGB.) J. AG.  
J. Feldmann (1954) : On *Chorda filum*.
239. *Microcladia californica* FARLOW  
G. M. Smith (1944) : On *Egregia*.
240. *Neoptilota asplenioides* (TURN.) KYLIN  
Nagai (1941) : On *Laminaria longipes*, *Alaria fistulosa*, *Pleuropterum paradiseum*, *Thalassiophyllum clathrus* (holdfast).
241. *Pleonosporium kobayashii* OKAMURA  
Okamura (1933) : On *Thalassiophyllum clathrus* (holdfast).
242. *Plumaria elegans* (BONN.) SCHMITZ  
Taylor (1937, 1957) : On *Laminaria* (base).
243. *Ptilota pectinata* (GUNN.) KJELLM.  
Printz (1926) : On *Laminaria* (stipe).  
Nagai (1941) : On *Thalassiophyllum clathrus* (holdfast).
244. *P. plumosa* (L.) Ag.  
Kylín (1910) : On *Laminaria hyperborea* (stipe).  
Printz (1926) : On *Laminaria* (hapteres, stipe).  
Levring (1937) : *Laminaria hyperborea*.  
Sundene (1953) : On *Laminaria digitata*, *L. hyperborea* (stipe).
245. *P. serrata* KÜTZ. \*  
Taylor (1937, 1957) : On *Laminaria* (about the base).
246. *Ptilothamnion pluma* (DILLW.) THUR.  
J. Feldmann (1954) : On *Laminaria hyperborea* (stipe).
247. *Spermothamnion repens* (DILLW.) ROSENV.  
Rosenvinge (1923-4) : On *Laminaria digitata*, *L. hyperborea*.
- DELESSERIAACEAE
248. *Acrosorium reptans* (CR.) KYLIN  
J. Feldmann (1954) : On *Laminaria hyperborea* and *L. digitata* (hapteres, stipe).
249. *Apoglossum ruscifolium* (TURN.) J. AG.  
Sundene (1953) : On *Laminaria hyperborea*.
250. *Delesseria kurilensis* RUPR. (?)  
Ruprecht (1851) : On (?) *Thalassiophyllum*.
251. *D. sanguinea* (L.) LAMOUR.  
Kjellman (1883, as *Hydrolapathum sanguineum* (L.) STACKH.) : On *Laminaria* spp.

- Börgeesen (1902) : On *Laminaria hyperborea*.  
 Printz (1926) : On *Laminaria, Alaria* (stipe).
252. *Hymenena smithii* KYLIN  
 G. M. Smith (1944) : On *Pterygophora californica* (stipe).
253. *Hypoglossum woodwardii* KÜTZ.  
 J. Feldmann (1954) : On *Laminaria hyperborea* (stipe).
254. *Membranoptera alata* (HUDS.) STACKH.  
 Kjellman (1883, as *Delesseria alata* (HUDS.) LAMOUR.) : On Laminariaceae.  
 Börgeesen (1902) : On *Laminaria hyperborea*.  
 Jónsson (1901-3), Kylin (1910), J. Feldmann (1954) : On *Laminaria hyperborea*  
 (stipe).  
 Printz (1926), Levring (1937) : On *Laminaria* (stipe).  
 Rosenvinge (1923-4) : On *Laminaria*.
255. *M. denticulata* (MONT.) KYLIN  
 Nagai (1941) : On *Alaria fistulosa* (stipe).
256. *M. spinulosum* (RUPR.) J. AG.  
 Kjellman (1883, as *Delesseria montagnei* KJELLM.) : On Laminariaceae.
257. *M. weeksiae* SETCH. et GARDN.  
 G. M. Smith (1944) : On *Pterygophora californica*.
258. *Pantoneura angustissima* (GRIFF.) KYLIN  
 Taylor (1937, 1957) : On *Laminaria* (base).
259. *P. baerii* (POST. et RUPR.) KYLIN  
 Kjellman (1883, as *Delesseria baerii* RUPR.) : On Laminariaceae (hapteres).
260. *P. corymbosa* (J. AG.) KYLIN  
 Kjellman (1883, as *Delesseria corymbosa* J. AG.) : On *Laminaria saccharina*  
 (stipe).
261. *Phycodrys rubens* (HUDS.) BATT.  
 Rosenvinge (1923-4) : On *Laminaria*.  
 J. Feldmann (1954) : On *Laminaria hyperborea* (stipe).
262. *Ph. sinuosa* KÜTZ.  
 Ruprecht (1851, as *Delesseria crenata* RUPR.) : On *Laminaria* (hapteres).  
 Kylin (1910, as *Delesseria sinuosa* (GOOD. et WOODW.) LAMOUR.) : On  
*Laminaria hyperborea* (stipe).  
 Printz (1926) : On *Laminaria* (hapteres, stipe).  
 Levring (1937) : On *Laminaria*.
263. *Yendonia crassifolia* (RUPR.) KYLIN  
 Ruprecht (1851, as *Delesseria crassifolia* RUPR.) : Among rhizome of *Laminaria*  
*longipes*.

## DASYACEAE

264. *Heterosiphonia plumosa* (ELLIS) BATT.

J. Feldmann (1954) : On *Laminaria hyperborea* (stipe).

## RHODOMELACEAE

265. *Amplisiphonia pacifica* HOLLENBERG

Hollenberg (1939), Scagel (1953) : On Laminariales (holdfast).

Scagel (1957) : On *Pterygophora*.

266. *Brongniartella byssoides* (GOOD. et WOODW.) SCHMITZ

Sundene (1953) : On *Laminaria* spp.

267. *Chondria dasyphylla* (WOODW.) AG.

Tokida (1954) : On *Laminaria* (stipe).

268. *Laurencia obtusa* LAMOUR.

Tokida & Yama (1960) : On *Laminaria religiosa* (blade).

269. *L. pinnatifida* (GMEL.) LAMOUR.

Rosenvinge (1923-4) : On *Chorda filum*, *Laminaria digitata* (blade).

270. *Odonthalia dentata* (L.) LYNGB.

Printz (1926) : On *Laminaria*, *Alaria* (hapteres, stipe).

271. *Placophora binderi* (J. AG.) J. AG.

Baardseth (1941) (cf. Scagel, 1953) : On *Laminaria* (stipe).

272. *Pl. eckloniae* POCKOCK

Scagel (1953) : On *Ecklonia maxima* (stipe).

273. *Polysiphonia arctica* J. AG.

Taylor (1937, 1957) : On *Laminaria* (about the base).

274. *P. denudata* (DILLW.) KÜTZ.

J. Feldmann (1954) : On *Chorda filum*.

275. *P. elongata* (HUDS.) HARV.

Rosenvinge (1923-4) : On *Laminaria digitata*.

Printz (1926) : On *Laminaria* (stipe, blade).

Levring (1937) : On *Laminaria* (stipe).

276. *P. flexicaulis* (HARV.) COLLINS

Taylor (1937, 1957) : On *Laminaria*.

277. *P. japonica* HARV.

Segi (1951), Tokida (1954) : On *Laminaria*.

Tokida & Yama (1960) : On *Laminaria japonica*, *L. religiosa* (blade).

278. *P. nigrescens* (SMITH) GREV.

Sundene (1953) : On *Laminaria digitata* and other species.

279. *P. parasitica* (HUDS.) GREV.

Jónsson (1901-3) : On *Laminaria hyperborea* (hapteres).

280. *P. urceolata* (LIGHTF.) GREV.  
 Jónsson (1901-3), Levring (1937) : On *Laminaria* (stipe).  
 Kylin (1910), Rosenvinge (1923-4) : On *Laminaria hyperborea* (stipe).  
 Printz (1926) : On *Laminaria*, *Alaria* (hapteres, stipe).  
 Veldkamp (1950) : On *Laminaria*.
- var. *patens* (DILLW.) J. AG.  
 J. Feldmann (1954) : On *Laminaria hyperborea* (stipe).
281. *P. violacea* (ROTH) GREV.  
 Rosenvinge (1923-4) : On *Chorda filum*.  
 Printz (1926) : On *Laminaria* (stipe, blade).  
 Sundene (1953) : On *Chorda filum*, *Laminaria* spp.  
 J. Feldmann (1954) : On *Chorda filum*, *Saccorhiza polyschides*.
282. *Pterosiphonia parasitica* (HUDS.) FALK.  
 Printz (1926) : On *Alaria esculenta* (hapteres).  
 Levring (1937) : On *Laminaria hyperborea*.
283. *Rhodomela lycopodioides* (L.) AG.  
 Levring (1937) : On *Laminaria*.  
 f. *typica* KJELLM. subf. *compacta* KJELLM.  
 Kylin (1910) : On *Laminaria hyperborea*.
284. *Rh. subfusca* (WOODW.) AG.  
 Rosenvinge (1923-4) : On *Laminaria*.
285. *Taenioma clevelandii* FARLOW  
 G. M. Smith (1944) : On *Nereocystis luetkeana* (holdfast).

### Summary

In the present paper are enumerated 285 species of epiphytic marine algae which have been reported in 69 publications to grow upon or in the thallus of Laminariales plants belonging to 22 genera. Of these epiphytes, 2 genus and 3 species belong to Cyanophyceae, 16 genera and 22 species to Chlorophyceae, 37 genera and 116 species to Phaeophyceae, and 71 genera and 144 species to Rhodophyceae. Some relations between the hosts and the epiphytes are considered.

### Literature

*Those with an asterisk have not been consulted.*

- \*Baardseth, E. (1941). The marine algae of Tristan da Cunha. *Results of the Norwegian Scientific Expedition to Tristan da Cunha 1937-1938*, No. 9, 174 p. Oslo.
- Börgeesen, F. (1902). The marine algae of the Faeröes. *In* Warming, *Botany of the Faeröes*, part 2. (p. 339-552). Copenhagen.

- Feldmann, J. (1954). Inventaire de la flora marine de Roscoff: Algues, Champignons, Lichens et Spermatophytes. *Supplément 6, aux travaux de la station biologique de Roscoff*. 152p. Paris.
- Foslie, M. (1898). Some new or critical Lithothamnia. *Kg. Norske Vid. Selsk. Skrif.* 1898, No. 6. 19 p.
- (1899). New or critical calcareous algae. *Ibid.* 1899, No. 5. 34 p.
- (1905). Remarks on northern Lithothamnia. *Ibid.* 1905, No. 3. 138 p.
- (1906). Algologiske Notiser, II. *Ibid.* 1906, No. 2. 28 p.
- (1907). Ditto, IV. *Ibid.* 1907, No. 6. 30 p.
- Hamel, G. (1924). Floridées de France, II. *Rev. Algol.* 1, 427-457.
- (1928). Recherches sur les genres *Achrochaetium* Näg. et *Rhodochorton* Näg. *Ibid.* 3, 159-216.
- Hasegawa, Y. (1960). Notes on some knowledges of Laminaria (III). *Hokusaishi Geppo (Monthly Report of Hokkaido Regional Fisheries Laboratory)* 17 (2), 54-56 (In Japanese).
- & Fukuhara, E. (1956). A survey of the propagation of Laminaria I. *Ibid.* 13 (10), 434-448. (In Japanese).
- Inagaki, K. (1954). Contributions to the knowledge of the Chordariales from Japan I. *Sci. Pap. Inst. Alg. Res., Fac. Sci. Hokk. Univ.* 4 (1), 1-14.
- (1958). A systematic study of the order Chordariales from Japan and its vicinity. *Ibid.* 4 (2), 87-197.
- Jaasund, E. (1957). Marine algae from northern Norway II. *Bot. Not.* 1957, 110 (2), 205-231.
- Jónsson, H. (1901-1903). The marine algae of Iceland. I. Rhodophyceae. *Bot. Tidsskr.* 24 (2), 127-155.
- (1903). Ditto. II. Phaeophyceae. *Ibid.* 25 (2), 141-195. III. Chlorophyceae. *Ibid.* 25 (3), 337-377. IV. Cyanophyceae. *Ibid.* 25 (3), 378-381. Index, 382-385.
- Kawabata, S. (1936). A list of marine algae from the Island of Shikotan. *Sci. Pap. Inst. Alg. Res., Fac. Sci. Hokk. Univ.* 1 (2), 199-212.
- Kjellman, F. R. (1883). The algae of the Arctic Sea. *Kongl. Sv. Vet.-Akad. Handl.* 20 (5). 350 p.
- Kurogi, M. (1954). Two species of Myrionemaceae new to Japan. *Sci. Pap. Inst. Alg. Res., Fac. Sci. Hokk. Univ.* 4 (1), 63-70.
- Kylin, H. (1910). Zur Kenntnis der Algenflora der norwegischen Westküste. *Arkiv för Botanik*, 10 (1), 1-37.
- Levring, T. (1937). Zur Kenntnis der Algenflora der Norwegischen Westküste. *Lunds Univ. Arsskr. N. F. Avd. 2*, 33 (8), 1-147.
- (1953). The marine algae of Australia I. *Arkiv för Bot. Ser. 2*. 2 (6), 457-530.
- Masaki, T. & Tokida, J. (1960). Studies on the Melobesioideae of Japan III. *Bull. Fac. Fish., Hokkaido Univ.* 11 (2), 37-42.
- Mason, L. R. (1953). The crustaceous coralline algae of the Pacific coast of the United States, Canada, and Alaska. *Univ. Calif. Pub. Bot.* 26 (4), 313-390.
- Nagai, M. (1941). Marine algae of the Kurile Islands II. *Jour. Fac. Agr., Hokk. Imp. Univ.* 46 (2), 139-310.
- Nakamura, Y. (1944). The species of *Rhodochorton* from Japan II. *Sci. Pap. Inst. Alg. Res., Fac.*

- Sci. Hokk. Univ.* 3 (1), 99-119.
- (1950). New Ceramiums and Campylaephoras from Japan. *Ibid.* 3 (2), 155-172.
- \*Norum, E. (1913). Brunalger fra Haugesund og omegn. *Nyt Mag. for Naturvid.* 51 (2), 131-160.
- Ohmi, H. (1951). Studies on Isoyake or "decrease of seaweeds" along the coast of northern Japan. *Bull. Fac. Fish. Hokk. Univ.* 2 (1), 109-117.
- Okamura, K. (1933). On the algae from Alaska collected by Y. Kobayashi. *Rec. Oceanogr. Wk. Jap.* 5 (1), 85-97.
- (1936). *Nippon Kaisōshi [Marine algal flora of Japan]*. 964 p. Tokyo. (In Japanese).
- Printz, H. (1926). Die Algenvegetation des Trondhjemsfjordes. *Skr. Nor. Vid.- Akad. Oslo, I. Matem.-Naturvid. Klasse. 1926.* No. 5, 1-273.
- \*Reinsch, P. F. (1875). *Contributiones ad Algologiam et Fungologiam. I.* I-XII, 103 p. Lipsiae.
- Rosanoff, S. (1866). Recherches anatomiques sur les Melobésiées, *Mém. Soc. Imp. d. sc. nat. de Cherb.* 12, 1-112.
- Rosenvinge, L. K. (1909). The marine algae of Denmark I. *Densk. Vid. Selsk. Skrift. 7. Raekke, Naturvid. og Mathem. Afd.* 7 (1), 31-151.
- (1917). Ditto II. *Ibid.* 7 (2), 155-283.
- (1923-1924). Ditto III. *Ibid.* 7 (3), 287-486.
- (1931). Ditto IV. *Ibid.* 7 (4), 491-627.
- (1941). & Lund, S. (1941). The marine algae of Denmark II. Pt. 1. *Kong. Danske Vidensk. Selskab. Biol. Skrifter* 1 (4), 1-79.
- & ————— (1943). Ditto. Pt. 2. *Ibid.* 2 (6), 1-59.
- & ————— (1947). Ditto. Pt. 3. *Ibid.* 4 (5), 1-99.
- & ————— (1950). Ditto. Pt. 4. *Ibid.* 6 (2), 1-80.
- Ruprecht, F. J. (1851). Tange des Ochotskischen Meeres. *Middendorff's sibirische Reise*, 1 (2), Lief. 2, 193-435.
- Scagel, R. F. (1953). A morphological study of some dorsiventral Rhodomelaceae. *Univ. Cal. Publ. Bot.* 27 (1), 1-108.
- (1957). An annotated list of the marine algae of British Columbia and northern Washington. *Nat. Mus. Canada, Bull. No. 150, Biol. Ser. 52.* 289 p. Ottawa.
- Segawa, S. (1938). On the marine algae of Susaki, Prov. Izu, and its vicinity III. *Sci. Pap. Inst. Alg. Res., Fac. Sci. Hokk. Univ.* 2 (1), 131-153.
- Segi, T. (1951). Systematic study of the genus Polysiphonia from Japan and its vicinity. *Jour. Fac. Fish. Pref. Univ. Mie* 1 (2), 167-272.
- Setchell, W. A. & Gardner, N. L. (1920). The marine algae of the Pacific Coast of North America. Pt. 2. Chlorophyceae. *Univ. Cal. Publ. Bot.* 8 (2), 139-374.
- & ————— (1922). Phycological Contributions. *Ibid.* 7 (11), 333-426.
- & ————— (1925). The marine algae of the Pacific Coast of North America. Pt. 3. Melanophyceae. *Ibid.* 8 (3), 383-898.
- Silva, P. C. (1957). Notes on Pacific Coast marine algae. *Madroña* 14 (2), 41-51.
- Smith, G. M. (1944). *Marine algae of the Monterey Peninsula, California*. Stanford Univ. Press. 622 p.
- \*Strömfelt, H. F. G. (1888). Algae novae quas ad litora Scandinaviae indagavit. *Notarisia* 3 (9), 381-384.

- Sundene, O. (1953). The algal vegetation of Oslofjord. *Skr. Nor. Vid.-Akad. Oslo. I. Matem.-Naturvid. Klas. 1953*. No. 2. 244 p. Oslo.
- Sunesson, S. (1943). The structure, life-history and taxonomy of the Swedish Corallinaceae. *Lunds Univ. Arsskr., N. F., Avd. 2*, 39 (9), 1-66.
- Svendsen, P. (1959). The algal vegetation of Spitsbergen. *Norsk Polarinst. Skrifter* Nr. 116, 1-47.
- Takamatsu, M. (1938). Marine algae from the Sanriku Coast, northeastern Honshū, Japan. *Saito Hon Kai Mus. Res. Bull.* No. 14, 77-143.
- Taylor, W. R. (1937). Marine algae of the northeastern coast of North America. *Univ. Michigan Stud., Sci. Ser.* Vol. 13. i-ix, 427 p. Ann Arbor.
- (1957). Ditto. Second rev. ed. i-ix, 509 p.
- \*Tobler, F. (1909). Epiphyten der Laminarien, etc. *Engler Bot. Jahrb.* 44, 51-90.
- Tokida, J. (1954). The marine algae of southern Saghalien. *Mem. Fac. Fish. Hokkaido Univ.* 2 (1), 1-264.
- & Ohiwa, Y. (1957). A dense growth of Laminaria on a detached stipe of Alaria. *Hokusuishi Geppo (Month. Rept. Hokkaido Reg. Fish. Lab.)* 14, (5), 41-42. (In Japanese).
- & Yama, T. (1960). On organisms growing on the Laminariales plants. I-II. *Sōrui (Bull. Japanese Soc. Phycol.)* 8 (1), 15-21, 8 (2), 47-53. (In Japanese).
- Veldkamp, H. (1950). The genus Polysiphonia in the Netherlands. *Blumea* 6 (2), 517-526.
- Yamada, Y. (1932). Notes on some Japanese algae III. *Jour. Fac. Sci., Hokkaido Imp. Univ. ser. 5.* 1 (3), 109-123.
- (1935). Marine algae from Urup, the Middle Kuriles, especially from the vicinity of Iema Bay. *Sci. Pap. Inst. Algal. Res., Fac. Sci. Hokkaido Imp. Univ.* 1 (1), 1-26.
- (1944). Notes on some Japanese algae X. *Ibid.* 3 (1), 11-25.
- & Tanaka, T. (1944). Marine algae in the vicinity of the Akkesi Marine Biological Station. *Ibid.* 3 (1), 47-77.
- Yendo, K. (1936). Corallinaceae. In Okamura, K. (1936). *Nippon Kaisoshi [Marine algal flora of Japan]*. (p. 497-532). Tokyo. (In Japanese).

---

**Addendum :** After the manuscript was sent to press, Ass. Professor T. Masaki collected by dredging at depths of about 30 m. a number of specimens of *Laminaria japonica* in the western part of Aomori Bay, off Imabetsu-machi, Aomori prefecture, on November 5, 1960. The specimens were all densely infested on the surface of the blade with reddish-purple thin crusts of *Melobesia farinosa* and with greenish-grey colonies of a Bryozoa.