



# HOKKAIDO UNIVERSITY

Title	Evolution and Variation in Trillium.V. A list of Chromosome Composition in Natural Populations of <i>Trillium kamschaticum</i> PALL
Author(s)	FUKUDA, Ichiro; KOZUKA, Yoshimichi
Citation	Journal of the Faculty of Science, Hokkaido University. Series 5, Botany, 6(3), 273-319
Issue Date	1958
Doc URL	<a href="https://hdl.handle.net/2115/26299">https://hdl.handle.net/2115/26299</a>
Type	departmental bulletin paper
File Information	6(3)_P273-319.pdf



## Evolution and Variation in *Trillium*. V.

### A list of Chromosome Composition in Natural Populations of *Trillium kamschaticum* PALL.

By

ICHIRO FUKUDA and YOSHIMICHI KOZUKA

(With 7 text-figures, 4 tables and 55 appendix tables)

Chromosome composition in natural populations of *Trillium kamschaticum* PALL. distributed in northern Japan has been investigated in the writers' laboratory. Fifty-five populations were analysed up to the year 1957 (Fig. 2), and it becomes necessary to prepare a full list of their chromosome composition. The present paper was written to meet this demand. The chromosome composition in each of the populations is represented in the Appendix Tables 1-55 with chromosome types identified under low temperature condition in somatic metaphase of ovular tissues of each of the sample plants chosen for examination (cf. KURABAYASHI '52, HAGA and KURABAYASHI '53, '54, etc.). The number of types found in each chromosome pair attained 75, 21, 17, 17 and 20 in chromosome A, B, C, D and E respectively (Fig. 1 and Table 1).

The year of sampling of the materials in each population is written upon right shoulder of each of the Appendix Tables. The names of localities where the populations chosen for investigation grow are given in Table 2. The sample plants were taken at random from a quadrat, except the cases stated below, arbitrarily thrown in each population. *Em-III A2* and *Em-III D* were respectively taken from an aggregate included in a small cluster developed along a short stream near Cape Erimo (Fig. 2). *Od(1)* and *Od(2)* were the samples from two neighboring aggregates separated by a distance of a few hundred meters. These two pairs of samples may respectively be regarded, judging from their chromosome composition (cf. Appendix Tables 20, 21 and 49, 50), to have a common gene pool. Six samples (*Ty-G*, *Ty-G(A)*, *Ty-G(B)*, *Ty-J*, *Ty-Q<sub>3</sub>*, *Ty-Q<sub>4</sub>*) were taken from Toyoni cluster (Fig. 2). *Ty-G* is a random sample taken in 1949 from G-terrace. Another sampling was made in the same terrace in 1952. In the latter, the sample plants were divided into two groups. *G(A)*: plants with only one flower-bearing




TABLE 1. Designation of chromosome A, B and E with their arm types (cf. Fig. 1).

Chromosome A		Chromosome A		Chromosome B		Chromosome E	
Chromosome Type	Arm Type						
1	201-103	39	203-208	1	101- 50	1	101-151
2	201-208	40	210-309	2	201- 50	2	201-151
3	201-205	41	104-207	3	301- 50	3	202-151
4	201-211	42	208-209	4	401- 50	4	203-151
5	201-306	43	204-211	5	402- 50	5	203-152
6	201-302	44	201-303	6	102-151	6	202-152
7	203-305	45	208-308	7	202- 50	7	301-151
8	203-302	46	204-401	8	201-251	8	203- 50
9	204-307	47	207-310	9	101-152	9	302-151
10	207-306	48	209-402	10	201-152*	10	204-151
11	102-208	49	301-306	11	102-251	11	101- 50
12	103-205	50	101-207	12	302- 50	12	203-251
13	204-205	51	101-209	13	101-153	13	303- 50
14	204-207	52	101-103	14	301-152	14	206- 50
15	204-211	53	101-101	15	104-252	15	202-251
16	204-208	54	201-213	16	104-253	16	0- 50
17	207-208	55	203-202	17	204- 50	17	204- 50
18	201-207	56	104-203	18	205-151	18	0-152
19	202-303	57	201-202	19	102- 50	19	50-202
20	301-301	58	201-214	20	202-151	20	151-304
21	203-205	59	201-301	21	204-153		
22	203-101	60	201-311				
23	203-203	61	102-203				
24	201-206	62	202-203				
25	101-203	63	203-206				
26	201-310	64	203-311				
27	301-303	65	101-311				
28	202-206	66	102-311				
29	104-206	67	202-311				
30	203-306	68	205-311				
31	203-207	69	101-205				
32	207-207	70	101-301				
33	104-306	71	102-205				
34	304-306	72	206-311				
35	104-203	73	207-311				
36	204-306	74	103-311				
37	102-306	75	102-201				
38	201-101						

\* The arm type of the long arm of B-10 was mistaken as 252 in Appendix Table 2 in the foregoing paper of this series (KURABAYASHI, '57, p. 42).

Fig. 1. Schematic representation of types found in chromosome A, B, C, D and E of *Trillium kamtschaticum*. Heterochromatic segments are shown by solid lines. Euchromatic segments are blacked. As regard to the criteria by which different types of the patterns in the differential segments are distinguished, detailed explanations have been given by previous authors (KURABAYASHI '52, HAGA and KURABAYASHI '54). It may be noted here that the patterns do not discriminate the gene arrangements in chromonemata as accurate as the bands of salivary gland chromosomes, in which an identical rearrangement might scarcely occur repeatedly in each chromosome arm. But in the present case there may be different procedures to result in the production of seemingly identical patterns. This is convincing because there are identical patterns in both arms of chromosome A's (cf. A-20, 23, 32 and 53 in Table 1 and Fig. 1), which are isobrachial. The judgement whether an identical pattern included in different populations is also identical in origin or is the one produced by a chance coincidence has been made by examinations of geographical distribution of the pattern (KURABAYASHI '57 and Table 4 in the present paper).





Fig. 2. Maps showing localities where the natural populations of *T. kamschaticum* were chosen for examination.

TABLE 2. Names of populations and the locality in which each of the populations is found.

Population	Locality	Population	Locality
<i>Ks</i>	Kusakai	<i>Ty-J</i>	Toyoni-J
<i>In</i>	Ino	<i>Ty-Q<sub>3</sub></i>	Toyoni-Q <sub>3</sub>
<i>Tn</i>	Tanabu	<i>Ty-Q<sub>4</sub></i>	Toyoni-Q <sub>4</sub>
<i>Kj</i>	Kojima	<i>Ms</i>	Minamisatsunai
<i>Yk</i>	Yakumo	<i>Ak</i>	Akkeshi
<i>Nb</i>	Noboribetsu	<i>Ot</i>	Ochiishi
<i>Nn</i>	Nakanoboribetsu	<i>Bk</i>	Bettsukai
<i>Sr</i>	Siraoi	<i>Tp</i>	Teppanbetsu
<i>Ni</i>	Nishikioka	<i>Mb</i>	Memambetsu
<i>En</i>	Eniwa	<i>Kt</i>	Kitami
<i>Ss</i>	Sapporo-shokubutsuen	<i>An</i>	Ainonai
<i>Sg</i>	Sapporo-genshirin	<i>Ok</i>	Oketo
<i>My</i>	Maruyama	<i>Eg</i>	Engaru
<i>Np</i>	Nopporo	<i>On</i>	Onnebetsu
<i>Zb</i>	Zenibako	<i>Ke</i>	Kitamiesashi
<i>Tm</i>	Tomikawa	<i>Sn</i>	Shimonuma
<i>Sz</i>	Shizunai	<i>Kb</i>	Kabutonuma
<i>Sm</i>	Samani	<i>Yc</i>	Yuchi
<i>H<sub>z</sub></i>	Horoizumi	<i>Ow</i>	Oniwaki
<i>Em-III A 2</i>	Erimo-III A 2	<i>Rf</i>	Rishirifuji
<i>Em-III D</i>	Erimo-III D	<i>Od (1)</i>	Oshidomari (1)
<i>Srr-S (1)</i>	Southern Saruru (1)	<i>Od (2)</i>	Oshidomari (2)
<i>Srr-S (3)</i>	Southern Saruru (3)	<i>Kk</i>	Kafuka
<i>Srr-N</i>	Northern Saruru	<i>Mm</i>	Momoiwa
<i>Hr</i>	Hiroo	<i>Nr</i>	Nairo
<i>Ty-G</i>	Toyoni-G	<i>Ku</i>	Kitousu
<i>Ty-G (A)</i>	Toyoni-G (A)	<i>Fd</i>	Funadomari
<i>Ty-G (B)</i>	Toyoni-G (B)		

terrestrial stem, and *G(B)*: plants with two or more flower-bearing terrestrial stems. It was presumed that one can distinguish, by the above grouping, plants belonging to two successive generations in this population, because the plants with two flowers are older than those with one. The validity of this presumption, however, cannot be discussed only on the basis of this sampling. *Ty-Q<sub>3</sub>* and *Ty-Q<sub>4</sub>* were taken respectively from a quadrat of 5 m<sup>2</sup> down upon C-terrace. A through H-terrace have been used in these decades for cattle grazing, which promote much the propagation of *Trillium*, because some of the competing plants with the former are exhausted by the cattle which do not eat *Trilliums* before their fruits





Figs. 3, 4. *Trillium* plants in quadrates thrown in C-terrace (3) and J-terrace (4) at Toyoni. Note on the marked difference in density of *T. kamschaticum* between the two quadrates.

● : *T. kamschaticum*, ○ : *T. tschonoskii*, + : *T. smallii*, ⊙ : *T. hague*

TABLE 4. Denotation of types according to their mode of geographical distribution.

Chromosome A		Chromosome B		Chromosome C		Chromosome D		Chromosome E	
Type No.	Distrib. Area								
1	N	41	E	1	E	1	N	1	SE
2	E	42	E	2	E	2	E	2	S
3	E	43	E	3	E	3	S	3	SE
4	E	44	E	4	E	4	E	4	E
5	E	45	E	5	E	5	E	5	C
6	E	46	E	6	SN	6	E	6	E
7	E	47	E	7	E	7	E	7	S
8	E	48	E	8	E	8	E	8	E
9	E	49	E	9	SE	9	SE	9	N
10	E	50	I	10	N	10	N	10	SE
11	C	51	I	11	N	11	N	11	E
12	E	52	I	12	N	12	N	12	E
13	S	53	I	13	E	13	E	13	E
14	Sr	54	N	14	E	14	E	14	E
15	E	55	E	15	E	15	E	15	L
16	E					16	E	16	E
17	E							17	N
18	N								
19	E								
20	E								
21	SE								
22	S								
23	E	1	SN	1	N				
24	C	2	C	2	E				
25	C	3	C	3	S				
26	E	4	E	4	E				
27	E	5	E	5	E				
28	E	6	Sr	6	E				
29	E	7	S	7	S				
30	E	8	Sr	8	E				
31	E	9	I	9	C				
32	E	10	C	10	E				
33	E	11	Sr	11	I				
34	E	12	SE	12	E				
35	E	13	N	13	E				
36	E	14	E	14	E				
37	E	15	N	15	I				
38	SN	16	N	16	I				
39	E	17	E						
40	E	18	E						




Fig. 5. Fan diagrams representing chromosome composition of populations and subgroups of populations of *T. kamtschaticum* distributed in northern Japan. The diagrams are put upon the places where the populations or the subgroups are found.

Three samplings were made in Saruru cluster (Fig. 2). *Srr* (*N*) was a random sample taken from a glade found in northern side of the river Saruru. Two samplings, *Srr-S* (2) and (3), were taken from the aggregates successively distributed in southern side of this river. These aggregates are not isolated spatially from each other. It was demonstrated after examining the chromosome composition of these samplings that subgrouping of the populations is marked in this cluster (NARISE '56). With regards to the mechanism of this subgrouping detailed examinations will be made in forthcoming paper of this series.

#### Geographical Differentiation in *T. kamtschaticum*

Comparative examinations of chromosome composition in natural populations of this plant elucidated clearly the existence of different geographical groups. Each of the groups is characterized by several arm types of each chromosome pair which are inherent to each group. Three geographical groups, **North**, **East** and **South**, have been described on the basis of such difference in the arm types (KURABAYASHI '57 and Table 3 in the present paper).

It was tried in the present paper to examine the geographical differentiation with chromosome types. Types which are found in common in majority of populations in a geographical region and are not in others are naturally the ones inherent there. Thus one can obtain types inherent to each of the geographical regions where populations belonging to **North**, **East** and **South** are distributed. These types are denoted as **N**, **E** and **S** respectively (cf. Table 4). Types included in common among populations distributed in two different geographical regions are the ones common in these regions. Thus types denoted as **NE**, **SE** and **NS**, each of which includes types which are common in **North** and **East**, **South** and **East**, and **North** and **South** respectively are identified. Types which commonly found in all the geographical regions are designated as **C**, viz. common types. Rare types which are included in common in a few populations distributed in two different geographical regions are also included in **C**, because chance coincidence of types seems to be not excluded in such cases (cf. the explanation of Fig. 1 in the present paper). By this distinction, majority of the types are distinguished and grouped into one of the seven categories denoted above. It was found, however, several types which are included restrictedly among populations distributed along and near Ishikari Depression. These types are named as **I**. Similarly types which were found only in *Sr* population are designated as **Sr**.




Fig. 6. Fan diagrams representing chromosome composition of the populations in North and South. The number written in each fan diagram represents type number of corresponding chromosome.

Summing up the relative frequency of types belonging to each of the nine categories in the five chromosome pairs of a given population or a given subgroup of populations (cf. Table 3 in the present paper and KURABAYASHI, 57), a fan diagram is obtained, which represents the relative frequency of the types belonging to each of the categories. The fan diagrams of populations and subgroups of populations obtained in various districts in northern Japan are represented in Figure 5. By doing so, the geographical differentiation of this plant is demonstrated with chromosome types as clearly as it was done with arm types.

Similar fan diagrams were obtained with respect to the composition of individual chromosome pairs included in the populations belonging to North and South, and in those distributed in northern and southern part of Ishikari Depression.

Conspicuous intra and interpopulational homogeneity in chromosome composition is clearly demonstrated among populations in North, while intra and interpopulational discontinuity is marked in South (Fig. 6).

Populations distributed along and near Ishikari Depression are characterized by their chromosome composition which is a mixture of the elements of North, East and South. The influence of North is conspicuous among populations in northern part of this Depression, while the populations in the southern part are suffered more from South. The migration from East is rather small in all the populations. Types inherent to this Depression are found more frequently in the northern part (Fig. 7).

Detailed examination of the factors responsible for the realization of chromosome composition in each populations represented in Figures 6 and 7 will be given in forthcoming papers of this series.

The chromosome composition of the populations represented in Appendix Tables 1-55 has been examined since 1943 by the following workers: T. HAGA (Kyushu University, Fukuoka\*), M. KURABAYASHI (Hokkaido Gakugei University, Hakodate), Y. HIRAIZUMI (Wisconsin University, Madison, U. S. A.), T. NARISE (National Institute of Genetics, Mishima), K. and J. SAMEJIMA (Hokkaido Branch, Government Forestry Experiment Station), S. KOMOCHI (National Hokkaido Agricultural Experiment Station, Sapporo), M. TAJIMA (Jikei-kai School of Medicine, Tokyo), Y. KANEKO (The Terao Junior High School, Yokohama), and the present writers. The latter are much indebted to these predecessors and would hope that the data represented below may

\* Present address of each of the workers is shown being put in parenthesis.




Fig. 7. Fan diagrams representing chromosome composition in populations chosen for examination in northern (upper left) and southern (lower right) part of Ishikari Depression.

facilitate further investigations concerning the mechanism of evolution in natural populations of *T. kamschaticum*.

During the course of the preparation of the present paper valuable advices and encouragements were given by Dr. M. KURABAYASHI to whom the present writers' cordial thanks are due.

#### Literature Cited

- HAGA, T. and KURABAYASHI, M. 1953. Genome and polyploidy in the genus *Trillium*. IV. Genome analysis by means of differential reaction of chromosome segments to low temperature. *Cytologia* **18**: 12-28.
- , 1954. Genome and polyploidy in the genus *Trillium*. V. Chromosomal variation in natural populations of *Trillium kamschaticum* PALL. *Mem. Fac. Sci. Kyushu Univ. Ser. E*, **1**: 159-185.
- KURABAYASHI, M. 1952. Differential reactivity of chromosomes in *Trillium*. *J. Fac. Sci. Hokkaido Univ. Ser. V*. **6**: 159-185.
- , 1957. Evolution and variation in *Trillium*. IV. Chromosomal variation in natural populations of *Trillium kamschaticum* PALL. *Jap. Jour. Bot.* **16**: 1-45.
- NARISE, T. 1956. Evolution and variation in *Trillium*. III. The breeding system of *Trillium kamschaticum* PALL. in some natural populations. *Jap. J. Genet.* **31**: 65-81.

Correction of errata in the foregoing paper of this series (KURABAYASHI, M. 1957. Evolution and Variation in *Trillium*. IV. Chromosomal variation in natural populations of *Trillium kamschaticum* PALL. *Jap. Jour. Bot.* **16**: 1-45).

Page	Line	Errata	Correction																																																																																				
1	2	KURABAYASHI ('54),	KURABAYASHI ('54).																																																																																				
5	5 from bottom	three	four																																																																																				
6, 7	Table 2	<table border="1"> <thead> <tr> <th>Type Number</th> <th colspan="6">Population</th> </tr> <tr> <th>of B-L</th> <th>In</th> <th>Sr</th> <th>Ty</th> <th>Fd</th> <th>Np</th> <th>Sg</th> </tr> </thead> <tbody> <tr> <td>152</td> <td>—</td> <td>9</td> <td>—</td> <td>—</td> <td>3</td> <td>2</td> </tr> <tr> <td>252</td> <td>1</td> <td>4</td> <td>3</td> <td>—</td> <td>8</td> <td>62</td> </tr> <tr> <td>253</td> <td>—</td> <td>—</td> <td>—</td> <td>32</td> <td>—</td> <td>—</td> </tr> <tr> <td>Total</td> <td colspan="5"></td> <td>101</td> </tr> </tbody> </table>	Type Number	Population						of B-L	In	Sr	Ty	Fd	Np	Sg	152	—	9	—	—	3	2	252	1	4	3	—	8	62	253	—	—	—	32	—	—	Total						101	<table border="1"> <thead> <tr> <th>Type Number</th> <th colspan="6">Population</th> </tr> <tr> <th>of B-L</th> <th>Tn</th> <th>Sr</th> <th>Ty</th> <th>Fd</th> <th>Np</th> <th>Sg</th> </tr> </thead> <tbody> <tr> <td>152</td> <td>1</td> <td>13</td> <td>3</td> <td>—</td> <td>10</td> <td>64</td> </tr> <tr> <td>252</td> <td>—</td> <td>—</td> <td>—</td> <td>32</td> <td>—</td> <td>—</td> </tr> <tr> <td>253</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>Total</td> <td colspan="5"></td> <td>100</td> </tr> </tbody> </table>	Type Number	Population						of B-L	Tn	Sr	Ty	Fd	Np	Sg	152	1	13	3	—	10	64	252	—	—	—	32	—	—	253	—	—	—	—	—	—	Total						100
Type Number	Population																																																																																						
of B-L	In	Sr	Ty	Fd	Np	Sg																																																																																	
152	—	9	—	—	3	2																																																																																	
252	1	4	3	—	8	62																																																																																	
253	—	—	—	32	—	—																																																																																	
Total						101																																																																																	
Type Number	Population																																																																																						
of B-L	Tn	Sr	Ty	Fd	Np	Sg																																																																																	
152	1	13	3	—	10	64																																																																																	
252	—	—	—	32	—	—																																																																																	
253	—	—	—	—	—	—																																																																																	
Total						100																																																																																	
8	8, 13	long arm	short arm																																																																																				
9	10	four types	three types																																																																																				
9	11	in My and three in Sr.	in My.																																																																																				
9	11	In the latter, additional to the three, two types were	Two types were																																																																																				
9	13	with two of the four found in Np and Sg.	with those found in Fd.																																																																																				
9	14	detected in Fd and predominant in Tm.	detected in Fd and Tm.																																																																																				
15	Table 6	<table border="1"> <thead> <tr> <th>Arm Type</th> <th colspan="2">Short Arm</th> </tr> <tr> <th>Long Arm</th> <th>201</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td>152</td> <td>—</td> <td>16</td> </tr> <tr> <td>252</td> <td>55</td> <td>81</td> </tr> </tbody> </table>	Arm Type	Short Arm		Long Arm	201	Total	152	—	16	252	55	81	<table border="1"> <thead> <tr> <th>Arm Type</th> <th colspan="2">Short Arm</th> </tr> <tr> <th>Long Arm</th> <th>201</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td>152</td> <td>55</td> <td>71</td> </tr> <tr> <td>252</td> <td>—</td> <td>26</td> </tr> </tbody> </table>	Arm Type	Short Arm		Long Arm	201	Total	152	55	71	252	—	26																																																												
Arm Type	Short Arm																																																																																						
Long Arm	201	Total																																																																																					
152	—	16																																																																																					
252	55	81																																																																																					
Arm Type	Short Arm																																																																																						
Long Arm	201	Total																																																																																					
152	55	71																																																																																					
252	—	26																																																																																					
15	Table 7 Long Arm	252	152																																																																																				
15	3	four and five types	four types																																																																																				
15	4 from bottom	252	253																																																																																				
15	3 from bottom	Three and four	Three																																																																																				
15	2 from bottom	short arm	short and long arm																																																																																				
15	1 from bottom	201-252 and 301-50) out of twelve	201-152 and 301-50) out of nine																																																																																				
16	Table 8	<table border="1"> <thead> <tr> <th>Arm Type</th> <th colspan="2">Short Arm</th> </tr> <tr> <th>Long Arm</th> <th>201</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td>152</td> <td>—</td> <td>9</td> </tr> <tr> <td>252</td> <td>4</td> <td>4</td> </tr> </tbody> </table>	Arm Type	Short Arm		Long Arm	201	Total	152	—	9	252	4	4	<table border="1"> <thead> <tr> <th>Arm Type</th> <th colspan="2">Short Arm</th> </tr> <tr> <th>Long Arm</th> <th>201</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td>152</td> <td>4</td> <td>13</td> </tr> </tbody> </table>	Arm Type	Short Arm		Long Arm	201	Total	152	4	13																																																															
Arm Type	Short Arm																																																																																						
Long Arm	201	Total																																																																																					
152	—	9																																																																																					
252	4	4																																																																																					
Arm Type	Short Arm																																																																																						
Long Arm	201	Total																																																																																					
152	4	13																																																																																					
16	Table 9	201-252	201-152																																																																																				
16	12 from bottom	203-50 and	203-50, 206-50 and																																																																																				
19	1 of foot note	the product	the product of																																																																																				
20	12 from bottom	between two groups of types	among types of each group																																																																																				
27	17 from bottom	Five and six types	Five types																																																																																				
35	Table 19		cf. Table 3 in the present paper																																																																																				
42	10 of Arm Type in Appendix Table 2	201-252	201-152																																																																																				

Appendix Tables 1-55

1		<i>Ks</i>				1947
Karyotype		Chromosome constitution				Freq.
1	A-13.13	B-12.12	C-6.6	D-3.3	E-7.7	50
Total						50

2		<i>In</i>				1949
Karyotype		Chromosome constitution				Freq.
1	A-22.22	B-1.1	C-6.6	D-3.3	E-3.3	36
2	A-22.22	B-1.1	C-6.9	D-3.3	E-3.3	5
3	A-22.22	B-1.12	C-6.6	D-3.3	E-3.3	4
4	A-22.22	B-12.12	C-6.6	D-3.3	E-3.3	5
Total						50

3

*Tn*

1949

Karyotype		Chromosome constitution				Freq.
1	A-11.13	B- 1.7	C-6.6	D-3.3	E-3.3	1
2	A-13.13	B- 1.1	C-6.6	D-3.3	E-1.1	2
3	A-13.13	B- 1.1	C-6.9	D-3.3	E-1.1	2
4	A-13.13	B- 1.7	C-6.6	D-3.3	E-1.1	1
5	A-13.13	B- 1.12	C-6.6	D-3.3	E-1.2	1
6	A-13.13	B- 1.12	C-6.6	D-3.3	E-1.3	1
7	A-13.13	B- 1.12	C-9.9	D-3.3	E-1.1	1
8	A-13.13	B- 7.7	C-6.6	D-3.3	E-1.5	1
9	A-13.13	B- 7.7	C-6.9	D-3.3	E-2.2	1
10	A-13.13	B- 7.7	C-6.9	D-3.3	E-7.7	1
11	A-13.13	B- 7.7	C-9.9	D-3.3	E-7.7	1
12	A-13.13	B-10.12	C-6.9	D-3.3	E-3.3	1
13	A-13.13	B-12.12	C-6.6	D-3.3	E-1.2	1
14	A-13.13	B-12.12	C-6.6	D-3.3	E-3.3	1
15	A-13.13	B-12.12	C-6.6	D-3.3	E-7.7	1
16	A-13.21	B- 1.1	C-9.9	D-3.3	E-1.3	1
17	A-13.21	B- 7.7	C-6.6	D-3.3	E-1.1	1
18	A-13.22	B- 1.1	C-6.6	D-3.3	E-1.3	2
19	A-13.22	B- 1.1	C-6.6	D-3.3	E-2.7	1
20	A-13.22	B- 1.1	C-9.9	D-3.3	E-1.3	1
21	A-13.22	B- 1.7	C-6.6	D-3.3	E-3.3	1
22	A-13.22	B- 1.7	C-6.9	D-3.3	E-1.2	1
23	A-13.22	B- 1.7	C-6.9	D-3.3	E-1.3	1
24	A-13.22	B- 1.12	C-3.9	D-3.3	E-3.3	1
25	A-13.22	B- 1.12	C-6.6	D-3.3	E-1.3	1
26	A-13.22	B- 1.12	C-6.6	D-3.3	E-1.7	1
27	A-13.22	B-12.12	C-9.9	D-3.3	E-3.3	1
28	A-21.21	B- 7.12	C-6.6	D-3.3	E-1.1	1
29	A-21.21	B-12.12	C-6.6	D-3.3	E-3.3	1
30	A-21.22	B- 1.1	C-6.6	D-3.3	E-7.7	1
31	A-21.22	B-12.12	C-6.6	D-3.3	E-1.1	1
32	A-22.22	B- 1.1	C-6.6	D-3.3	E-1.1	1
33	A-22.22	B- 1.1	C-6.9	D-3.3	E-1.1	2
34	A-22.22	B- 1.1	C-6.9	D-3.3	E-1.2	1
35	A-22.22	B- 1.7	C-6.6	D-3.3	E-1.1	1
36	A-22.22	B- 1.7	C-6.6	D-3.3	E-1.3	1
37	A-22.22	B- 1.12	C-6.6	D-3.3	E-1.2	1
38	A-22.22	B- 1.12	C-6.9	D-3.3	E-1.1	1
39	A-22.22	B- 7.7	C-6.9	D-3.3	E-1.1	1
40	A-22.22	B-12.12	C-6.6	D-3.3	E-1.7	1

total

44

4

*Kj*

1955

Karyotype	Chromosome constitution					Freq.
1	A-1.1	B-1.1	C-6.6	D-7.7	E-1.1	18
Total						18

5\*

*Yk*

1953

Chromosome	A		B		C		D		E	
	Type	Freq.								
	38	34	1	20	1	1	3	34	1	19
			2	13	6	29			3	14
			3	1	9	1			4	1
					10	2				
					11	1				
Total		34		34		34		34		34

\* Only total frequency of each chromosome type was recorded in 13 populations: *Yk, Nb, En, Hz, Ms, Ot, Kt, On, Ke, Sn, Kb, Rf* and *Kk*.

6

*Nb*

1952

Chromosome	A		B		C		D		E	
	Type	Freq.								
	38	16	1	16	6	15	11	3	1	16
					10	1	15	1		
							16	12		
Total		16		16		16		16		16

7		<i>Nn</i>				1952
Karyotype	Chromosome constitution					Freq.
1	A-24.24	B-1.1	C-10.10	D-1.7	E- 3.3	1
2	A-24.24	B-1.1	C-10.10	D-1.9	E- 1.6	1
3	A-24.24	B-1.1	C-10.10	D-3.3	E- 1.3	2
4	A-24.24	B-1.1	C-10.10	D-3.3	E- 3.3	1
5	A-24.24	B-1.12	C- 6.10	D-3.3	E- 3.3	1
6	A-24.36	B-1.1	C- 2.10	D-3.4	E- 3.3	1
7	A-24.38	B-1.1	C- 6.10	D-1.3	E- 1.1	1
8	A-24.38	B-1.1	C- 6.10	D-3.3	E- 3.3	2
9	A-24.38	B-1.1	C- 6.10	D-3.14	E- 3.3	1
10	A-24.38	B-1.1	C- 9.10	D-3.4	E- 3.3	1
11	A-24.38	B-1.1	C-10.10	D-1.1	E- 1.6	1
12	A-24.38	B-1.1	C-10.10	D-1.3	E- 1.3	1
13	A-24.38	B-1.1	C-10.10	D-1.3	E- 3.3	2
14	A-24.38	B-1.1	C-10.10	D-1.4	E- 1.3	1
15	A-24.38	B-1.1	C-10.10	D-3.3	E- 3.3	2
16	A-24.38	B-1.6	C-10.10	D-4.9	E- 6.11	1
17	A-24.38	B-1.12	C- 6.10	D-3.7	E- 3.3	1
18	A-24.38	B-6.9	C-10.10	D-1.9	E- 1.1	1
19	A-24.39	B-1.1	C-10.10	D-3.3	E- 1.1	1
20	A-38.13	B-9.9	C-10.10	D-3.4	E- 1.1	1
21	A-38.38	B-1.1	C- 6.10	D-3.3	E- 3.3	1
22	A-38.38	B-1.1	C- 6.10	D-3.4	E- 3.3	1
23	A-38.38	B-1.1	C-10.10	D-1.1	E- 1.1	2
24	A-38.38	B-1.1	C-10.10	D-1.3	E- 1.1	1
25	A-38.38	B-1.1	C-10.10	D-1.4	E- 1.6	1
26	A-38.38	B-1.1	C-10.10	D-3.3	E- 1.3	3
27	A-38.38	B-1.1	C-10.10	D-3.4	E- 1.3	1
28	A-38.38	B-1.1	C-10.10	D-3.4	E- 3.3	1
29	A-38.38	B-1.1	C-10.10	D-4.4	E- 3.3	1
30	A-38.38	B-1.6	C-10.10	D-1.1	E-10.11	1
31	A-38.38	B-1.9	C-10.10	D-1.1	E- 1.1	4
32	A-38.38	B-1.10	C-10.10	D-1.1	E- 1.1	1
33	A-38.38	B-2.13	C-10.10	D-4.4	E- 1.1	1
34	A-38.38	B-9.9	C-10.10	D-4.4	E- 1.1	1
35	A-38.39	B-1.1	C-10.10	D-1.1	E- 1.3	1
36	A-38.54	B-2.2	C-11.11	D-4.4	E- 1.1	1
Total						46

8

*Sr*

1945, 1947\*

Karyotype	Chromosome constitution					Freq.
1	A-13.13	B-6.6	C-6.6	D-3.3	E-2.2	1
2	A-13.13	B-6.6	C-6.6	D-3.7	E-2.2	1
3	A-13.13	B-6.6	C-6.6	D-7.7	E-2.2	1
4	A-13.13	B-6.7	C-6.6	D-3.3	E-2.2	1
5	A-13.13	B-6.7	C-6.6	D-7.7	E-2.2	1
6	A-13.13	B-6.11	C-6.6	D-3.3	E-2.2	1
7	A-13.13	B-7.7	C-6.6	D-3.3	E-2.2	2
8	A-13.13	B-7.7	C-6.6	D-3.7	E-2.2	1
9	A-13.13	B-8.8	C-6.6	D-7.7	E-2.2	1
10	A-13.13	B-8.9	C-6.6	D-3.3	E-2.2	1
11	A-13.13	B-8.10	C-6.6	D-3.3	E-2.2	1
12	A-13.13	B-8.10	C-6.6	D-7.7	E-2.2	1
13	A-13.13	B-9.9	C-6.6	D-3.3	E-2.2	3
14	A-13.13	B-9.10	C-6.6	D-3.7	E-2.2	2
15	A-13.14	B-6.6	C-6.6	D-7.7	E-2.2	2
16	A-13.14	B-6.8	C-6.6	D-3.7	E-2.2	1
17	A-13.14	B-6.8	C-6.6	D-7.7	E-2.2	1
18	A-13.14	B-7.7	C-6.6	D-7.7	E-2.2	3
19	A-13.14	B-7.9	C-6.6	D-3.7	E-2.2	1
20	A-14.14	B-6.6	C-6.6	D-3.7	E-2.2	1
21	A-14.14	B-6.6	C-6.6	D-7.7	E-2.2	21
22	A-14.14	B-6.7	C-6.6	D-7.7	E-2.2	1
23	A-14.14	B-7.7	C-6.6	D-7.7	E-2.2	1
Total						50

\* Sampling of the plants was made in several different years from one and the same area in *Sr*, *Tm*, *Sz*, *Sm*, *Ms*, *Ak* and *Mm* population.

9

*Ni*

1952

Karyotype	Chromosome constitution					Freq.
1	A-38.38	B-2.2	C-6.6	D-3.3	E-3.3	15
Total						15

10		<i>En</i>						1953		
Chromosome	A		B		C		D		E	
	Type	Freq.	Type	Freq.	Type	Freq.	Type	Freq.	Type	Freq.
	1	10	1	4	1	1	1	15	1	11
	38	1	2	3	6	15	3	9	3	12
	40	1	3	1	11	8			10	1
	58	12	9	1						
			10	1						
			13	14						
Total		24		24		24	24			24

11		<i>Ss</i>				1954
Karyotype	Chromosome constitution					Freq.
1	A- 1.1	B- 2.13	C- 6.6	D- 1.1	E- 1.1	2
2	A- 1.1	B- 3.10	C-11.11	D- 4.4	E-17.17	1
3	A- 1.1	B- 9.13	C- 6.6	D- 1.1	E- 3.3	2
4	A- 1.1	B-13.13	C- 6.6	D- 1.1	E- 3.3	1
5	A- 1.1	B-13.13	C- 6.6	D- 1.1	E-10.17	1
6	A- 1.1	B-13.13	C- 6.6	D- 1.11	E-17.17	1
7	A- 1.1	B-13.13	C- 6.6	D- 3.3	E-10.10	1
8	A- 1.1	B-13.13	C- 6.6	D-11.11	E-17.17	1
9	A- 1.1	B-13.13	C-11.11	D- 1.1	E- 6.6	1
10	A- 1.1	B-13.13	C-11.11	D- 3.3	E-10.17	1
11	A- 1.1	B-13.13	C-11.11	D- 3.11	E-10.17	1
12	A- 1.29	B-13.13	C- 6.6	D- 1.1	E- 3.10	2
13	A- 1.53	B-10.13	C- 6.6	D- 1.4	E- 3.3	2
14	A-11.33	B- 2.17	C- 4.4	D-11.11	E- 1.1	1
Total						18

12

*Sg*

1953

Karyotype		Chromosome constitution				Freq.
1	A- 1.1	B-10.10	C- 6.6	D- 1.1	E- 3.10	1
2	A-11.38	B-10.10	C- 6.6	D- 9.9	E-10.10	1
3	A-38.38	B-10.10	C- 6.6	D- 1.15	E- 1.10	1
4	A-38.50	B-13.13	C- 6.6	D- 1.1	E-10.10	1
5	A-50.50	B- 9.13	C- 6.6	D- 1.1	E- 10.10	1
6	A-50.50	B-10.10	C- 6.6	D- 1.1	E-10.10	1
7	A-50.50	B-10.13	C- 6.6	D- 1.1	E-10.10	1
8	A-53.1	B- 2.3	C- 6.6	D- 1.1	E-10.10	1
9	A-53.1	B-10.10	C- 6.6	D- 1.15	E- 3.10	1
10	A-53.1	B-10.10	C- 6.6	D-16.16	E-10.10	1
11	A-53.25	B-10.10	C- 6.6	D- 1.1	E-10.10	1
12	A-53.38	B-10.10	C- 6.6	D- 1.1	E-10.10	1
13	A-53.33	B-10.13	C- 6.6	D- 1.15	E-10.10	1
14	A-53.53	B-10.10	C- 6.6	D- 1.1	E- 3.10	1
15	A-53.53	B-10.10	C- 6.6	D- 1.15	E-10.10	2
16	A-53.53	B-10.10	C- 6.6	D-15.15	E- 1.1	1
17	A-53.53	B-10.10	C- 6.6	D-15.15	E-10.10	1
18	A-53.53	B-10.13	C- 6.6	D- 1.15	E-10.10	1
19	A-53.53	B-10.13	C- 6.11	D- 1.15	E-10.10	1
20	A-53.53	B-10.13	C-11.11	D- 1.1	E- 1.1	1
21	A-53.53	B-10.13	C- 6.6	D- 1.1	E-10.10	2
22	A-53.53	B-10.13	C-11.11	D- 1.1	E- 1.1	1
23	A-53.50	B-10.13	C- 6.6	D- 1.1	E-10.10	1
Total						25

13

*My*

1953

Karyotype		Chromosome constitution				Freq.
1	A-51.52	B-13.13	C-11.11	D- 1.15	E- 1.10	1
2	A-53.51	B-13.13	C- 6.11	D- 1.15	E- 1.1	2
3	A-53.52	B-13.13	C- 6.11	D-15.16	E- 1.10	1
4	A-53.53	B- 9.13	C- 6.11	D- 3.15	E- 1.10	1
5	A-53.53	B- 9.13	C-11.11	D- 1.15	E- 1.10	1
6	A-53.53	B-13.13	C- 6.11	D- 1.1	E- 1.1	1
7	A-53.53	B-13.13	C- 6.11	D- 1.15	E- 1.10	2
8	A-53.53	B-13.13	C-11.11	D- 3.15	E- 1.1	1
Total						10

14		<i>Np</i>				1953	
Karyotype		Chromosome constitution				Freq.	
1	A- 1.1	B-13.13	C-11.11	D-1.1	E- 1.10	1	
2	A- 1.38	B- 3.13	C- 6.6	D-1.3	E- 1.1	1	
3	A- 1.38	B-13.13	C- 6.11	D-3.3	E-10.10	1	
4	A- 1.53	B-13.13	C- 6.6	D-1.1	E- 1.10	1	
5	A- 1.53	B-13.13	C- 6.6	D-3.3	E-10.10	1	
6	A-38.38	B- 2.2	C- 6.6	D-3.3	E- 3.3	1	
7	A-38.38	B- 2.10	C- 6.10	D-3.3	E- 1.3	1	
8	A-38.38	B- 3.13	C- 6.6	D-3.3	E- 1.10	1	
9	A- 38.38	B- 2.13	C- 6.6	D-1.1	E- 3.10	1	
10	A-38.38	B-13.13	C- 6.6	D-1.1	E- 1.1	1	
11	A-38.53	B- 2.3	C- 6.6	D-3.3	E-10.10	1	
12	A-38.53	B- 2.13	C- 6.6	D-1.1	E- 1.10	1	
13	A-38.53	B- 2.13	C- 6.6	D-1.3	E- 3.3	1	
14	A-38.53	B- 2.13	C- 6.11	D-1.3	E-10.10	1	
15	A- 38.54	B- 2.13	C- 6.6	D-1.1	E- 3.3	1	
16	A-38.54	B- 9.13	C- 6.11	D-1.3	E- 1.1	1	
17	A-53.53	B- 2.2	C- 6.6	D-3.3	E- 1.10	1	
18	A-53.53	B- 2.13	C- 6.6	D-1.3	E- 3.3	1	
19	A-53.53	B- 2.13	C- 6.6	D-1.1	E- 3.10	1	
20	A-53.53	B-10.10	C- 6.11	D-3.3	E- 1.1	1	
Total						20	

15		<i>Zb</i>				1957	
Karyotype		Chromosome constitution				Freq.	
1	A-24.24	B-19.19	C-6.6	D-3.17	E-1.7	1	
2	A- 24.38	B-19.19	C-6.6	D-3.3	E-3.3	1	
3	A-24.54	B-19.19	C-6.6	D-3.3	E-1.1	1	
4	A-38.28	B-19.3	C-6.6	D-3.3	E-1.3	1	
5	A-38.38	B-19.2	C-6.6	D-3.17	E-1.3	1	
6	A-53.29	B-19.19	C-6.6	D-3.8	E-1.3	1	
7	A-53.38	B-19.19	C-6.6	D-3.3	E-1.3	1	
8	A-53.38	B-19.19	C-6.6	D-3.17	E-3.3	1	
9	A-53.56	B-19.19	C-6.6	D-3.3	E-3.1	1	
10	A-53.56	B-19.19	C-6.6	D-3.3	E-1.1	1	
11	A-53.56	B-19.19	C-6.6	D-3.7	E-1.1	1	
12	A- 56.56	B-19.19	C-6.6	D-3.3	E-3.9	1	
13	A- 56.56	B-19.19	C-6.6	D-3.7	E-1.11	1	
14	A-56.56	B-19.19	C-6.6	D-3.17	E-1.15	1	
Total						14	

16

*Tm*

1951, 1955

Chromosome	A		B		C		D		E	
	Type	Freq.								
	1	18	16	18	6	18	1	18	9	10
									17	8
Total		18		18		18		18		18

19

*H<sub>z</sub>*

1951

Chromosome	A		B		C		D		E	
	Type	Freq.								
	24	7	3	14	13	16	5	11	3	8
	39	3	2	6	3	2	14	3	1	6
	3	2			1	2	13	2	4	3
	5	2					12	1	10	3
	12	1					4	1		
	44	1					6	1		
	31	1					7	1		
	30	1								
	13	1								
	15	1								
Total		20		20		20		20		20

17		Sz				1944, 1945, 1946, 1947	
Karyotype		Chromosome constitution				Freq.	
1	A- 1.2	B-2.4	C-1.1	D-1.5	E-2.3	1	
2	A- 1.2	B-3.3	C-3.6	D-4.5	E-2.2	1	
3	A- 1.8	B-3.3	C-1.3	D-1.5	E-2.3	1	
4	A- 2.2	B-2.3	C-1.1	D-2.5	E-3.4	1	
5	A- 2.2	B-3.3	C-2.5	D-5.5	E-3.3	1	
6	A- 2.2	B-3.3	C-3.5	D-7.7	E-3.4	1	
7	A- 2.2	B-3.3	C-3.6	D-5.5	E-3.3	1	
8	A- 2.3	B-2.2	C-1.3	D-1.1	E-3.4	1	
9	A- 2.3	B-2.2	C-2.3	D-4.4	E-3.4	1	
10	A- 2.4	B-2.3	C-1.1	D-5.5	E-3.3	1	
11	A- 2.4	B-2.3	C-1.1	D-5.7	E-3.3	1	
12	A- 2.4	B-3.3	C-3.3	D-1.5	E-3.3	1	
13	A- 2.5	B-2.3	C-2.3	D-5.5	E-3.4	1	
14	A- 2.5	B-3.4	C-2.3	D-2.5	E-3.4	1	
15	A- 2.14	B-2.3	C-6.9	D-5.7	E-4.4	1	
16	A- 2.18	B-3.3	C-2.3	D-5.5	E-1.3	1	
17	A- 2.18	B-3.3	C-3.3	D-4.5	E-3.4	1	
18	A- 2.18	B-3.4	C-2.4	D-2.5	E-3.3	1	
19	A- 2.19	B-2.4	C-2.6	D-5.5	E-3.3	1	
20	A- 3.3	B-2.2	C-1.6	D-1.1	E-3.4	1	
21	A- 4.9	B-2.3	C-3.6	D-1.5	E-3.4	1	
22	A- 4.16	B-2.3	C-3.3	D-3.3	E-3.3	1	
23	A- 4.19	B-2.3	C-2.3	D-1.5	E-3.3	1	
24	A- 5.5	B-2.3	C-3.3	D-1.5	E-3.3	1	
25	A- 5.5	B-2.3	C-4.5	D-1.5	E-1.3	1	
26	A- 5.5	B-2.5	C-3.3	D-6.7	E-2.4	1	
27	A- 5.5	B-3.3	C-3.3	D-2.5	E-3.3	1	
28	A- 5.5	B-3.3	C-6.7	D-5.6	E-3.3	1	
29	A- 5.5	B-3.4	C-5.5	D-1.5	E-3.3	1	
30	A- 5.5	B-3.5	C-1.1	D-1.4	E-3.4	1	
31	A- 5.5	B-3.5	C-2.5	D-7.7	E-3.3	1	
32	A- 5.12	B-2.3	C-1.6	D-1.7	E-3.4	1	
33	A- 5.18	B-2.5	C-3.5	D-5.5	E-1.3	1	
34	A- 5.18	B-3.3	C-3.6	D-2.2	E-2.3	1	
35	A- 5.18	B-3.3	C-6.6	D-1.2	E-4.4	1	
36	A- 5.19	B-2.3	C-3.3	D-3.5	E-2.3	1	
37	A- 5.19	B-2.4	C-5.7	D-2.2	E-3.3	1	
38	A- 5.19	B-3.5	C-2.5	D-1.5	E-3.3	1	
39	A- 9.9	B-2.2	C-3.6	D-1.5	E-3.3	1	
40	A-14.14	B-3.12	C-3.6	D-1.5	E-3.4	1	
41	A-14.16	B-3.3	C-3.6	D-5.7	E-3.4	1	
42	A-14.19	B-2.3	C-2.3	D-1.5	E-4.4	1	
43	A-16.16	B-3.3	C-1.3	D-5.5	E-3.3	1	
44	A-16.18	B-3.3	C-3.3	D-5.5	E-3.3	1	
45	A-18.18	B-2.3	C-2.5	D-2.5	E-3.4	1	
46	A-18.18	B-2.3	C-3.6	D-2.8	E-1.2	1	
47	A-19.19	B-2.3	C-1.3	D-5.5	E-2.3	1	
48	A-19.19	B-2.3	C-6.8	D-5.5	E-3.3	1	
49	A-19.19	B-2.3	C-7.7	D-1.2	E-3.3	1	
50	A-19.19	B-3.3	C-3.3	D-4.5	E-3.4	1	
Total						50	

18

*Sm*

1945, 1946, 1947

Karyotype		Chromosome constitution				Freq.
1	A- 1.19	B-2.4	C-1.3	D-1.5	E-2.3	1
2	A- 2.2	B-2.3	C-5.6	D-3.7	E-1.3	1
3	A- 2.3	B-2.3	C-3.6	D-5.7	E-3.4	1
4	A- 2.4	B-2.2	C-2.6	D-5.5	E-1.1	1
5	A- 2.5	B-2.2	C-1.3	D-5.5	E-1.1	1
6	A- 2.5	B-2.2	C-2.5	D-4.6	E-3.3	1
7	A- 2.5	B-2.3	C-3.6	D-2.5	E-2.3	1
8	A- 2.5	B-2.3	C-3.5	D-3.7	E-3.3	1
9	A- 2.7	B-2.3	C-4.6	D-6.7	E-2.3	1
10	A- 2.9	B-2.2	C-3.3	D-5.6	E-3.4	1
11	A- 2.9	B-2.3	C-3.5	D-6.7	E-3.3	1
12	A- 2.15	B-2.3	C-2.4	D-2.6	E-3.5	1
13	A- 2.16	B-2.2	C-3.4	D-5.6	E-3.4	1
14	A- 3.3	B-2.3	C-2.4	D-2.6	E-4.4	1
15	A- 3.6	B-2.3	C-2.3	D-5.6	E-3.3	1
16	A- 3.8	B-2.2	C-5.5	D-6.7	E-3.3	1
17	A- 3.10	B-2.3	C-3.5	D-5.7	E-3.4	1
18	A- 3.13	B-2.2	C-2.5	D-5.7	E-3.3	1
19	A- 3.13	B-2.3	C-1.7	D-5.6	E-3.4	1
20	A- 3.17	B-2.2	C-6.8	D-5.6	E-3.6	1
21	A- 5.5	B-2.2	C-1.3	D-6.7	E-3.3	1
22	A- 5.5	B-3.3	C-3.4	D-6.6	E-3.3	1
23	A- 5.9	B-2.2	C-1.6	D-1.4	E-3.3	1
24	A- 5.9	B-2.3	C-4.5	D-6.6	E-3.4	1
25	A- 5.13	B-2.2	C-1.3	D-6.6	E-2.3	1
26	A- 5.13	B-3.3	C-3.3	D-5.7	E-3.3	1
27	A- 5.13	B-3.3	C-5.5	D-7.8	E-1.4	1
28	A- 5.15	B-2.3	C-6.6	D-6.6	E-3.3	1
29	A- 5.16	B-2.3	C-3.3	D-2.2	E-3.4	1
30	A- 5.16	B-2.3	C-8.8	D-5.7	E-3.3	1
31	A- 5.16	B-4.7	C-6.6	D-1.5	E-1.3	1
32	A- 5.19	B-3.3	C-3.3	D-1.5	E-3.4	1
33	A- 6.6	B-2.2	C-5.5	D-6.6	E-3.4	1
34	A- 6.6	B-2.2	C-7.8	D-5.6	E-3.3	1
35	A- 6.8	B-2.3	C-3.3	D-6.7	E-3.4	1
36	A- 6.8	B-3.3	C-3.5	D-5.8	E-3.3	1
37	A- 7.17	B-3.3	C-3.6	D-5.6	E-3.4	1
38	A- 9.14	B-2.3	C-5.5	D-5.6	E-3.3	1
39	A-13.14	B-2.2	C-1.3	D-6.6	E-3.3	1
40	A-14.15	B-2.2	C-8.8	D-2.6	E-3.6	1
41	A-14.15	B-2.2	C-5.6	D-5.6	E-3.3	1
42	A-14.15	B-2.3	C-5.5	D-6.7	E-1.3	1
43	A-15.15	B-2.2	C-3.6	D-2.6	E-3.3	1
44	A-15.16	B-2.2	C-3.6	D-5.6	E-3.3	1
45	A-15.16	B-2.3	C-5.5	D-1.6	E-3.4	1
46	A-16.16	B-2.2	C-3.8	D-6.6	E-3.4	1
47	A-16.16	B-2.3	C-2.6	D-1.5	E-1.4	1
48	A-16.16	B-2.12	C-3.9	D-1.2	E-3.3	1
49	A-18.18	B-2.2	C-3.3	D-5.5	E-3.3	1
Total						50

Karyotype	Chromosome constitution					Freq.
1	A- 1.2	B-2.2	C- 1.13	D-5.5	E- 3.10	1
2	A- 1.3	B-2.3	C- 1.13	D-3.5	E- 1.3	1
3	A- 1.3	B-2.3	C- 1.3	D-5.5	E- 1.3	1
4	A- 1.5	B-2.3	C- 1.1	D-1.5	E- 3.3	1
5	A- 1.17	B-2.3	C- 4.13	D-5.7	E- 1.10	1
6	A- 1.18	B-3.3	C- 1.1	D-5.5	E- 1.4	1
7	A- 1.30	B-2.3	C-13.13	D-5.7	E- 3.3	1
8	A- 2.2	B-3.3	C- 3.13	D-7.7	E- 3.10	1
9	A- 2.3	B-2.3	C- 1.13	D-5.5	E- 1.1	1
10	A- 2.15	B-2.3	C- 1.13	D-5.5	E-10.10	1
11	A- 2.15	B-3.3	C- 1.13	D-5.7	E- 1.3	1
12	A- 2.30	B-2.3	C- 1.1	D-5.5	E- 3.10	1
13	A- 2.30	B-2.2	C- 3.13	D-5.7	E- 3.10	1
14	A- 2.37	B-2.3	C-13.13	D-5.5	E- 1.3	1
15	A- 3.5	B-2.2	C-13.13	D-5.7	E- 3.10	1
16	A- 3.3	B-2.3	C- 1.13	D-1.5	E-10.15	1
17	A- 3.5	B-2.3	C- 1.13	D-5.5	E- 3.10	1
18	A- 3.5	B-2.3	C-13.13	D-5.5	E- 3.10	1
19	A- 3.5	B-2.3	C-13.13	D-5.7	E- 1.15	1
20	A- 3.5	B-2.3	C-13.13	D-5.7	E- 3.3	1
21	A- 3.5	B-3.3	C- 1.13	D-5.5	E- 3.3	1
22	A- 3.6	B-2.2	C- 1.13	D-5.5	E-10.10	1
23	A- 3.11	B-2.3	C- 1.13	D-1.1	E- 1.3	1
24	A- 3.11	B-3.3	C- 1.13	D-5.5	E- 3.10	1
25	A- 3.15	B-2.3	C- 1.13	D-5.5	E- 3.10	1
26	A- 3.17	B-2.2	C- 1.13	D-5.5	E- 1.3	1
27	A- 3.30	B-2.2	C- 1.13	D-5.5	E- 1.3	1
28	A- 3.30	B-2.3	C- 1.13	D-5.5	E- 4.10	1
29	A- 3.30	B-2.3	C- 1.13	D-5.7	E- 1.3	1
30	A- 3.30	B-2.3	C-13.13	D-7.7	E- 1.1	1
31	A- 4.5	B-2.3	C- 3.13	D-5.5	E- 3.10	1
32	A- 5.5	B-2.3	C-13.13	D-1.5	E- 1.1	1
33	A- 5.5	B-2.3	C-13.13	D-1.5	E- 3.3	1
34	A- 5.10	B-2.3	C- 1.13	D-5.5	E- 1.10	1
35	A- 5.11	B-2.3	C- 1.1	D-5.5	E- 1.10	1
36	A- 5.30	B-2.3	C- 1.13	D-5.5	E- 4.10	1
37	A- 5.31	B-2.3	C- 1.1	D-1.1	E- 1.1	1
38	A- 5.31	B-3.3	C- 3.13	D-7.7	E- 1.10	1
39	A- 7.30	B-2.3	C- 1.1	D-5.7	E-10.15	1
40	A- 8.29	B-3.3	C- 1.13	D-5.5	E- 3.3	1
41	A-13.21	B-2.3	C-13.13	D-5.5	E- 1.10	1
42	A-15.18	B-2.2	C-13.13	D-5.5	E-10.10	1
43	A-15.30	B-2.3	C-13.13	D-5.5	E- 3.3	1
44	A- 15.31	B-3.3	C-13.13	D-5.5	E-10.10	1
45	A-18.21	B-3.3	C- 1.1	D-5.5	E- 1.14	1
46	A-24.30	B-2.3	C- 1.1	D-5.7	E- 3.10	1
47	A-30.35	B-2.3	C- 1.13	D-5.5	E-10.10	1
Total						47

21

*Em-III D*

1952

Karyotype	Chromosome constitution					Freq.
1	A- 1.5	B-2.3	C- 1.13	D-1.5	E- 1.4	1
2	A- 2.8	B-3.3	C- 1.13	D-5.5	E- 1.3	1
3	A- 2.30	B-2.3	C- 1.13	D-1.5	E- 3.10	1
4	A- 2.36	B-2.3	C- 3.13	D-5.5	E- 1.10	1
5	A- 3.5	B-2.3	C- 1.13	D-5.5	E- 1.10	1
6	A- 3.15	B-3.3	C-13.13	D-5.5	E- 3.10	1
7	A- 5.13	B- 2.2	C-13.13	D-5.5	E- 1.1	1
8	A- 5.15	B-2.2	C- 1.1	D-5.5	E- 1.1	1
9	A- 5.17	B-2.3	C- 1.1	D-5.5	E- 3.3	1
10	A- 5.30	B-2.3	C- 1.13	D-5.5	E- 1.10	1
11	A- 6.30	B-2.2	C- 1.1	D-5.5	E- 1.1	1
12	A-15.30	B-2.2	C-13.13	D-5.5	E-10.10	1
13	A-17.30	B-2.3	C- 1.13	D-5.5	E- 1.10	1
14	A-32.37	B-2.3	C- 1.13	D-5.5	E- 1.3	1
Total						14

Karyotype	Chromosome constitution					Freq.
1	A- 2.5	B-2.3	C- 3.13	D-5.5	E- 4.10	1
2	A- 2.5	B-2.3	C- 3.3	D-5.5	E- 1.13	1
3	A- 2.17	B-2.3	C- 3.3	D-5.5	E-10.10	1
4	A- 2.19	B-2.2	C- 3.3	D-5.5	E- 4.4	1
5	A- 2.30	B-2.2	C-13.13	D-5.5	E- 3.3	1
6	A- 2.30	B-2.3	C- 1.3	D-5.5	E- 1.1	1
7	A- 2.30	B-2.3	C- 3.3	D-5.5	E- 1.3	1
8	A- 2.32	B-2.3	C-13.13	D-5.5	E- 3.4	1
9	A- 2.33	B-2.3	C- 3.3	D-5.5	E- 3.4	1
10	A- 2.33	B-2.3	C- 3.3	D-5.5	E-10.10	1
11	A- 2.35	B-3.3	C- 3.3	D-5.5	E- 3.3	1
12	A- 2.39	B-2.3	C- 1.3	D-5.5	E- 3.4	1
13	A- 3.5	B-2.3	C- 1.3	D-5.5	E- 1.3	1
14	A- 3.5	B-2.3	C- 3.15	D-5.5	E-10.10	1
15	A- 3.35	B-2.3	C- 3.3	D-5.5	E- 1.1	1
16	A- 5.7	B-2.3	C- 3.15	D-5.5	E- 1.10	1
17	A- 5.25	B-2.2	C- 3.3	D-5.5	E- 3.4	1
18	A- 5.30	B-2.2	C- 3.13	D-5.5	E- 1.4	1
19	A- 5.30	B-3.3	C- 3.3	D-5.5	E- 4.10	1
20	A- 5.30	B-2.3	C-13.13	D-5.5	E- 3.3	1
21	A- 5.30	B-2.3	C- 3.13	D-5.5	E- 3.10	1
22	A- 5.30	B-3.3	C-13.13	D-5.5	E- 3.3	1
23	A- 5.30	B-2.3	C- 3.3	D-5.5	E- 3.3	1
24	A- 5.30	B-2.3	C- 3.3	D-5.5	E- 3.3	1
25	A- 5.30	B-2.2	C-13.13	D-5.5	E- 3.10	1
26	A- 5.31	B-2.2	C- 3.13	D-5.5	E-10.10	1
27	A- 5.31	B-2.2	C- 3.3	D-5.5	E- 3.3	1
28	A- 5.31	B-2.3	C-13.13	D-5.5	E- 1.10	1
29	A- 5.32	B-2.3	C- 3.3	D-5.5	E- 1.3	1
30	A- 5.33	B-3.3	C-13.13	D-5.5	E- 3.10	1
31	A- 5.35	B-3.3	C-13.13	D-5.5	E- 3.3	1
32	A- 5.36	B-2.3	C- 3.3	D-5.5	E- 3.3	1
33	A- 5.36	B-3.3	C- 3.3	D-5.5	E- 3.10	1
34	A- 5.39	B-2.2	C- 3.3	D-5.5	E- 4.10	1
35	A- 5.37	B-2.3	C-13.13	D-5.5	E- 3.10	1
36	A-15.36	B-2.2	C- 3.3	D-5.5	E- 4.10	1
37	A-17.30	B-2.3	C-13.13	D-5.5	E- 1.4	1
38	A-17.30	B-3.3	C- 1.13	D-5.5	E- 3.10	1
39	A-30.30	B-3.3	C-13.13	D-5.5	E- 3.10	1
40	A-30.30	B-2.2	C-13.13	D-5.5	E- 3.10	1
41	A-30.33	B-2.2	C- 1.3	D-5.5	E- 1.10	1
42	A-30.36	B-2.3	C- 3.13	D-5.5	E- 4.9	1
43	A-30.36	B-2.3	C-13.13	D-5.5	E-10.10	1
44	A-33.33	B-2.2	C- 3.13	D-5.5	E- 3.10	1
45	A-33.36	B-2.3	C-13.13	D-5.5	E- 3.4	1
Total						45

23

*Srr-S* (3)

1952

Karyotype	Chromosome constitution					Freq.
1	A- 2.3	B-2.2	C- 1.3	D-5.5	E- 1.3	1
2	A- 2.5	B-2.2	C- 1.3	D-5.5	E- 1.1	1
3	A- 2.15	B-2.3	C- 1.13	D-5.5	E- 1.10	1
4	A- 2.17	B-2.2	C- 1.13	D-5.5	E- 3.4	1
5	A- 2.17	B-2.3	C-13.13	D-5.5	E- 1.1	1
6	A- 2.30	B-2.2	C- 1.13	D-5.5	E- 1.10	1
7	A- 2.30	B-2.3	C- 1.3	D-5.5	E- 1.10	1
8	A- 2.35	B-2.3	C- 3.3	D-5.5	E- 1.10	1
9	A- 2.36	B-2.3	C-13.13	D-5.5	E- 4.4	1
10	A- 3.5	B-2.2	C- 3.3	D-5.5	E- 1.10	1
11	A- 3.5	B-2.3	C- 3.3	D-5.5	E- 1.1	1
12	A- 3.5	B-2.3	C- 1.1	D-5.5	E- 1.4	1
13	A- 3.39	B-2.3	C- 3.3	D-5.5	E- 1.3	1
14	A- 5.15	B-2.3	C- 3.3	D-5.5	E- 1.1	1
15	A- 5.19	B-2.2	C- 1.13	D-5.5	E- 3.3	2
16	A- 5.30	B-2.2	C- 1.13	D-5.5	E- 3.10	1
17	A- 5.30	B-2.3	C- 1.1	D-5.5	E- 3.4	1
18	A- 5.30	B-2.3	C- 1.13	D-5.5	E- 1.10	1
19	A- 5.30	B-3.3	C- 1.13	D-1.5	E- 1.10	1
20	A- 5.30	B-3.3	C- 1.13	D-5.5	E- 1.10	1
21	A- 5.33	B-2.3	C-13.13	D-5.5	E- 1.4	1
22	A- 5.37	B-2.3	C- 1.13	D-5.5	E- 4.10	1
23	A- 5.40	B-2.3	C- 1.13	D-5.5	E- 1.3	1
24	A- 8.30	B-2.3	C-13.13	D-5.5	E- 1.3	1
25	A-11.19	B-2.3	C-13.13	D-1.5	E-10.10	1
26	A-11.30	B-2.3	C- 3.13	D-5.5	E- 1.10	1
27	A-15.30	B-2.2	C- 3.3	D-5.5	E- 3.4	1
28	A-15.33	B-2.3	C- 3.3	D-5.5	E- 1.10	1
29	A-17.34	B-2.3	C- 1.13	D-5.5	E- 3.10	1
30	A-17.35	B-2.2	C- 3.3	D-5.5	E- 1.1	1
31	A-17.36	B-3.3	C-13.13	D-5.5	E- 1.1	1
32	A-19.33	B-2.3	C- 3.3	D-5.5	E- 1.10	1
33	A-20.30	B-2.3	C- 1.13	D-5.5	E-10.10	1
34	A-25.30	B-2.3	C- 1.13	D-5.5	E- 1.10	1
35	A-25.30	B-3.3	C- 3.3	D-5.5	E- 3.10	1
36	A-30.30	B-2.3	C-13.13	D-5.5	E- 1.10	1
37	A-30.30	B-3.3	C-13.13	D-5.5	E- 1.1	1
38	A-30.35	B-2.3	C- 1.13	D-5.5	E- 1.10	1
39	A-30.36	B-2.3	C- 1.13	D-5.5	E-10.10	1
Total						40

24		<i>Srr-N</i>				1949
Karyotype		Chromosome constitution				Freq.
1	A- 2.5	B-2.2	C- 1.13	D-5.5	E- 3.3	1
2	A- 2.5	B-2.3	C- 3.13	D-5.5	E- 4.4	1
3	A- 2.30	B-2.3	C- 1.1	D-5.5	E- 3.4	1
4	A- 2.30	B-2.3	C- 3.3	D-5.5	E- 1.3	1
5	A- 2.35	B-2.3	C- 1.1	D-5.5	E- 3.4	1
6	A- 3.5	B-2.2	C- 3.3	D-5.5	E- 1.10	1
7	A- 5.5	B-2.2	C- 3.3	D-5.5	E- 3.10	1
8	A- 5.5	B-2.3	C- 1.3	D-5.5	E- 3.3	1
9	A- 5.5	B-2.2	C-13.13	D-5.5	E- 1.3	1
10	A- 5.5	B-2.3	C- 3.3	D-5.5	E- 3.4	1
11	A- 5.5	B-2.3	C- 1.13	D-5.5	E- 3.10	1
12	A- 5.10	B-2.3	C- 1.3	D-5.5	E- 4.4	1
13	A- 5.17	B-2.2	C- 3.13	D-5.5	E- 4.4	1
14	A- 5.17	B-2.3	C- 1.1	D-5.5	E- 4.10	1
15	A- 5.21	B-2.3	C- 3.3	D-5.5	E- 4.10	1
16	A- 5.25	B-2.3	C- 3.3	D-5.5	E- 3.10	1
17	A- 5.30	B-2.3	C- 1.13	D-5.5	E- 3.4	1
18	A- 5.30	B-2.3	C- 3.3	D-5.5	E- 3.3	1
19	A- 5.30	B-2.3	C- 1.1	D-5.5	E- 3.3	1
20	A- 5.30	B-3.3	C- 3.13	D-5.5	E- 3.3	1
21	A- 5.30	B-2.3	C- 3.3	D-5.5	E- 3.10	1
22	A- 5.30	B-2.3	C- 1.1	D-5.5	E- 4.10	1
23	A- 5.30	B-2.3	C-13.13	D-5.5	E- 3.4	1
24	A- 5.30	B-2.3	C- 1.13	D-5.5	E- 1.4	1
25	A- 5.30	B-2.3	C- 3.3	D-5.5	E- 3.4	1
26	A- 5.30	B-2.3	C- 3.13	D-5.5	E- 4.10	1
27	A- 5.33	B-2.2	C- 1.3	D-5.5	E- 1.10	1
28	A- 5.34	B-2.2	C- 1.13	D-5.5	E- 3.3	1
29	A- 5.35	B-2.3	C- 1.13	D-5.5	E- 3.4	1
30	A- 5.35	B-2.3	C- 3.3	D-5.5	E- 4.10	1
31	A- 5.36	B-2.3	C- 3.3	D-5.5	E- 4.3	1
32	A-11.33	B-2.2	C- 1.3	D-5.5	E- 3.11	1
33	A-15.17	B-2.3	C- 3.3	D-5.5	E- 3.3	1
34	A-15.36	B-2.3	C- 1.3	D-5.5	E- 3.4	1
35	A-17.33	B-2.3	C- 1.1	D-5.5	E- 1.10	1
36	A-21.36	B-2.2	C- 3.3	D-5.5	E- 3.4	1
37	A-24.36	B-2.3	C- 3.3	D-5.5	E- 1.3	1
38	A-27.29	B-2.3	C- 3.3	D-5.5	E- 3.3	1
39	A-30.30	B-3.3	C- 1.13	D-5.5	E- 3.4	1
40	A-30.31	B-2.2	C- 1.1	D-5.5	E- 4.10	1
41	A-30.35	B-2.3	C- 3.3	D-5.5	E- 4.10	1
42	A-30.36	B-2.3	C- 3.3	D-5.5	E- 3.4	1
43	A-31.33	B-2.3	C- 1.3	D-5.5	E- 1.15	1
44	A-31.33	B-3.3	C- 1.1	D-5.5	E-10.10	1
45	A-33.35	B-2.3	C- 3.3	D-5.5	E- 3.10	1
Total						45

25

*Hr*

1951

Karyotype	Chromosome constitution					Freq.
1	A- 1.3	B- 2.3	C-13.13	D-5.5	E-3.4	1
2	A- 5.5	B- 3.10	C- 3.3	D-5.5	E-4.4	1
3	A- 5.10	B- 2.10	C- 3.3	D-5.5	E-3.3	1
4	A- 5.11	B- 2.2	C- 3.3	D-1.5	E-3.3	1
5	A- 5.11	B- 2.3	C- 3.3	D-1.5	E-3.14	1
6	A- 5.30	B- 2.3	C- 3.4	D-5.5	E-3.3	1
7	A- 5.31	B-10.14	C- 3.13	D-5.5	E-3.3	1
8	A- 5.32	B- 2.3	C- 3.13	D-5.5	E-1.4	1
9	A- 5.33	B- 3.3	C- 3.3	D-5.5	E-3.10	1
10	A- 5.34	B- 3.3	C- 3.3	D-5.5	E-3.10	1
11	A- 5.37	B- 2.3	C-13.13	D-5.5	E-3.3	1
12	A- 5.39	B- 2.3	C- 3.13	D-5.5	E-3.10	1
13	A- 5.48	B- 3.14	C- 3.3	D-1.5	E-3.3	1
14	A-10.10	B- 2.2	C- 3.3	D-5.5	E-3.3	1
15	A-10.17	B- 3.3	C- 3.3	D-5.5	E-3.3	1
16	A-10.18	B- 2.3	C- 3.13	D-5.5	E-3.3	1
17	A-10.18	B- 3.10	C- 3.13	D-5.5	E-3.4	1
18	A-10.18	B-10.10	C- 3.13	D-5.5	E-4.4	1
19	A-10.23	B- 2.10	C- 3.3	D-5.5	E-3.3	1
20	A-10.30	B- 2.3	C- 3.3	D-5.5	E-3.4	1
21	A-11.18	B- 3.3	C- 3.3	D-5.5	E-3.3	1
22	A-11.32	B- 2.3	C- 3.3	D-5.5	E-4.10	1
23	A-17.18	B- 2.3	C- 3.3	D-5.5	E-3.10	1
24	A-17.18	B- 2.10	C- 3.14	D-5.5	E-1.3	1
25	A-18.18	B- 2.10	C- 3.3	D-5.5	E-3.3	1
26	A-18.21	B- 2.2	C- 3.3	D-5.5	E-3.4	1
27	A-18.30	B- 2.10	C- 3.3	D-5.5	E-3.15	1
28	A-18.47	B- 2.3	C- 3.3	D-5.5	E-3.3	1
29	A-19.24	B- 3.3	C-13.13	D-5.15	E-1.3	1
30	A-20.30	B- 3.3	C- 3.13	D-5.5	E-3.10	1
31	A-24.30	B- 2.3	C- 3.13	D-1.5	E-3.3	1
32	A-30.30	B- 2.2	C- 3.13	D-5.5	E-3.3	1
33	A-30.30	B- 3.10	C- 3.3	D-5.5	E-3.3	1
Total						33

Karyotype	Chromosome constitution					Freq.
1	A- 1.30	B-2.3	C-1.1	D-5.5	E- 1.16	1
2	A- 2.30	B-2.2	C-3.3	D-5.5	E-13.16	1
3	A- 3.3	B-2.2	C-3.3	D-4.5	E- 1.1	1
4	A- 3.3	B-2.3	C-3.3	D-5.5	E- 1.10	1
5	A- 3.5	B-2.3	C-3.3	D-5.5	E- 1.10	1
6	A- 3.10	B-2.2	C-3.3	D-5.5	E-10.10	1
7	A- 3.11	B-2.3	C-3.3	D-5.5	E-10.10	1
8	A- 3.17	B-2.3	C-3.3	D-5.5	E- 1.10	1
9	A- 3.23	B-2.3	C-3.3	D-5.5	E- 1.1	1
10	A- 3.23	B-2.2	C-3.2	D-5.5	E- 3.3	1
11	A- 3.36	B-2.2	C-3.3	D-5.5	E- 1.1	1
12	A- 7.15	B-2.3	C-3.3	D-5.5	E-10.10	1
13	A- 9.26	B-2.3	C-3.3	D-5.5	E- 3.3	1
14	A-10.23	B-1.3	C-3.3	D-4.4	E- 1.1	1
15	A-11.17	B-2.3	C-3.3	D-5.5	E- 1.1	1
16	A-13.21	B-2.3	C-3.5	D-5.5	E- 1.1	1
17	A-15.18	B-2.3	C-3.3	D-5.5	E- 1.1	1
18	A-17.44	B-3.3	C-3.3	D-5.5	E- 1.1	1
19	A-17.30	B-1.3	C-3.3	D-5.5	E-11.11	1
20	A-17.30	B-2.2	C-3.3	D-5.5	E- 1.10	1
21	A-18.23	B-2.3	C-3.3	D-5.5	E- 1.16	1
22	A-18.44	B-1.2	C-3.3	D-5.5	E- 1.10	1
23	A-19.46	B-2.3	C-3.3	D-5.5	E- 1.10	1
24	A-21.24	B-2.2	C-3.3	D-5.5	E- 3.10	1
25	A-21.26	B-1.3	C-3.3	D-1.5	E- 1.11	1
26	A-21.30	B-2.2	C-3.3	D-4.4	E-10.10	1
27	A-23.43	B-2.3	C-3.3	D-5.5	E- 1.10	1
28	A-23.30	B-2.2	C-3.3	D-5.5	E- 1.10	1
29	A-23.30	B-2.3	C-3.3	D-5.5	E-10.10	1
30	A-24.36	B-2.2	C-3.9	D-5.5	E- 1.10	1
31	A-26.29	B-2.10	C-1.3	D-5.5	E-10.10	1
32	A-26.31	B-3.3	C-1.3	D-5.5	E-10.10	1
33	A-29.36	B-2.2	C-3.13	D-5.5	E- 1.10	1
34	A-29.30	B-2.3	C-3.3	D-5.5	E- 1.3	1
35	A-29.31	B-2.2	C-3.3	D-4.4	E- 1.8	1
36	A-29.45	B-2.2	C-3.3	D-5.5	E-10.11	1
37	A-30.30	B-2.2	C-3.3	D-5.5	E- 1.10	1
38	A-30.30	B-2.3	C-1.3	D-1.5	E- 1.10	1
39	A-30.30	B-2.3	C-3.3	D-5.5	E- 1.10	1
40	A-30.30	B-2.6	C-3.3	D-5.5	E-10.10	1
41	A-30.44	B-2.3	C-3.3	D-5.5	E- 1.10	1
42	A-40.40	B-2.18	C-3.3	D-5.5	E-10.13	1
43	A-40.43	B-2.2	C-3.13	D-5.5	E- 3.3	1
44	A-41.42	B-3.3	C-3.3	D-5.5	E- 1.15	1
45	A- 3.6	B-2.2	C-3.3	D-5.5	E- 1.1	1
46	A- 5.6	B-2.2	C-3.3	D-5.5	E- 1.10	1
47	A- 7.18	B-2.3	C-3.3	D-5.5	E- 1.10	1
48	A- 8.18	B-2.3	C-3.3	D-5.5	E- 1.10	1
49	A-13.19	B-2.2	C-3.3	D-5.5	E- 1.10	1
50	A-18.18	B-2.2	C-3.3	D-5.5	E-10.10	1

Total

50

27

*Ty-G (A)*

1952

Karyotype	Chromosome constitution					Freq.
1	A- 1.30	B-2.3	C-1.1	D-5.5	E- 1.16	1
2	A- 2.30	B-2.2	C-3.3	D-5.5	E-13.16	1
3	A- 3.3	B-2.2	C-3.3	D-4.4	E- 1.1	1
4	A- 5.17	B-1.3	C-3.3	D-5.5	E-11.11	1
5	A- 5.17	B-2.2	C-3.3	D-5.5	E- 1.10	1
6	A- 5.17	B-3.3	C-3.3	D-5.9	E- 1.1	1
7	A- 5.30	B-2.3	C-3.4	D-5.5	E- 1.10	1
8	A-18.18	B-2.2	C-3.3	D-5.5	E-10.10	1
9	A-18.23	B-2.3	C-3.3	D-5.9	E- 1.16	1
10	A-21.24	B-2.2	C-3.3	D-5.9	E- 3.10	1
11	A-21.26	B-1.3	C-3.3	D-1.5	E- 1.11	1
12	A-21.30	B-2.2	C-3.3	D-4.4	E-10.10	1
13	A-24.36	B-2.2	C-3.9	D-5.5	E- 1.10	1
14	A-26.29	B-2.10	C-1.3	D-5.5	E-10.10	1
15	A-36.29	B-2.2	C-3.3	D-5.5	E-10.11	1
16	A-30.30	B-2.2	C-3.3	D-5.5	E- 1.16	1
17	A-30.30	B-2.3	C-1.3	D-1.5	E- 1.10	1
18	A-30.30	B-2.3	C-3.3	D-5.5	E- 1.10	1
19	A-30.30	B-2.6	C-3.3	D-5.9	E-10.10	1
20	A-41.42	B-3.3	C-3.3	D-5.5	E- 1.15	1
Total						20

28

*Ty-G (B)*

1952

Karyotype	Chromosome constitution					Freq.
1	A- 2.3	B-2.2	C-3.3	D-4.5	E- 1.11	1
2	A- 2.31	B-2.2	C-3.3	D-5.5	E-11.11	1
3	A- 3.3	B-2.2	C-3.3	D-1.5	E- 1.11	1
4	A- 3.3	B-2.3	C-1.3	D-5.5	E- 1.1	1
5	A- 3.3	B-2.3	C-3.3	D-5.5	E- 1.1	1
6	A- 3.3	B-2.3	C-3.3	D-5.5	E- 1.11	1
7	A- 3.4	B-2.3	C-3.3	D-1.5	E-11.11	1
8	A- 3.11	B-2.2	C-1.3	D-5.5	E- 1.2	1
9	A- 3.25	B-2.2	C-3.3	D-1.5	E- 1.1	1
10	A- 3.30	B-2.2	C-3.3	D-5.5	E- 1.1	1
11	A-18.30	B-2.2	C-2.3	D-1.5	E- 1.1	1
12	A-30.30	B-2.2	C-3.3	D-5.5	E- 1.1	1
13	A-31.31	B-2.2	C-3.3	D-5.5	E- 1.11	1
Total						13

30		<i>Ty-Q<sub>2</sub></i>				1952
Karyotype	Chromosome constitution					Freq.
1	A- 1.30	B-2.10	C-1.13	D-5.5	E- 1.1	1
2	A- 1.32	B-2.3	C-3.3	D-5.5	E- 8.20	1
3	A- 2.4	B-2.3	C-3.13	D-5.5	E- 1.1	1
4	A- 2.4	B-2.3	C-3.3	D-5.5	E- 1.10	1
5	A- 2.5	B-2.3	C-3.3	D-5.5	E- 1.3	2
6	A- 2.14	B-2.3	C-3.13	D-5.5	E- 1.10	1
7	A- 2.17	B-2.2	C-1.3	D-5.5	E- 1.10	1
8	A- 2.17	B-2.2	C-1.3	D-5.5	E- 1.15	1
9	A- 2.17	B-2.3	C-3.3	D-5.5	E- 1.10	1
10	A- 2.24	B-2.3	C-3.3	D-5.5	E- 1.10	1
11	A- 2.29	B-2.3	C-3.3	D-5.5	E- 1.3	1
12	A- 2.40	B-2.3	C-3.13	D-5.5	E- 3.10	1
13	A- 3.11	B-2.3	C-3.3	D-5.5	E- 1.8	1
14	A- 3.15	B-2.3	C-1.3	D-5.5	E- 1.10	1
15	A- 3.19	B-2.3	C-3.3	D-5.5	E- 3.10	1
16	A- 3.26	B-2.10	C-3.3	D-5.5	E- 1.1	1
17	A- 3.45	B-2.2	C-3.3	D-5.5	E- 1.10	1
18	A- 5.15	B-2.3	C-3.3	D-5.5	E- 1.15	1
19	A- 5.24	B-2.3	C-3.3	D-5.5	E- 1.10	1
20	A- 5.25	B-2.2	C-3.13	D-5.5	E- 3.10	1
21	A- 5.31	B-2.3	C-3.13	D-5.5	E- 3.10	1
22	A- 5.32	B-2.3	C-1.3	D-5.5	E- 1.10	1
23	A- 5.36	B-2.3	C-3.3	D-5.5	E- 1.1	1
24	A- 5.36	B-2.3	C-3.3	D-5.5	E-10.10	1
25	A- 6.11	B-2.2	C-3.3	D-5.5	E- 1.3	1
26	A-10.42	B-2.3	C-3.3	D-5.5	E- 1.8	1
27	A-14.16	B-2.2	C-3.3	D-5.5	E- 1.10	1
28	A-15.32	B-2.3	C-3.13	D-5.5	E- 1.10	1
29	A-15.36	B-2.3	C-3.3	D-5.5	E- 1.10	1
30	A-17.18	B-2.3	C-3.3	D-5.5	E- 1.1	1
31	A-21.26	B-2.3	C-3.3	D-5.5	E-10.10	1
32	A-21.30	B-2.2	C-3.3	D-5.5	E-10.10	1
33	A-30.19	B-2.3	C-3.13	D-5.5	E- 8.10	1
34	A-30.24	B-2.3	C-3.3	D-5.5	E-10.10	1
35	A-30.32	B-3.10	C-3.3	D-5.5	E- 3.8	1
36	A-31.23	B-2.3	C-3.3	D-5.5	E- 1.20	1
37	A-34.32	B-2.10	C-3.3	D-5.5	E- 1.1	1
38	A-36.34	B-3.3	C-3.3	D-5.5	E- 1.10	1
39	A-39.23	B-2.3	C-3.3	D-5.5	E- 1.16	1
40	A-45.11	B-2.10	C-3.13	D-5.5	E- 3.10	1
Total						41

31		<i>Ty-Q<sub>4</sub></i>				1952
Karyotype	Chromosome constitution					Freq.
1	A- 1.6	B-2.3	C-3.3	D-5.5	E-10.16	1
2	A- 2.24	B-2.3	C-3.3	D-1.5	E- 1.1	1
3	A- 2.30	B-2.3	C-3.3	D-1.5	E- 1.10	1
4	A- 2.31	B-1.3	C-3.3	D-5.5	E- 1.10	1
5	A- 2.43	B-2.2	C-3.3	D-5.5	E- 1.8	1
6	A- 3.5	B-2.3	C-3.9	D-5.5	E- 1.10	1
7	A- 3.7	B-2.3	C-3.3	D-1.5	E- 1.10	1
8	A- 3.17	B-2.3	C-3.3	D-5.7	E- 1.10	1
9	A- 3.31	B-2.2	C-3.3	D-5.5	E-10.11	1
10	A- 4.36	B-2.2	C-3.3	D-5.5	E- 1.1	1
11	A- 5.15	B-2.2	C-3.1	D-5.5	E- 1.1	1
12	A- 5.16	B-2.2	C-3.3	D-5.5	E- 1.10	1
13	A- 5.18	B-2.3	C-3.3	D-5.5	E- 1.16	1
14	A- 5.26	B-2.3	C-1.1	D-5.5	E- 1.10	1
15	A- 5.31	B-2.3	C-3.3	D-5.5	E- 1.1	1
16	A- 5.31	B-2.3	C-3.3	D-5.5	E- 1.10	1
17	A- 5.45	B-2.10	C-3.3	D-5.7	E-10.10	1
18	A- 6.36	B-1.3	C-3.9	D-5.5	E- 1.16	1
19	A- 7.26	B-2.3	C-3.3	D-1.5	E- 1.10	1
20	A- 8.10	B-2.3	C-3.3	D-5.5	E- 1.10	1
21	A- 8.23	B-2.2	C-3.3	D-5.5	E-10.11	1
22	A-10.49	B-3.3	C-3.3	D-5.5	E- 8.10	1
23	A-11.17	B-2.2	C-3.3	D-5.5	E- 1.1	1
24	A-13.23	B-2.3	C-3.3	D-5.5	E- 1.1	1
25	A-14.29	B-2.3	C-1.3	D-5.5	E-10.11	1
26	A-15.19	B-2.3	C-3.3	D-1.5	E-10.10	1
27	A-16.19	B-2.10	C-3.3	D-5.5	E-10.11	1
28	A-16.30	B-2.3	C-3.3	D-5.5	E- 8.10	1
29	A-17.21	B-2.10	C-3.3	D-5.5	E- 1.10	1
30	A-23.32	B-2.10	C-3.3	D-5.5	E- 1.10	1
31	A-24.30	B-2.3	C-3.3	D-5.5	E- 1.11	1
32	A-24.31	B-2.3	C-3.3	D-5.5	E-10.10	1
33	A-30.31	B-2.3	C-3.3	D-5.5	E- 1.1	1
Total						33

29		<i>Ty-J</i>				1952	
Karyotype		Chromosome constitution				Freq.	
1	A- 3.3	B-2.2	C-3.3	D-5.5	E-1.1	2	
2	A- 3.3	B-2.3	C-3.3	D-5.5	E-1.1	1	
3	A- 3.30	B-2.2	C-3.3	D-5.5	E-1.1	3	
4	A- 3.30	B-2.2	C-3.3	D-5.5	E-1.11	1	
5	A- 3.30	B-2.3	C-3.3	D-1.5	E-1.1	1	
6	A-20.30	B-2.2	C-3.3	D-1.5	E-1.1	1	
Total						9	

32		<i>Ms</i>				1954, 1952					
Chromosome	A		B		C		D		E		
	Type	Freq.	Type	Freq.	Type	Freq.	Type	Freq.	Type	Freq.	
	3	15	2	23	3	33	5	34	3	20	
	10	6	3	13	4	2	4	2	1	12	
	21	5			5	1			4	3	
	16	4							10	1	
	19	2									
	55	2									
	6	1									
	2	1									
Total		36		36		36		36		36	

33

Ak

1944, 1947, 1950

Karyotype	Chromosome constitution					Freq.
1	A- 3.24	B- 1.3	C- 1.3	D-5.5	E- 1.3	1
2	A- 3.40	B- 3.3	C- 1.3	D-1.5	E- 3.3	1
3	A- 5.26	B- 1.4	C- 3.3	D-1.5	E- 1.4	1
4	A- 5.32	B- 4.11	C- 3.3	D-1.5	E- 4.11	1
5	A- 5.32	B- 3.3	C- 3.3	D-5.5	E- 3.3	1
6	A- 5.37	B- 1.10	C- 3.13	D-5.5	E- 1.10	1
7	A- 9.18	B- 3.3	C- 3.9	D-1.5	E- 3.3	1
8	A-10.26	B- 4.14	C- 3.3	D-5.11	E- 4.14	1
9	A-10.30	B- 3.3	C- 1.3	D-1.5	E- 4.4	1
10	A-10.32	B- 3.4	C- 3.13	D-5.5	E- 3.4	1
11	A-10.34	B- 3.14	C-13.13	D-1.5	E- 1.3	1
12	A-18.26	B- 4.14	C- 3.11	D-1.5	E- 3.14	1
13	A-18.33	B- 4.4	C- 3.13	D-1.5	E-14.14	1
14	A-19.31	B- 3.4	C- 3.13	D-1.5	E- 3.10	1
15	A-24.26	B- 1.3	C- 3.13	D-1.5	E- 1.8	1
16	A-24.26	B- 3.14	C- 3.3	D-5.5	E- 3.10	1
17	A-31.33	B-14.14	C- 3.13	D-1.5	E- 3.10	1
18	A-31.39	B- 3.10	C- 3.3	D-1.1	E- 1.7	1
19	A- 3.20	B- 1.8	C- 3.3	D-5.5	E- 1.3	1
20	A- 3.24	B- 3.10	C- 3.13	D-5.5	E- 1.4	1
21	A- 8.10	B- 3.10	C- 3.3	D-5.5	E- 3.3	1
22	A-10.13	B- 1.7	C- 1.1	D-5.5	E- 3.15	1
23	A-10.13	B- 1.3	C- 1.13	D-5.5	E- 4.8	1
24	A-10.24	B- 1.4	C- 3.13	D-5.5	E- 1.3	1
25	A-11.26	B- 3.3	C- 9.13	D-4.5	E- 1.4	1
26	A-14.24	B- 3.15	C- 3.3	D-5.5	E- 3.3	1
27	A-14.27	B- 4.8	C- 3.14	D-5.10	E- 4.4	1
28	A-17.32	B- 1.3	C- 3.13	D-5.5	E- 3.3	1
29	A-18.20	B- 1.4	C- 1.3	D-5.5	E- 3.3	1
30	A-18.32	B- 3.3	C- 1.3	D-5.5	E- 1.3	1
31	A-19.30	B- 4.4	C- 3.3	D-5.5	E- 1.3	1
32	A-20.20	B- 3.3	C- 3.3	D-1.5	E- 1.10	1
33	A-21.24	B- 3.3	C- 3.13	D-1.5	E- 4.13	1
34	A-21.26	B- 1.3	C- 3.13	D-1.5	E- 3.12	1
35	A-22.28	B- 2.3	C- 3.3	D-1.5	E- 1.3	1
36	A-24.25	B- 3.3	C- 3.3	D-5.5	E- 1.10	1
37	A-24.29	B- 3.3	C- 2.3	D-5.5	E- 4.13	1
38	A-26.26	B- 1.12	C- 3.3	D-5.5	E- 3.12	1
39	A-29.31	B- 2.2	C- 3.13	D-1.5	E- 3.3	1
40	A- 2.15	B- 2.3	C- 2.3	D-5.5	E- 3.4	1
41	A- 2.18	B- 2.2	C- 3.3	D-5.5	E- 2.2	1
42	A- 3.8	B-12.12	C- 3.3	D-5.5	E- 3.4	1
43	A- 3.14	B- 2.12	C- 3.3	D-5.5	E- 2.4	1
44	A- 3.15	B- 2.3	C- 3.3	D-1.7	E- 2.2	1
45	A- 7.16	B-12.12	C- 5.5	D-5.5	E- 4.4	1
46	A- 8.8	B- 3.12	C- 5.5	D-5.5	E- 4.4	1
47	A- 8.15	B- 2.12	C- 3.5	D-5.5	E- 3.4	1
48	A- 9.11	B- 3.3	C- 1.3	D-1.5	E- 3.3	1
49	A-10.11	B- 1.3	C- 1.3	D-5.5	E- 1.1	1
50	A-20.20	B-12.12	C- 3.2	D-5.5	E- 3.3	1
Total						50

34

*Ot*

1951

Chromosome	A		B		C		D		E	
	Type	Freq.								
	25	1	1	6	1	5	1	9	1	30
	37	4	2	35	3	75	4	1	3	36
	29	1	7	1	13	20	5	90	10	34
	38	2	17	2						
	1	1	3	27						
	3	1	12	29						
	24	6								
	18	6								
	6	1								
	5	9								
	28	11								
	19	2								
	30	4								
	36	16								
	9	2								
	32	2								
	10	4								
	23	1								
	7	2								
	20	22								
	27	2								
Total		100		100		100		100		100

36		<i>Tp</i>				1952
Karyotype		Chromosome constitution				Freq.
1	A- 1.38	B-3.3	C-13.13	D-1.5	E-10.13	1
2	A- 2.2	B-1.2	C- 6.10	D-1.4	E-10.10	1
3	A- 2.3	B-2.3	C- 2.13	D-4.8	E-10.10	1
4	A- 2.67	B-3.20	C- 6.6	D-2.4	E- 3.3	1
5	A- 3.65	B-2.3	C- 3.9	D-1.5	E-10.10	1
6	A- 3.65	B-3.3	C- 1.13	D-5.5	E-10.10	1
7	A- 3.65	B-3.3	C-13.13	D-4.5	E-10.10	1
8	A-18.60	B-3.3	C- 3.4	D-1.8	E-10.10	1
9	A-26.68	B-2.3	C- 3.3	D-4.5	E-10.10	1
10	A-31.60	B-3.3	C- 3.4	D-4.5	E-10.10	1
11	A-31.65	B-2.3	C- 1.3	D-5.8	E- 3.10	1
12	A-38.65	B-3.3	C- 3.4	D-1.1	E-10.10	1
13	A-38.66	B-3.3	C-13.13	D-1.1	E-10.10	1
14	A-52.64	B-2.3	C-13.13	D-5.8	E- 3.10	1
15	A-53.69	B-1.2	C-13.13	D-4.4	E- 3.3	1
16	A-57.65	B-2.3	C- 1.13	D-1.4	E-10.10	1
17	A-58.64	B-3.3	C- 1.13	D-1.1	E-10.10	1
18	A-59.69	B-3.20	C-13.13	D-1.4	E- 3.10	1
19	A-60.38	B-3.3	C- 3.3	D-8.8	E- 3.10	1
20	A-60.63	B-3.3	C- 1.13	D-1.1	E-10.10	1
21	A-60.64	B-3.3	C- 1.3	D-2.9	E-10.10	1
22	A-60.65	B-2.3	C- 4.13	D-1.5	E-10.10	1
23	A-60.69	B-2.3	C- 1.3	D-1.4	E-10.10	1
24	A-61.65	B-3.9	C- 4.13	D-4.5	E-10.10	1
25	A-62.65	B-2.3	C-13.13	D-1.1	E-10.10	1
26	A-63.64	B-2.3	C-13.13	D-1.5	E-10.10	1
27	A-65.69	B-2.3	C- 1.3	D-1.1	E- 1.10	1
28	A-65.69	B-2.3	C- 1.5	D-5.5	E- 3.10	1
29	A-65.69	B-2.3	C-13.13	D-5.8	E-10.10	1
30	A-68.68	B-2.3	C- 3.9	D-4.5	E-10.10	1
31	A-70.70	B-2.3	C-13.13	D-1.1	E- 3.3	1
Total						31

37		<i>Mb</i>				1954
Karyotype		Chromosome constitution				Freq.
1	A- 1.1	B- 9.9	C-13.13	D-1.1	E- 1.1	1
2	A- 1.1	B- 9.13	C-13.13	D-1.1	E- 1.1	1
3	A- 1.1	B-10.10	C-13.13	D-1.1	E- 1.1	1
4	A- 1.1	B-13.13	C- 6.6	D-1.1	E-19.19	1
5	A- 1.1	B-13.21	C-13.13	D-1.1	E- 1.19	1
6	A- 1.3	B- 9.10	C- 6.6	D-1.1	E-19.19	1
7	A- 1.18	B- 9.10	C- 6.13	D-1.4	E-19.19	1
8	A- 1.18	B-13.13	C- 6.6	D-1.1	E-19.19	1
9	A- 1.18	B-13.21	C-13.13	D-1.1	E-11.11	1
10	A- 1.28	B- 9.13	C- 3.16	D-1.1	E- 3.3	1
11	A- 1.38	B- 9.10	C- 3.3	D-1.1	E-19.19	1
12	A- 1.44	B-10.21	C- 6.6	D-1.1	E-19.19	1
13	A- 1.52	B- 7.13	C-13.13	D-5.5	E- 1.1	1
14	A- 1.52	B- 9.13	C-13.13	D-1.1	E- 1.19	1
15	A- 1.52	B-21.21	C-13.13	D-1.1	E- 1.1	1
16	A- 3.51	B-13.13	C- 3.3	D-1.4	E- 1.19	1
17	A-18.18	B- 9.9	C-13.13	D-1.1	E- 1.11	1
18	A-18.18	B- 9.10	C- 6.6	D-3.3	E- 1.1	1
19	A-18.18	B-10.10	C-13.13	D-1.1	E- 1.11	1
20	A-18.18	B-10.13	C- 6.13	D-1.1	E-11.11	1
21	A-18.38	B-10.13	C-13.13	D-1.1	E- 1.19	1
22	A-38.38	B- 2.2	C- 6.6	D-1.3	E-11.11	1
23	A-52.31	B-10.13	C-13.13	D-1.1	E- 3.3	1
24	A-52.52	B- 9.10	C-13.13	D-1.1	E- 1.19	1
25	A-52.52	B- 9.13	C- 3.3	D-1.4	E- 1.19	1
26	A-52.52	B-10.13	C-13.13	D-1.1	E- 3.3	1
Total						26

35

*Bk*

1950

Karyotype		Chromosome constitution				Freq.
1	A- 1.1	B-12.12	C-3.3	D-1.1	E- 3.3	1
2	A- 1.3	B- 2.2	C-3.3	D-1.1	E- 3.3	1
3	A- 1.3	B- 3.3	C-3.3	D-1.1	E- 3.10	1
4	A- 1.18	B- 3.12	C-3.3	D-1.1	E- 3.3	1
5	A- 1.24	B- 2.3	C-3.6	D-1.3	E- 3.3	1
6	A- 1.38	B- 3.3	C-3.3	D-1.1	E-10.10	1
7	A- 1.65	B- 3.12	C-3.13	D-1.1	E- 3.3	1
8	A-18.39	B- 2.3	C-3.3	D-1.1	E- 3.3	1
9	A-24.60	B- 3.3	C-3.3	D-1.1	E-10.10	1
10	A-38.33	B- 3.3	C-3.3	D-1.1	E- 3.10	1
11	A-65.65	B- 2.2	C-3.3	D-1.1	E-10.10	1
12	A-71.71	B-13.13	C-6.6	D-1.1	E- 3.3	1
13	A-72.73	B- 3.12	C-3.3	D-1.1	E- 3.10	1
Total						13

38

*Kl*

1952

Chromosome	A		B		C		D		E	
	Type	Freq.								
	1	5	2	7	6	2	1	12	1	10
	3	4	3	2	9	6			10	2
	53	3	13	3	10	2				
					11	1				
					12	1				
Total		12		12		12		12		12

39		<i>An</i>				1952	
Karyotype		Chromosome constitution				Freq.	
1	A- 1.1	B-2.3	C-10.10	D-1.1	E- 9.9	2	
2	A- 1.1	B-2.3	C-10.10	D-1.1	E- 9.10	1	
3	A- 1.1	B-2.3	C-10.10	D-1.1	E-10.10	1	
4	A- 1.1	B-3.3	C-10.10	D-1.1	E- 1.1	1	
5	A- 1.1	B-3.3	C-10.10	D-1.1	E- 3.9	1	
6	A- 1.38	B-2.2	C-10.10	D-1.1	E- 9.9	1	
7	A-38.38	B-2.2	C- 6.10	D-1.1	E- 1.10	1	
8	A-38.38	B-2.2	C-10.10	D-1.1	E- 1.1	1	
9	A-38.38	B-2.2	C-10.10	D-1.1	E- 1.3	3	
10	A-38.38	B-2.2	C-10.10	D-1.1	E- 1.9	1	
11	A-38.38	B-2.2	C-10.10	D-1.1	E- 9.9	2	
12	A-38.38	B-2.2	C-10.10	D-1.1	E- 9.10	2	
13	A-38.38	B-2.2	C-10.10	D-1.1	E- 1.10	1	
14	A-38.38	B-2.3	C- 6.10	D-1.1	E- 1.1	1	
15	A-38.38	B-2.3	C- 6.10	D-1.1	E- 1.9	1	
16	A-38.38	B-2.3	C-10.10	D-1.1	E- 1.9	1	
17	A-38.38	B-2.3	C-10.10	D-1.1	E- 9.9	2	
18	A-38.38	B-2.3	C-10.10	D-1.1	E- 9.10	1	
19	A-38.38	B-2.3	C-10.10	D-1.1	E-11.11	1	
Total						25	

40		<i>Ok</i>				1954	
Karyotype		Chromosome constitution				Freq.	
1	A- 1.1	B- 1.10	C-10.10	D-1.3	E- 1.11	1	
2	A- 1.38	B- 2.2	C- 6.6	D-1.3	E-19.19	1	
3	A- 1.38	B- 2.2	C- 6.10	D-1.1	E-14.14	1	
4	A- 1.38	B- 2.2	C-10.10	D-1.1	E- 1.11	1	
5	A- 1.38	B- 2.2	C-10.12	D-1.1	E- 1.11	1	
6	A- 1.38	B- 2.6	C- 6.6	D-1.1	E- 1.11	1	
7	A- 1.38	B- 2.9	C- 6.6	D-1.1	E-19.19	1	
8	A- 1.38	B- 2.9	C-10.10	D-1.1	E- 1.19	1	
9	A- 1.38	B-10.10	C-10.10	D-1.1	E-10.11	1	
10	A- 4.38	B- 2.2	C- 6.6	D-1.1	E-19.19	1	
11	A-25.38	B- 2.9	C- 6.6	D-1.1	E-19.19	1	
12	A-38.38	B- 1.1	C-10.10	D-1.3	E- 1.11	1	
13	A-38.38	B- 2.2	C- 6.11	D-1.1	E-19.19	1	
14	A-38.38	B- 2.9	C- 6.6	D-1.1	E- 3.19	1	
15	A-38.38	B- 2.9	C- 6.6	D-1.1	E- 6.19	1	
16	A-38.38	B- 2.9	C- 6.6	D-1.1	E-19.19	1	
17	A-38.38	B- 2.9	C- 6.10	D-1.1	E-11.11	1	
18	A-38.38	B- 3.9	C- 6.6	D-1.1	E- 1.11	1	
19	A-51.38	B- 2.9	C- 1.11	D-1.1	E-19.19	1	
20	A-51.38	B- 2.18	C- 6.6	D-2.2	E-19.19	1	
Total						20	

41

*Eg*

1954

Karyotype		Chromosome constitution					Freq.
1	A- 1.38	B-2.2	C-6.6	D-1.1	E-10.10	1	
2	A- 1.38	B-2.2	C-6.6	D-1.1	E-11.11	2	
3	A- 1.38	B-2.2	C-6.10	D-1.1	E-11.11	1	
4	A- 1.38	B-2.3	C-6.6	D-1.1	E- 2.3	1	
5	A- 1.38	B-2.3	C-6.6	D-1.1	E- 3.11	1	
6	A- 1.38	B-3.3	C-6.17	D-1.1	E- 3.3	1	
7	A-38.38	B-1.3	C-6.17	D-1.1	E-11.11	1	
8	A-38.38	B-2.2	C-6.6	D-1.1	E- 3.11	1	
9	A-38.38	B-2.2	C-6.6	D-1.1	E-11.11	1	
10	A-38.38	B-2.3	C-6.6	D-1.1	E-10.10	1	
11	A-38.38	B-2.3	C-6.6	D-1.1	E-11.11	1	
12	A-38.38	B-3.14	C-6.6	D-1.1	E- 1.6	1	
13	A-38.38	B-3.14	C-6.6	D-1.1	E- 3.3	1	
Total						14	

42

*On*

1951

Chromosome	A		B		C		D		E	
	Type	Freq.								
	1	20	2	9	6	20	1	20	10	20
			3	11						
Total		20		20		20		20		20

43

*Ke*

1961

Chromosome	A		B		C		D		E	
	Type	Freq.								
	1	14	2	11	6	14	1	14	10	14
			3	2						
			13	1						
Total		14		14		14		14		14

44 *Sn* 1951

Chromosome	A		B		C		D		E	
	Type	Freq.								
	1	6	2	8	6	8	1	10	17	1
	18	1	3	2	10	2			10	9
	54	3								
Total		10		10		10		10		10

45 *Kb* 1951

Chromosome	A		B		C		D		E	
	Type	Freq.								
	1	27	1	3	6	27	1	34	17	6
	18	7	2	9	10	7			10	8
			3	22					9	20
Total		34		34		34		34		34

46 *Yc* 1952

Karyotype	Chromosome constitution					Freq.
	A	B	C	D	E	
1	A-1.1	B-2.2	C- 6.6	D-1.1	E-10.10	10
2	A-1.1	B-2.2	C- 6.10	D-1.1	E-10.10	1
3	A-1.1	B-2.2	C-10.10	D-1.1	E-10.10	1
4	A-1.1	B-2.3	C- 6.6	D-1.1	E-10.10	1
Total						13

47

*Ow*

1952

Karyotype		Chromosome constitution				Freq.
1	A-1.1	B-2'.2'*	C-10.10	D-1.1	E- 9.9	1
2	A-1.1	B-2'.2'	C-10.10	D-1.1	E-10.10	5
3	A-1.1	B-2'.13	C-10.10	D-1.1	E-10.10	1
Total						7

\* Type 2 and 3 of chromosome B found in *Ow*, *Od (1)*, *Od (2)*, *Kk*, *Nr*, *Ku* and *Fd* population differ in structure of their differential segments from those found in other populations. The difference, however, was so slight as to be impossible to identify clearly. Therefore, the former are designated as 2' and 3' in the appendix tables of this paper.

48

*Rf*

1952

Chromosome	A		B		C		D		E	
	Type	Freq.	Type	Freq.	Type	Freq.	Type	Freq.	Type	Freq.
	1	100	1	100	6 10	7 93	1	100	9	100
Total		100		100		100		100		100

49

*Od (1)*

1951

Karyotype		Chromosome constitution				Frq.
1	A-1.1	B-2'.2'	C- 6.6	D-1.1	E-9.9	1
2	A-1.1	B-2'.3'	C- 6.10	D-1.1	E-9.9	1
3	A-1.1	B-2'.3'	C-10.10	D-1.1	E-9.9	1
4	A-1.1	B-2'.3'	C-10.10	D-1.1	E-9.17	1
5	A-1.1	B-3'.3'	C- 6.10	D-1.1	E-9.9	1
6	A-1.1	B-3'.3'	C-10.10	D-1.1	E-9.9	7
7	A-1.18	B-3'.3'	C-10.10	D-1.1	E-9.9	1
Total						13

50

*Od* (2)

1951

Karyotype		Chromosome constitution					Freq.
1	A-1.1	B-2'.2'	C-10.10	D-1.1	E-17.17	1	
2	A-1.1	B-2'.3'	C-10.10	D-1.1	E- 9.9	2	
3	A-1.1	B-2'.3'	C-10.10	D-1.1	E- 9.17	1	
4	A-1.1	B-3'.3'	C-10.10	D-1.1	E- 9.9	4	
5	A-1.1	B-3'.3'	C-10.10	D-1.1	E- 9.17	2	
6	A-1.1	B-3'.3'	C-10.10	D-1.1	E-17.17	1	
7	A-1.1	B-3'.16	C-10.10	D-1.1	E- 9.9	1	
8	A-1.18	B-3'.16	C-10.10	D-1.1	E-17.17	1	
Total						13	

51

*Kk*

1947

Chromosome	A		B		C		D		E	
	Type	Freq.	Type	Freq.	Type	Freq.	Type	Freq.	Type	Freq.
	18	48	15 16 2'	19 27 2	6 10 11 12	9 23 15 1	1	48	9	48
Total		48		48		48		48		48

52

*Mm*

1952, 1954

Karyotype		Chromosome constitution					Freq.
1	A- 1.1	B-15.16	C-10.10	D-1.1	E-9.9	1	
2	A- 1.1	B-15.16	C-10.6	D-1.1	E-9.9	1	
3	A- 1.1	B-16.16	C-10.6	D-1.1	E-9.9	1	
4	A- 1.1	B-16.16	C-10.10	D-1.1	E-9.9	2	
5	A- 1.1	B-16.16	C-10.11	D-1.1	E-9.9	1	
6	A- 1.1	B-16.16	C-12.12	D-1.1	E-9.9	1	
7	A- 1.18	B-15.15	C-10.6	D-1.1	E-9.9	1	
8	A- 1.18	B-15.15	C-10.10	D-1.1	E-9.9	1	
9	A- 1.18	B-15.16	C- 6.11	D-1.1	E-9.9	3	
10	A- 1.18	B-16.16	C- 6.6	D-1.1	E-9.9	1	
11	A- 1.18	B-16.16	C- 6.6	D-1.1	E-9.17	1	
12	A- 1.18	B-16.16	C- 6.10	D-1.1	E-9.9	1	
13	A- 1.18	B-16.16	C- 6.12	D-1.1	E-9.9	1	
14	A- 1.18	B-16.16	C-10.10	D-1.1	E-9.9	1	
15	A- 1.18	B-16.16	C-12.12	D-1.1	E-9.9	1	
16	A-18.18	B-15.16	C-10.11	D-1.1	E-9.17	1	
17	A-18.18	B-16.16	C- 6.6	D-1.1	E-9.9	1	
Total						20	

53		<i>Nr</i>				1952
Karyotype		Chromosome constitution				Freq.
1	A- 1.1	B-2'.2'	C- 6.10	D-1.1	E-9.9	1
2	A- 1.1	B-2'.2'	C-10.10	D-1.1	E-9.9	1
3	A- 1.1	B-2'.2'	C-11.12	D-1.1	E-9.9	1
4	A- 1.18	B-2'.2'	C- 6.10	D-1.1	E-9.9	1
5	A- 1.18	B-2'.2'	C-10.11	D-1.1	E-9.9	1
6	A- 1.18	B-2'.3'	C- 6.10	D-1.1	E-9.9	1
7	A-18.18	B-2'.2'	C- 6.10	D-1.1	E-9.9	1
Total						7

54		<i>Ku</i>				1952
Karyotype		Chromosome constitution				Freq.
1	A-1.1	B-2'.2'	C- 6.6	D-1.1	E-9.9	6
2	A-1.1	B-2'.2'	C- 6.10	D-1.1	E-9.9	4
3	A-1.1	B-2'.2'	C- 6.12	D-1.1	E-9.9	1
4	A-1.1	B-2'.2'	C-10.10	D-1.1	E-9.9	4
5	A-1.1	B-2'.2'	C-10.11	D-1.1	E-9.9	1
6	A-1.1	B-2'.3'	C- 6.6	D-1.1	E-9.9	1
Total						17

55		<i>Fd</i>				1951
Karyotype		Chromosome constitution				Freq.
1	A-1.1	B-2'.2'	C-10.10	D-1.1	E-9.9	7
2	A-1.1	B-2'.15	C-10.10	D-1.1	E-9.9	1
3	A-1.1	B-15.15	C-10.10	D-1.1	E-9.9	3
Total						11