



HOKKAIDO UNIVERSITY

Title	Scientific Achievements of Professor Kenzo Yagi
Citation	北海道大学理学部紀要, 18(1-2), 4-10
Issue Date	1978-02
Doc URL	https://hdl.handle.net/2115/34821
Type	departmental bulletin paper
File Information	18_1-2_p4-10.pdf



Scientific Achievements of Professor Kenzo Yagi

ORIGINAL PAPERS

- 1937 1. Cell parameters of sphalerite from Ashio and Budo Mines. *Jour. Japan. Assoc. Min. Petr. Econ. Geol.*, 18: 158-161. (with M. Takane) (in Japanese).
- 1939 2. Physical properties of augite from Mt. Hijiri, Japan. *Jour. Japan. Assoc. Min. Petr. Econ. Geol.*, 22: 47-61. (with I. Machida and K. Omoro) (in Japanese).
3. Petrology of Koshoku District, Shinshu, Japan. *Shinano Kyoiku*, 12: 1-14 (with T. Shionoiri) (in Japanese).
- 1941 4. Study of garnet from Wada Pass (II): Chemical properties. *Jour. Japan. Assoc. Min. Petr. Econ. Geol.*, 25: 1-12. (with S. Kozu and Y. Kawano) (in Japanese).
5. Study of garnet from Kyuchorei, Manchuria (II): Chemical properties. *Jour. Japan. Assoc. Min. Petr. Econ. Geol.*, 25: 37-43. (with S. Kozu, I. Machida and Y. Iyeki) (in Japanese).
6. Chemical compositions of garnet and its mother rock from Mt. Amataki. *Japan. Jour. Japan. Assoc. Min. Petr. Econ. Geol.*, 26: 73-93. (with S. Kozu) (in Japanese).
7. Chemical properties of a diorite which gave contact metamorphism to Usuginu sedimentary rocks. *Jour. Geol. Soc. Japan*, 48: 142-143. (in Japanese).
- 1944 8. Petrochemical study of ultrabasic rocks (I): Cortlandite from Osahuzimura, Nagano Prefecture, Japan. *Jour. Japan. Assoc. Min. Petr. Econ. Geol.*, 32: 56-63. (in Japanese).
9. Petrochemical study of the rocks from New-Guinea (I): Garnet-biotite migmatite from Ranshiki River, Anggi District. *Jour. Japan. Assoc. Min. Petr. Econ. Geol.*, 32: 81-97. (in Japanese).
10. Hypersthene from Inawashiro Lake, Japan. *Jour. Japan. Assoc. Min. Petr. Econ. Geol.*, 32: 157-170. (in Japanese).
11. Report on geological and mineralogical resources in Anggi and Ranshiki Districts. *Report of the Naval New-Guinea Survey Party*, 3: 1-18. (with K. Harada and S. Okuda) (in Japanese).
- 1947 12. Pseudoleucite from Tzu Chin Shan, Shansi, China. *Kagaku*, 17: 84-86. (in Japanese).
13. Anorthosite from Mt. Tsukuba, Japan. *Kagaku*, 17: 115-116. (in Japanese).
14. New lavas of Showa-Shinzan, Usu Volcano, Hokkaido, Japan. *Kagaku*, 17: 324-326. (with J. Okamoto) (in Japanese).
- 1948 15. Basalts from Nosappu Cape, Hokkaido, Japan. *Kagaku*, 18: 39-42. (in Japanese).
- 1949 16. Trachybsalt from Wei-Tschou Island, South China. *Kagaku*, 19: 331-332. (in Japanese).
17. Petrological studies on Showa-Shinzan, Usu Volcano, Hokkaido, Japan. *Jour. Japan. Assoc. Min. Petr. Econ. Geol.*, 33: 3-17. (in Japanese).
- 1950 18. Comendite from Shindorei, Myongchon District, Korea. *Kagaku*, 20: 84-85. (in Japanese).
- 1951 19. The 1944 Eruption of Volcano Usu in Hokkaido, Japan. *Bull. Volcanologique*, Ser. II, 11: 45-157. (with Minakami and T. Ishikawa).
- 1952 20. The system $\text{FeO-Al}_2\text{O}_3\text{-SiO}_2$. *Amer. Jour. Sci.*, Bowen Volume 471-512. (with J.F. Schairer).

- 1953 21. Petrochemical studies on the alkalic rocks of the Morotsu District, Sakhalin. *Bull. Geol. Soc. Amer.*, 64: 769-810.
22. Recent activity of Usu volcano, Japan, with special reference to the formation of Showa-Shinzan. *Trans. Amer. Geoph. Union*, 34: 449-456.
23. The system $\text{FeO-Al}_2\text{O}_3\text{-SiO}_2$. *Jour. Japan. Assoc. Min. Petr. Econ. Geol.*, 37: 83-102 and 193-208. (with J.F. Schairer) (in Japanese).
24. Volcanoes of Shinshu, Japan. Kyoiku Shuppan Co., Ltd. 1-32. (in Japanese).
25. Differentiation of basaltic magmas. *Chikyu Kagaku*, 14: 17-22. (in Japanese).
26. Paragenesis of axinite and hastingsitic hornblende from Kannon-yama, Iwate Prefecture, Japan. *Sci. Rep. Tohoku Univ.*, Ser. III, 4: 157-169. (with M. Watanabe).
27. Nepheline syenite from Saimachi, Manchuria. *Sci. Rep. Tohoku Univ.*, Ser. III, 4: 195-199.
28. Olivine trachybasalt from Wei-Tschou Island, South China Sea. *Sci. Rep. Tohoku Univ.*, Ser. III, 4: 201-208.
29. On kaersutite from Morotsu, Sakhalin. *Proc. Japan Acad.*, 29: 239-245.
- 1954 30. Geological education in Shinshu. *Shinano Kyoiku*, 813: 1-9. (in Japanese).
31. Geology of Naeba volcano and its environs. *Jour. Fac. Education, Shinshu Univ.*, 219-236. (with M. Iijima) (in Japanese).
32. Pseudoleucite from Tzu Chin Shan, Shansi, North China. *Jap. Jour. Geol. Geogr.*, 24: 93-100.
- 1955 33. Geology and mineral resources of Akiyama area, Sakai-mura, Shimotakai-gun, Nagano Prefecture. *Rep. Geol. Survey of Nagano Prefecture*, 29-38 (with M. Iijima) (in Japanese).
34. Geology of Togakushi Mountain area, Nagano Prefecture. *Rep. Geol. Survey of Nagano Prefecture*, 95-101 (in Japanese).
- 1956 35. Geotectonic synthesis of the green tuff regions in Japan. *Bull. Earthq. Res. Inst.*, 34: 237-264. (with M. Minato and M. Hunahashi).
- 1957 36. Welded tuffs and deposits of pumice flow and nuee ardente in Japan. *Congr. Geol. Intern. XX Sesion, Mexico*, Sect. I, 1: 137-150. (with T. Ishikawa, M. Minato, H. Kuno and T. Matsumoto).
- 1958 37. On alkali rocks of the Nemuro Peninsula with special reference to the pillow lavas. *Jubilee Publication in Commemoration of the Sixtieth Birthday of Prof. J. Suzuki*, 279-298. (in Japanese).
38. Synthetic pyroxenes of the acmite-diopside system. *Jour. Min. Soc. Japan*, 3: 763-767. (in Japanese).
- 1959 39. Petrochemistry of the Cenozoic alkali rocks of Japan and surrounding areas. *Bull. Volcan. Soc. Japan*, Part II, 3: 63-75. (in Japanese).
40. Topography and geology of Futakuchi Valley. *Academic Rep. of Zao Mountains*, 1-14. (in Japanese).
- 1960 41. Density of pumice with reference to the mechanism of formation of welded tuffs. *Bull. Volcan. Soc. Japan*, II, 5: 99-109. (with T. Matsuyama and O. Shitizaki) (in Japanese).
42. On the talc crystals obtained from a talc pneumoconiosis lung. *Jour. Japan. Assoc. Min. Petr. Econ. Geol.*, 44: 111-117. (with K. Konno) (in Japanese).
43. An example of a talc pneumoconiosis lung. *Japan Breast Clinic*, 19: 632-639. (with K. Konno and I. Kanabuchi) (in Japanese).
44. A case of talc pneumoconiosis. *Sci. Rept. Res. Inst. Tohoku Univ.*, Ser. C (Medicine), 9: 437-447 (with K. Konno and I. Kanabuchi).
45. Garnets from Fujikaramari, Abukuma Plateau, Japan. *Proc. Japan Acad.*, 36: 136-140. (with S. Kozu and K. Omori).

46. A dolerite block dredged from the bottom of the Yitiaz deep, Mariana trench. *Proc. Japan Acad.*, 36: 213-216.
47. Petrochemistry of the alkalic rocks of the Ponape Island, western Pacific Ocean. *Rept. 21st Intern. Geol. Congr.*, Part 13, 108-122, Copenhagen.
48. Alkalic rocks of the Nemuro Peninsula, with special reference to their pillow lavas. *Intern. Geol. Rev.*, 2: 912-920.
- 1961 49. Petrography and petrochemistry of the volcanic rocks of Quaternary volcanoes of northeastern Japan. *Sci. Rept. Tohoku Univ.*, Ser. III, 7: 1-46. (with Y. Kawano and K. Aoki).
50. Volcanoes of Island. *Astronomy and Weather*, 27: 16-18. (in Japanese).
51. Chemical and mineral composition of the Muzina-goro andesite mass with special reference to its petrogenesis. *Bull. Volcan. Soc. Japan*, II, 6: 70-85. (with H. Takeshita) (in Japanese).
- 1962 52. Development of experimental petrology. *Jour. Japan. Assoc. Min. Petr. Econ. Geol.*, 48: 153-166. (in Japanese).
53. The system nepheline-diopside. *Carnegie Inst. Wash. Year Book*, 61: 96-98. (with J.F. Schairer and H.S. Yoder, Jr.).
54. A reconnaissance of the system acmite-diopside and acmite-nepheline. *Carnegie Inst. Wash. Year Book*, 61: 98-99.
55. Active volcanoes in northeastern Japan. Catalogue of the active volcanoes and solfatar field of Japan, Taiwan and Marianas. Edited by H. Kuno, *Intern. Assoc. of Volcanology*, Roma, 143-201.
56. Welded tuffs and related pyroclastic deposits in northeastern Japan. *Bull. Volcan.*, 24: 109-128.
- 1963 57. Experimental petrology on pyroclastic flows. *Bull. Volcan. Soc. Japan*, II, 8: 134-143 (in Japanese).
58. On the geothermal of Island. *Chinetsu*, 1: 6-13. (in Japanese).
59. Liquidus data on the system acmite-nepheline-diopside at 1 atmosphere. *Carnegie Inst. Wash. Year Book*, 62: 133-134.
60. Occurrence of arfvedsonite comendite from Oga Peninsula, Japan. *Jour. Japan. Assoc. Min. Petr. Econ. Geol.*, 49: 22-28. (with K. Chihara).
61. Types of Quaternary volcanic activity in northeastern Japan. *Bull. Volcan.*, 26: 223-235. (with Y. Kawano and K. Aoki).
- 1964 62. Pillow lavas of Keflavik, Iceland and their genetic significance. *Jour. Fac. Sci., Hokkaido Univ.*, Ser. IV, 12: 171-183.
63. Sorting of pumice and lithic fragments as a key to eruptive and emplacement mechanism. *Japan. Jour. Geol. Geogr.*, 35: 223-238. (with H. Kuno, T. Ishikawa, Y. Katsui, M. Yamasaki and S. Taneda).
- 1965 64. Physico-chemistry of the silicate melts. *Bull. Volcan. Soc. Japan*, II, 10: 165-175. (in Japanese).
65. Gravitative settling of olivine in pillows of an Icelandic basalt: Discussions. *Amer. Jour. Sci.*, 263: 914-916.
66. Volcanic activity of the Quaternary. In *the Geologic Development of the Japanese Islands*. Tsukiji Shokan, Tokyo, 442, 363-371. (with Y. Katsui).
67. Genetics of the Quaternary volcanic magma. In *the Geologic Development of the Japanese Islands*. Tsukiji Shokan, Tokyo, 442, 377-388. (with Y. Katsui).
- 1966 68. Progress in experimental petrology and astro-geology. *Jour. Japan. Assoc. Min. Petr. Econ. Geol.*, 55: 186-200. (in Japanese).
69. Equilibrium study of anhydrous silicate systems. *Experimental Mineralogy*, Kyoritsu Shuppan, Tokyo, 587, 529-537. (in Japanese).
70. Origin of tectite. *Kagaku*, 36: 423-428. (in Japanese).

71. The system acmite-diopside and its bearing on the stability relations of natural pyroxenes of the acmite-hedenbergite-diopside series. *Amer. Min.*, 51: 976-1000.
72. Experimental study on pumice and obsidian. *Bull. Volcan.* 29: 559-572.
73. Discussion of paper by J.A. O'Keefe and E.W. Adams, "Tekite structure and lunar ash flows". *Jour. Geoph. Res.*, 71: 5492-5493.
74. Note on leucite-bearing rocks from leucite Hills, Wyoming, U.S.A. *Jour. Fac. Sci., Hokkaido Univ.*, Ser. IV, 13: 301-312. (with H. Matsumoto).
- 1967 75. A discussion on "The petrogenetic significance of vapor pressure". *Jour. Japan. Assoc. Min. Petr. Econ. Geol.*, 57: 72-75. (in Japanese).
76. Internal structure of the earth. *Shinano Kyoiku*, May, 1-18. (in Japanese).
77. Jadeite; mineral synthesis under high pressures. *Koatsu Kagaku*, 5: 25-29. (in Japanese).
78. Clay minerals in Pleistocene formation in Konsen field. *Rept. of Sci.*, 25-29. (in Japanese).
79. Meteorite craters. *Mantle Kagaku News*, 4: 13-16. (in Japanese).
80. Geothermometer and geobarometer. *Koshogaku Note*, 5: 1-7. (in Japanese).
81. Report on volcanic activities and volcanological studies in Japan for the period from 1963 to 1966; Geological studies. *Nat. Rept. Sect. Volcan. Nat. Comm. Sci. Coun. Japan*, 5-8.
82. Silicate systems related to basaltic rocks. in H.H. Hess and A. Poldervaart, Editors: *Basalts; The Poldervaart Treatise on rocks of basaltic composition*. Interscience Pub., New York., 1: 482, 359-400.
83. Synthesis of minerals under high pressures. *Jour. Min. Soc. Japan*, 8: 197-220. (with Y. Hariya and K. Hijikata). (in Japanese).
84. Phase relations of Ca-Tschermak's molecule at high pressures and temperatures. *Jour. Fac. Sci., Hokkaido Univ.*, Ser. IV, 13: 407-417. (with K. Hijikata).
85. The system diopside-akermanite-nepheline. *Amer. Min.*, 52: 227-243. (with K. Onuma).
86. The join $\text{CaMgSi}_2\text{O}_6$ - $\text{CaTiAl}_2\text{O}_6$ and its bearing on the titanogites. *Jour. Fac. Sci., Hokkaido Univ.*, Ser. IV, 13: 463-483. (with K. Onuma).
87. Datolite from Furano Mine. *Rept. Geol. Survey Hokkaido*, 37: 97. (with F. Sato) (in Japanese).
- 1968 88. About Fossa Magna-with special reference to the volcanic activity-. *Abstract Geol. Soc. Japan Symposium*, "Fossa Magna", 134-141. (in Japanese).
89. Pectolites from Chisaka, Hidaka Province and Nozawa Mine, Furano, Hokkaido. *Jour. Fac. Sci., Hokkaido Univ.*, Ser. IV, 14: 89-95. (with T. Bamba and M. Okeya).
90. Thermal decomposition of pectolite and its hydrothermal synthesis. *Jour. Fac. Sci., Hokkaido Univ.*, Ser. IV, 14: 123-133. (with T. Kikuchi and H. Kakuta).
91. Nickel content of olivines. *Proc. Japan Acad.*, 44: 686-691. (with M. Nishimura and M. Yamamoto).
92. Infrared absorption spectra of Na-pyroxene and Ca-pyroxenes. *Jour. Min. Soc. Japan*, 9: 99-103. (with H. Ohashi) (in Japanese).
93. Unit-cell dimensions of synthetic titan-bearing clinopyroxenes. *Jour. Fac. Sci., Hokkaido Univ.*, Ser. IV, 14: 111-121. (with E. Onuma and K. Hijikata).
94. The ten per cent $\text{CaTiAl}_2\text{O}_6$ plane in the system diopside-akermanite-nepheline- $\text{CaTiAl}_2\text{O}_6$. *Jour. Fac. Sci., Hokkaido Univ.*, Ser. IV, 14: 135-147. (with K. Onuma).

95. Datolite from Furano Mine, Hokkaido. *Jour. Fac. Sci., Hokkaido Univ.*, Ser. IV, 14: 97-102. (with F. Sato).
- 1969 96. High alumina basalt. *Chikyu Kagaku*, 23: 149-152. (in Japanese).
97. Petrology of the alkalic dolerites of the Nemuro Peninsula, Japan. *Igneous and Metamorphic Geology.*, L. Larsen, Editor, *Geol. Soc. Amer. Memoir* 115: 103-147.
98. Geochemistry of the alkalic dolerites of the Nemuro Peninsula, Japan. *Bull. Volcan.*, 33: 1101-1117.
99. Chrome garnet from the vicinity of Nukabira Mine, Hidaka Province, Hokkaido, Japan. *Proc. Japan Acad.*, 45: 109-114. (with T. Bamba and K. Maeda).
100. An experimental study on the role of titanium in alkalic basalts in light of the system diopside-akermanite-nepheline-CaTiAl₂O₆. *Amer. Jour. Sci.*, Schairer Vol., 267-A, 509-549. (with K. Onuma).
- 1970 101. Progress in petrology in Japan during the last four decades. *Jour. Japan. Assoc. Min. Petr. Econ. Geol.*, 63: 169-185. (in Japanese).
102. Volcanoes and mineral deposits of the neighboring area of Sapporo, Hokkaido. *Guide book 1, Excursion A-1, IMA 7th General Meeting, Japan*, 1-38. (with M. Hunahashi).
103. Geochemical study of the alkalic rocks of the Morotu District, Sakhalin and Ponape Island, Western Pacific Ocean. *Japan. Jour. Geol. Geogr.*, 41: 15-32. (with H. Ishikawa).
- 1971 104. Some genetic problems of the calderas in Japan. *Acta Int. Sci. Congress on Volcano of Thera*, 73-87.
105. Geochemical study of trace elements in the alkalic rocks of Nemuro Peninsula, Hokkaido, Japan. *Geochem. Jour.*, 5: 187-206 (with H. Ishikawa and S. Berman).
106. The join CaMgSi₂O₆-Ca₂MgSi₂O₇-CaTiAl₂O₆ in the system CaO-MgO-TiO₂-SiO₂ and its bearing on the titanpyroxenes. *Min. Mag.*, 38: 471-480. (with K. Onuma).
107. Geology and petrology of Akita-Komagatake. *Rept. on the Eruption of Akita-Komagatake*, 14-32. (with K. Saito) (in Japanese).
- 1972 108. The relation between the size of calderas and the chemical composition of magmas. *Bull. Volcan. Soc. Japan*, II, 16: 28-35. (in Japanese).
109. Geology of Akita-Komagatake Volcano. *Bull. Volcan. Soc. Japan*, II, 16: 80-89. (in Japanese).
110. Synthesis of kosmochlor and phase equilibria in the join CaMgSi₂O₆-NaCrSi₂O₆. *Contr. Min. Petr.*, 36: 63-72. (with K. Ikeda).
111. Petrography and petrogenesis of the new lava of Akita-Komagatake. *Bull. Volcan. Soc. Japan*, II, 16: 174-183. (with Y. Oba and H. Takeshita) (in Japanese).
112. Ferric iron in diopside solid solution. *Jour. Min. Soc. Japan*, 10: 459-460. (with H. Ohashi and Y. Hariya) (in Japanese).
113. Nepheline-"iron nepheline" solid solutions. *Jour. Fac. Sci., Hokkaido Univ.*, Ser. IV, 15: 179-190. (with K. Onuma and T. Iwai).
114. Petrological study on the 1970 eruption of Akita-Komagatake Volcano. *Japan. Jour. Fac. Sci., Hokkaido Univ.*, Ser. IV, 15: 109-138. (with H. Takeshita and Y. Oba).
- 1973 115. Recent advances in experimental petrology. *Jour. Japan. Assoc. Min. Petr. Econ. Geol.*, 68: 139-152. (in Japanese).
116. Meteorite craters. *Kagaku*, 43: 304-309. (in Japanese).

117. Effect of silica concentration on the diopsidic pyroxenes in the system diopside-CaTiAl₂O₆-SiO₂. *Contr. Min. Petr.*, 41: 333-344. (with A.K. Gupta, K. Onuma and E.G. Lidiak).
- 1974 118. Pillow lavas from Iceland, New Zealand, and North America. *Kaiyo Kagaku*, 6: 821-826. (in Japanese).
119. The role of experimental petrology. *Proc. Symposium of experimental petrology*, Sendai, 1-14. (in Japanese).
120. Pillow lavas-Their significance in the earth science. *Kaiyo Kagaku*, 6: 821-826. (with T. Bamba) (in Japanese).
121. Some genetic problems on the pyroxenes from alkaline rocks. *Memoir Geol. Soc. Japan*, 11: 293-302. (with K. Onuma) (in Japanese).
122. Aenigmatite from Mt. Edziza, British Columbia, Canada. *Amer. Min.*, 59: 820-829. (with J.G. Souther).
123. Nephrite from upper Mukawa River, Hobetsu-Cho, Yufutsu-gun, Hokkaido, Japan. *Rept. Geol. Survey Hokkaido*, 46: 158-159. (with M. Kubota and T. Suekane) (in Japanese).
- 1975 124. Petrochemistry of the Quaternary volcanic rocks of the Kurile Islands. *Geol. Soc. Amer. Spec. Paper*, 151: 125-131.
125. The solubility of Al₂O₃ in enstatite and phase equilibria in the system MgSiO₃-MgAl₂SiO₆ at high temperature and pressure. *Proc. 4th Inter. Conf. High Pressure*, 216-220. (with M. Arima and K. Onuma).
126. Stability relation of kaersutite. *Jour. Fac. Sci., Hokkaido Univ.*, Ser. IV, 16: 331-342. (with Y. Hariya, K. Onuma and N. Fukushima).
127. Petrology of a lamprophyre sheet in Tanegashima Island, Kagoshima Prefecture, Japan. *Jour. Japan. Assoc. Min. Petr. Econ. Geol.*, 70: 213-224. (with H. Ishikawa and M. Kojima).
128. Petrological studies of the Yamato meteorites, Part 2. Petrology of the Yamato Meteorites. *Mem. Nat. Inst. Polar Res.*, Spec. Issue 5: 67-82. (with A. Okada and M. Shima).
129. The join CaMgSi₂O₆-CaAl₂SiO₆-CaFe³⁺AlSiO₆ in air and its bearing on fassaitic pyroxene. *Jour. Fac. Sci., Hokkaido Univ.*, Ser. IV, 16: 343-356. (with K. Onuma).
130. On the study of the Numakai meteorite. *Sci. Papers Inst. Phys. Chem.*, 69: 136-145. (with M. Shima and A. Okada).
131. Crystallization temperature of wyomingite from Leucite Hills. *Contr. Min. Petr.*, 49: 301-308. (with V.S. Sobolev and T. Ju. Bazarova).
- 1976 132. Pillow lavas in Hokkaido, Japan. *Jour. Fac. Sci., Hokkaido Univ.*, Ser. IV, 17: 261-276. (with T. Bamba and M. Suzuki).
133. Experimental investigations on some synthetic leucite rocks under water vapor pressures. *Proc. Japan Acad.*, 52: 469-472. (with A.K. Gupta, Y. Hariya and K. Onuma).
134. Experimental study on the phase equilibria in the join CaMgSi₂O₆-CaCrCrSiO₆ with special reference to the blue diopside. *Contr. Min. Petr.*, 61: 91-106. (with K. Ikeda).
135. The system NaFe³⁺Si₂O₆-CaFe²⁺Si₂O₆ at low oxygen fugacity. *Jour. Fac. Sci., Hokkaido Univ.*, Ser. IV, 17: 487-504. (with K. Ohta and K. Onuma).
136. Differentiation of melilite nepheline rocks in light of experimental study of the system Na₂O-CaO-MgO-Al₂O₃-TiO₂-SiO₂. *Jour. Fac. Sci., Hokkaido Univ.*, Ser. IV, 17: 437-449. (with K. Onuma).
137. Wollastonite and associated minerals from Moji, Kita-Kyushu City. *Jour. Fac. Sci., Hokkaido Univ.*, Ser. IV, 17: 387-398. (with H. Takeshita, Y. Oka and

- M. Kimura).
- 1977 138. Experimental study on assimilation reactions of some granitic rocks, related to the genesis of leucite rocks. *Bull. Volcan. Japan*, II, 22: 65-74. (with A.K. Gupta) (in Japanese).
139. A note on the norm calculation of stony meteorites. *Sci. Papers Inst. Phys. Chem. Res.*, 71: 45-47. (with A. Okada, H. Yabuki and M. Shima).

Books

1. *Volcanoes of the world*. (in Japanese), Fukumura Shoten, Tokyo (1952).
2. *A graphic manual of earth sciences*. (in Japanese), Toyo Tosho, Osaka (1953).
3. *Rocks and minerals*. (in Japanese), Toyo Tosho, Osaka (1955).
4. *General earth science*. (in Japanese), Gakujutsu Shuppan, Tokyo (1957).
5. *Geology of Kamiminouchi-gun, Nagaya Prefecture*. (in Japanese), Kokin Shoin, Tokyo (1958).
6. *Country and human rights*. (in Japanese), Jiji Tushinsha, Tokyo (1974).
7. *Introduction to earth sciences*. (in Japanese), Gakujutsu Shuppan, Tokyo (1976).