



HOKKAIDO UNIVERSITY

Title	Psocid News : The Psocidologists' Newsletter
Author(s)	Yoshizawa, Kazunori
Description	edited by Kazunori Yoshizawa at the Systematic Entomology, Faculty of Agriculture, Hokkaido University
Doc URL	https://hdl.handle.net/2115/35519
Type	other
File Information	017 PN_17.pdf, No. 17 (Feb. 28, 2015)



Psocid News

The Psocidologists' Newsletter

No. 17 (Feb 28, 2015)



Field trip in Mexico (June 2014: *Trichadenotecnum* project)

(From left to right: Jose Arturo Casasola Gonzalez, Alfonso Neri García Aldrete, Kazunori Yoshizawa, Naoki Ogawa)

ADDITIONS AND CORRECTIONS (PART 14) TO LIENHARD & SMITHERS, 2002: "PSOCOPTERA (INSECTA) – WORLD CATALOGUE AND BIBLIOGRAPHY"

Charles LIENHARD (Geneva Natural History Museum, Switzerland)
E-mail: charleslienhard@bluewin.ch

1. Introduction

This is the 14th part of a series of "Additions and Corrections to the World Catalogue and Bibliography" (Lienhard & Smithers, 2002) published in "Psocid News". Parts 1-13 were published in Psocid News no. 4-16 (see below); a **Synthesis of Parts 1-10** is available online at the Geneva Museum's homepage:

http://www.ville-ge.ch/mhng/psocoptera/divers/synthesis_add_1_10.pdf

Please send me regularly copies of your papers on Psocoptera, and please inform me about errors that you find in Lienhard & Smithers (2002). If papers which came to your notice are not treated in the "Additions", please send me the bibliographical references by e-mail. In the "Additions to the Bibliography", references to the papers which I have not yet seen are marked with "(Not seen)" or "(Only abstract seen)". Please send me a copy or PDF of these papers if you feel concerned. Only papers which I have seen are analysed for the "Additions to the Catalogue", or those where the matter they deal with is clearly indicated in the title or in the abstract.

In general these "Additions" present the information in the style of the catalogue (Lienhard & Smithers, 2002), according to the criteria mentioned there (pp. ix-xli) and using the same abbreviations (see pp. xl-xli). Families (and higher categories, if mentioned) are listed according to Table 1 of Lienhard & Smithers (2002), except for changes published since. For each family, newly published changes concerning supra-generic taxa are mentioned at the beginning of the family treatment. For genus-group names and species-group names already listed by Lienhard & Smithers (2002) only the author is cited here. For new names the complete reference (author, year, page) is given in their first entry, where new genus-group names are marked with two asterisks (**) and new species-group names with one asterisk (*). For a name not listed by Lienhard & Smithers (2002), but cited in a preceding part of the "Additions", author and year are always mentioned. Genera are listed alphabetically within each family. Species are listed alphabetically within each genus. Species names are cited in the combination used by Lienhard & Smithers (2002), if not an explicit change of combination (or a new synonymy) has been published since.

The "Corrections" refer to the pages of Lienhard & Smithers (2002) and the changes proposed here are usually underlined.

No nomenclatural act is published in the "Additions to the Catalogue" because articles in "Psocid News" are not considered as published works under the rules of ICZN (see Editorial: Disclaimer). Sometimes recommendations to future revisers are given concerning nomenclatural acts which eventually should be published. Only some mandatory changes are made in the "Additions to the Catalogue" (e. g. adaptation of species name ending to the grammatical gender of the genus name).

2. List of countries mentioned in the "Additions and Corrections to the World Catalogue" (Parts 1-14)

Country checklists of Psocoptera species extracted from Lienhard & Smithers (2002) are available online at: <http://www.ville-ge.ch/mhng/psocoptera/page/ps-coun.htm>

All additional species records are mentioned in the "Additions and Corrections to the World Catalogue" and all countries mentioned in Parts 1 to 14 of these Additions are listed below, arranged according to the main geographical regions defined for the Catalogue (**I-X**), with a separate heading for fossils (**A**), mainly from amber. This list is provided to facilitate computer searching for distributional references in the online version of the different parts which can be found at <http://hdl.handle.net/2115/35519> or in the **Synthesis of Parts 1-10** available at:

http://www.ville-ge.ch/mhng/psocoptera/divers/synthesis_add_1_10.pdf

- Part 1 – Psocid News, no. 4 (2003): 2-24 (= Lienhard, 2003a)
- Part 2 – Psocid News, no. 5 (2003): 2-37 (= Lienhard, 2003b)
- Part 3 – Psocid News, no. 6 (2004): 1-23 (= Lienhard, 2004a)
- Part 4 – Psocid News, no. 7 (2005): 1-16 (= Lienhard, 2005a)
- Part 5 – Psocid News, no. 8 (2006): 1-18 (= Lienhard, 2006a)
- Part 6 – Psocid News, no. 9 (2007): 1-17 (= Lienhard, 2007a)
- Part 7 – Psocid News, no. 10 (2008): 1-18 (= Lienhard, 2008a)
- Part 8 – Psocid News, no. 11 (2009): 2-16 (= Lienhard, 2009a)
- Part 9 – Psocid News, no. 12 (2010): 1-18 (= Lienhard, 2010)
- Part 10 – Psocid News, no. 13 (2011): 1-18 (= Lienhard, 2011a)
- Parts 1-10 – see URL above** (= Lienhard, 2011c)
- Part 11 – Psocid News, no. 14 (2012): 1-13 (= Lienhard, 2012a)
- Part 12 – Psocid News, no. 15 (2013): 1-21 (= Lienhard, 2013)
- Part 13 – Psocid News, no. 16 (2014): 1-20 (= Lienhard, 2014)
- Part 14 – Psocid News, no. 17 (2015) (= present issue)

(I) Albania (Part 14), Austria (Parts 1, 3, 4, 5, 6, 8, 9), Bahrain (Part 8), Belgium (Parts 3, 6, 8, 10), Bosnia-Herzegovina (Part 14), Bulgaria (Parts 8, 14), Croatia (Parts 6, 7, 11, 12), Cyprus (Part 11), Czech Republic (Parts 1, 4, 5, 6, 7, 8, 10, 11, 13, 14), Denmark (Parts 10, 12), Egypt (Part 6), Europe (Parts 10, 11, 12), Finland (Parts 1, 7, 10, 11, 12, 13), France (Parts 1, 3, 4, 6, 7, 8, 9, 10, 11, 12, 13, 14), Germany (Parts 1, 3, 4, 5, 7, 8, 10, 11, 12, 14), Great Britain (Parts 1, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14), Greece (Parts 5, 6, 11, 14), Hungary (Parts 1, 3, 10), Iceland (Part 10), Iran (Parts 6, 8), Ireland (Parts 6, 9, 13), Israel (Parts 4, 6, 8, 11), Italy (Parts 1, 3, 5, 6, 7, 8, 9, 10), Kosovo (Part 14), Lebanon (Parts 6, 7, 9, 10, 11, 13, 14), Lithuania (Part 8), Luxembourg (Parts 1, 3, 7, 8, 10, 13), Macedonia (Part 14), Montenegro (Part 14), Morocco (Part 10), Netherlands (Parts 4, 7, 9, 11, 14), Norway (Parts 4, 10, 13), Oman (Part 8), Poland (Part 13), Portugal (Parts 6, 7), Romania (Parts 10, 14), Russia (Parts 6, 8, 10, 12, 13, 14), Saudi Arabia (Part 8), Serbia (Part 14), Slovakia (Parts 1, 11, 13), Spain (Parts 1, 5, 7, 8, 9, 11, 12, 13), Sweden (Part 8, 10), Switzerland (Parts 1, 3, 4, 6, 7, 8, 11, 12), Turkey (Part 5, 10), UAE (Parts 8, 9), Ukraine (Part 6), Yemen (Parts 4, 8)

(II) Ascension Island (Part 11), Azores (Parts 5, 11), Canary Islands (Parts 1, 4, 5, 10, 11), Cape Verde Islands (Parts 5, 11), Gough Island (Parts 5, 6), Madeira (Parts 5, 8), Saint Helena (Parts 5, 11), Selvagens Islands (Parts 1, 8)

(III) Bahamas (Part 13), Canada (Parts 4, 6, 7, 8, 13), North America (Parts 11, 12), USA (Parts 1, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14)

(IV) Belize (Parts 1, 4, 6, 8, 9, 10), Costa Rica (Parts 1, 6, 8), Cuba (Parts 6, 11), Dominica (Parts 5, 6, 11), Dominican Republic (Parts 4, 6, 7, 8, 12, 13, 14), Guatemala (Parts 1, 4, 7, 8, 11), Haiti (Parts 1, 4), Hispaniola (Part 10), Honduras (Part 8), Jamaica (Parts 7, 8, 9), Mexico (Parts 1, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14), Middle America (Part 11), Nicaragua (Parts 1, 3, 4, 6, 7, 8, 13), Panama (Parts 4, 6, 8), Puerto Rico (Parts 1, 7, 10, 13), Trinidad (Part 1)

(V) Argentina (Parts 3, 4, 8, 9, 14), Bolivia (Parts 1, 5, 9, 10), Brazil (Parts 1, 4, 5, 6, 7, 8, 9, 10, 11,

12, 13, 14), Chile (Parts 1, 4, 6, 8), Colombia (Parts 1, 10, 11, 12, 13, 14), Ecuador (Parts 1, 6, 8, 13), Paraguay (Parts 13, 14), Peru (Parts 1, 5, 6, 8, 9, 10, 11, 12, 13, 14), Suriname (Part 10), Venezuela (Parts 1, 4, 6, 7, 8, 10)

(VI) Ghana (Part 4), Guinea (Part 1), Kenya (Part 4), Madagascar (Part 5), Malawi (Part 3), Namibia (Parts 1, 6, 7, 8, 10), South Africa (Parts 3, 6, 7, 8, 11), Tanzania (Parts 3, 4), Uganda (Part 6)

(VIII) Brunei (Parts 5, 6), China (Parts 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14), Hong Kong (Part 5), India (Parts 3, 5, 6, 7, 11), Indonesia (Parts 1, 3, 5, 6, 10), Japan (Parts 1, 4, 6, 7, 8, 9, 10, 12), Kazakhstan (Part 13), Kuril Islands (Part 4), Kyrgyzstan (Part 5), Laos (Parts 5, 6), Malaysia (Parts 1, 5, 6, 8, 10, 14), Myanmar (Parts 6, 8, 13, 14), Nepal (Part 7), New Guinea (Parts 3, 5, 8), Pakistan (Part 14), Philippines (Parts 3, 5, 6, 14), Russia (Parts 1, 10, 11), SE-Asia (Part 7), Singapore (Parts 5, 14), Sri Lanka (Parts 4, 6), Taiwan (Parts 1, 6, 7, 8, 13), Thailand (Parts 1, 4, 5, 6, 9, 11), USSR (Parts 4, 9), Vietnam (Parts 4, 5, 6, 8, 13, 14)

(IX) Australia (Parts 1, 4, 5, 6, 7, 8, 10, 12, 13, 14), Lord Howe Island (Parts 4, 7), New Zealand (Parts 1, 4, 13), Subantarctic islands (Part 13), Tasmania (Part 9)

(X) Easter Island (Part 13), Fiji (Part 8), Galapagos (Parts 5, 12), Hawaii (Parts 8, 13, 14), New Caledonia (Part 12)

(A) Amber and Copal (or other fossils) (Parts 1, 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14)

3. Additions to the Catalogue

Psocodea

Footitt & Adler, 2009 (p. 3): 10598 species of Psocodea known (5574 spp. of Psocoptera and 5024 spp. of Phthiraptera). Zhang Zhi-Qiang, 2013: 10868 species of Psocodea known (5732 spp. of Psocoptera and 5136 spp. of Phthiraptera). Misof *et al.*, 2014 (phylogenomics; Psocodea sister-group of Holometabola). Wei Dan-Dan *et al.*, 2014 (mitochondrial genome diversity and phylogeny of Psocodea).

Psocoptera

Yoshizawa, 2003d (short outline on systematics and biology of Psocoptera). Turienzo & Di Iorio, 2007: some undetermined psocids mentioned in birds' nests from Argentina (V). Footitt & Adler, 2009 (p. 3): 5574 species of Psocoptera known world-wide. Olejarski & Rybacki, 2011 (pest in stored rapeseed). Devetak *et al.*, 2013 (gregarines as parasites). Jervis, 2013: facsimile of oldest known scientific illustration of a psocid (same figure as published by Neri, 2005; this figure shows probably a young nymph of Psocomorpha). Perez & Barrion-Dupo, 2013: leaf-litter, Philippines (VIII). Thapa *et al.*, 2013 (predation by pseudoscorpions). Whitfield & Purcell, 2013 (key to families). Zhang Zhi-Qiang, 2013: 5732 species of Psocoptera known world-wide. Cameron, 2014: mitochondrial genomics. Dennis, 2014 (predation by Asilidae). Lienhard, 2014 (additions to the World Catalogue and Bibliography, Part 13). Loomis & Cameron, 2014: ecology, deciduous forests, USA (III). Sarria *et al.*, 2014a, 2014b: diversity, ecology, Colombia (V). Wolf *et al.*, 2014 (Psocoptera in feedstuffs for small mammals). Yoshizawa, 2014 (Newsletter).

Psocoptera fam., gen. n., spec. Australia (Barrow Island) (IX): Gunawardene *et al.*, 2012: 256.

Archaeatropidae

*Propriognolaris axioperierga** Azar, Nel & Perrichot, 2014: 11. France (I), Late Cretaceous Vendean amber (A).

Lepidopsocidae

Echmepteryx spec. Brazil (V): Silva Neto *et al.*, 2014a.

Echmepteryx falco (Badonnel). Brazil (V): Silva Neto *et al.*, 2014a. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Echmepteryx hageni (Packard). USA (III): Shreve & Johnson, 2014 (population genetics, parthenogenesis).

Echmepteryx madagascariensis (Kolbe). Colombia (V): Sarria *et al.*, 2014a, 2014b.

Lepidopsocus pretiosus (Banks). Colombia (V): Sarria *et al.*, 2014a, 2014b.

Lepolepis spec. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Nepticulomima hoesei (Enderlein). Colombia (V): Sarria *et al.*, 2014a, 2014b.

Proentomum personatum Badonnel. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Pteroxanium spec. Australia (Barrow Island) (IX): Gunawardene *et al.*, 2012.

Thylacella cubana (Banks). Fig.: Lopez, 2015 (habitus photograph).

Trogiidae

Cerobasis spec. Morph.: Friedemann *et al.*, 2014 (attachment structures; p. 178: tarsi erroneously considered as 2-segmented in adult *Cerobasis*).

Lepinotus spec. Australia (Barrow Island) (IX): Gunawardene *et al.*, 2012.

Lepinotus patruelis Pearman. Netherlands (I): Gielis *et al.*, 2014 (in bird nest boxes). Biol.: Yoshizawa *et al.*, 2014b (sexual biology, comparison with *Neotrogla* spp.).

Lepinotus reticulatus Enderlein. Biol.: Nayak *et al.*, 2014 (life history). Ecol.: Athanassiou *et al.*, 2014b (*Liposcelis bostrychophila* outcompetes *Lepinotus reticulatus* in stored products).

Psyllipsocidae

Dorypteryx domestica (Smithers). Germany (I): Büchs, 1988 (dom.); Blick & Dorow, 2014a, 2014b. Romania (I): Pricop, 2014 (diagnosis, distribution). Australia (Barrow Island) (IX): Gunawardene *et al.*, 2012.

Libanopsyllipsocus Azar & Nel, 2011. See Pachytroctidae.

Libanopsyllipsocus alexanderasynitsyni Azar & Nel, 2011. Lebanon (I): Lower Cretaceous amber (A). See Pachytroctidae.

*Psyllipsocus angustipennis** Lienhard, 2014; *in*: Lienhard & Ferreira, 2014: 239. Brazil (V).

*Psyllipsocus clunioventralis** Lienhard, 2014; *in*: Lienhard & Ferreira, 2014: 225. Brazil (V).

*Psyllipsocus didymus** Lienhard, 2014; *in*: Lienhard & Ferreira, 2014: 229. Brazil (V).

*Psyllipsocus falcifer** Lienhard, 2014; *in*: Lienhard & Ferreira, 2014: 216. Brazil (V).

*Psyllipsocus fuscistigma** Lienhard, 2014; *in*: Lienhard & Ferreira, 2014: 233. Brazil (V).

*Psyllipsocus marconii** Lienhard, 2014; *in*: Lienhard & Ferreira, 2014: 220. Brazil (V).

*Psyllipsocus proximus** Lienhard, 2014; *in*: Lienhard & Ferreira, 2014: 242. Brazil (V).

*Psyllipsocus punctulatus** Lienhard, 2014; *in*: Lienhard & Ferreira, 2014: 236 (male). Brazil (V).

Psyllipsocus cf. *punctulatus* Lienhard, 2014. Lienhard & Ferreira, 2014: 238 (female). Brazil (V).

*Psyllipsocus radiopictus** Lienhard, 2014; *in*: Lienhard & Ferreira, 2014: 234. Brazil (V).

Psyllipsocus ramburii Selys-Longchamp. Netherlands (I): Gielis *et al.*, 2014 (in bird nest boxes).

*Psyllipsocus spinifer** Lienhard, 2014; *in*: Lienhard & Ferreira, 2014: 212. Brazil (V).

*Psyllipsocus subtilis** Lienhard, 2014; *in*: Lienhard & Ferreira, 2014: 229. Brazil (V).

*Psyllipsocus thaidis** Lienhard, 2014; *in*: Lienhard & Ferreira, 2014: 223. Brazil (V).

Psyllipsocus yucatan Gurney. Brazil (V): Silva Neto *et al.*, 2014a.

Prionoglarididae

Neotrogla Lienhard, 2010. Femal penis (gynosome), story of its discovery and its impact for evolutionary studies: Yoshizawa *et al.*, 2014d; Yoshizawa, 2015.

Neotrogla aurora Lienhard, 2010. Copulation (female penis): Yoshizawa *et al.*, 2014b; Yoshizawa, 2015.

Neotrogla brasiliensis Lienhard, 2010. Copulation (female penis): Yoshizawa *et al.*, 2014b.

Neotrogla curvata Lienhard & Ferreira, 2013a. Copulation (female penis): Yoshizawa *et al.*, 2014b; Yoshizawa, 2015.

Neotrogla truncata Lienhard, 2010. Copulation (female penis): Yoshizawa *et al.*, 2014b.

Amphientometae

*Scocompus*** Azar, Nel & Perrichot, 2014: 12. Gender: M. Type species: *Scocompus atelisis* Azar, Nel & Perrichot. Incertae sedis within Amphientometae, i.e. not assigned to a family.

*Scocompus atelisis** Azar, Nel & Perrichot, 2014: 12. France (I), Late Cretaceous Vendean amber (A).

Compsocidae

Compsocus elegans Banks. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Troctopsocidae

Family diagnosis and key to genera: Mockford & Garcia Aldrete, 2014: 160.

*Troctopsocoides*** Mockford & Garcia Aldrete, 2014: 160. Gender: M. Type species: *Troctopsocoides erwini* Mockford & Garcia Aldrete.

*Troctopsocoides erwini** Mockford & Garcia Aldrete, 2014: 160. Peru (V).

*Troctopsocoides gracilis** Mockford & Garcia Aldrete, 2014: 163. Amber (A) from the Dominican Republic (IV).

Amphientomidae

Key to genera: Taylor, 2013: 250.

Amphientomidae gen. spec. Australia (Barrow Island) (IX): Gunawardene *et al.*, 2012.
Lithoseopsis Mockford. Description, list of species: Taylor, 2013.
Lithoseopsis spec. Fig.: Lopez, 2015 (habitus photograph).
Lithoseopsis humphreysi (New). Description of male: Taylor, 2013: 246 (**from** *Seopsis*) (the unavailable name *Newseopsides smithersi* is used on pages 247, 248 and 250); Australia (IX).
Lithoseopsis incisa (Smithers). Taylor, 2013: 245 (**from** *Seopsis*).
Newseopsides smithersi. These unavailable names are inadvertently used by Taylor (2013: pp. 247, 248, 250) for *Lithoseopsis humphreysi* (New).
Seopsocus spec. Brazil (V): Silva Neto *et al.*, 2014a. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Liposcelididae

Liposcelididae gen. spec. Australia (Barrow Island) (IX): Gunawardene *et al.*, 2012.
Belaphotroctes spec. Colombia (V): Sarria *et al.*, 2014a, 2014b.
Embidopsocus spec. Morph.: Friedemann *et al.*, 2014 (attachment structures); Wipfler & Pass, 2014 (antennal heart).
Liposcelis spec. Germany (I): Büchs, 1988 (ecol.); Blick & Dorow, 2014a. Colombia (V): Sarria *et al.*, 2014a. Australia (Barrow Island) (IX): Gunawardene *et al.*, 2012. Morph.: Friedemann *et al.*, 2014 (attachment structures).
Liposcelis badia Wang Zi-Ying, Wang Jin-Jun & Lienhard, 2006. Biol.: Nayak *et al.*, 2014 (life history).
Liposcelis bostrychophila Badonnel. Australia (Barrow Island) (IX): Gunawardene *et al.*, 2012. Biol.: Nayak *et al.*, 2014 (life history). Ecol.: Throne & Flinn, 2013 (temperature preference); Athanassiou *et al.*, 2014b (*L. bostrychophila* outcompetes other stored-product psocid species tested). Genet.: Chen Shi-Chun *et al.*, 2014a, 2014b (mitochondrial genome); Misof *et al.*, 2014 (de novo transcriptome, see Table S1). Morph.: Kucerova *et al.*, 2014 (SEM micrographs). Pest: Athanassiou *et al.*, 2014a (control); Diaz-Montano *et al.*, 2014 (brewer's yeast best attractant for *L. bostrychophila*); Liu Xin Chao *et al.*, 2014 (control); Wang Ke-Xia *et al.*, 2014 (in medicinal herbs).
Liposcelis brunnea Motschulsky. Biol.: Nayak *et al.*, 2014 (life history). Morph.: Kucerova *et al.*, 2014 (SEM micrographs).
Liposcelis corrodens (Heymons). Morph.: Kucerova *et al.*, 2014 (SEM micrographs).
Liposcelis decolor (Pearman). Ecol.: Athanassiou *et al.*, 2014b (*L. bostrychophila* outcompetes *L. decolor* in stored products). Biol.: Nayak *et al.*, 2014 (life history). Genet.: Chen Shi-Chun *et al.*, 2014a, 2014b (mitochondrial genome). Morph.: Kucerova *et al.*, 2014 (SEM micrographs).
Liposcelis entomophila (Enderlein). Australia (Barrow Island) (IX): Gunawardene *et al.*, 2012. Biol.: Nayak *et al.*, 2014 (life history). Ecol.: Throne & Flinn, 2013 (temperature preference). Genet.: Chen Shi-Chun *et al.*, 2014b (mitochondrial genome). Morph.: Kucerova *et al.*, 2014 (SEM micrographs). Pest: Athanassiou *et al.*, 2014a (control).
Liposcelis paeta Pearman. Pakistan (VIII): Wakil & Yasin, 2013 (in stored wheat); Kucerova *et al.*, 2014 (morphology, SEM micrographs, variation of surface sculpture, phylogeny of geographic strains). Biol.: Nayak *et al.*, 2014 (life history). Ecol.: Throne & Flinn, 2013 (temperature preference); Athanassiou *et al.*, 2014b (*L. bostrychophila* outcompetes *L. paeta* in stored products). Genet.: Chen Shi-Chun *et al.*, 2014b (mitochondrial genome). Pest: Athanassiou *et al.*, 2014a (control).
Liposcelis pearmani Lienhard. Biol.: Nayak *et al.*, 2014 (life history).
Liposcelis pubescens Broadhead. Morph.: Kucerova *et al.*, 2014 (SEM micrographs).
Liposcelis rufa Broadhead. Biol.: Nayak *et al.*, 2014 (life history).
Liposcelis silvarum (Kolbe). Morph.: Kucerova *et al.*, 2014 (SEM micrographs).
Liposcelis tricolor Badonnel. Biol.: Nayak *et al.*, 2014 (life history). Morph.: Kucerova *et al.*, 2014 (SEM micrographs).
Liposcelis yunnaniensis Li Fasheng & Li Zhihong. Biol.: Nayak *et al.*, 2014 (life history).

Pachytroctidae

Checklist of species: Azar *et al.*, 2015: 338.
 Libaneuphorinae Azar, Huang Diying, Cai Chenyang & Nel, 2015: 337. Type genus: *Libaneuphoris* Azar, Huang Diying, Cai Chenyang & Nel.
Atapinella** Azar, Huang Diying, Cai Chenyang & Nel, 2015: 343. Gender: F. Type species: *Atapinella garroustei* Azar, Huang Diying, Cai Chenyang & Nel. Genus assigned to subfamily Tapinellinae.
Atapinella garroustei* Azar, Huang Diying, Cai Chenyang & Nel, 2015: 343. Myanmar (VIII): Cretaceous amber (A).
Burmipachytrocta** Azar, Huang Diying, Cai Chenyang & Nel, 2015: 340. Gender: F. Type species: *Burmipachytrocta singularis* Azar, Huang Diying, Cai Chenyang & Nel. Genus assigned to subfamily

Tapinellinae.

Burmipachyrocta singularis* Azar, Huang Diying, Cai Chenyang & Nel, 2015: 340. Myanmar (VIII): Cretaceous amber (A).

Libaneuphoris** Azar, Huang Diying, Cai Chenyang & Nel, 2015: 338. Gender: M (explicitly indicated by the authors). Type species: *Libaneuphoris jantopi* Azar, Huang Diying, Cai Chenyang & Nel. Genus assigned to the new subfamily Libaneuphorinae.

Libaneuphoris jantopi* Azar, Huang Diying, Cai Chenyang & Nel, 2015: 339. Lebanon (I): Lower Cretaceous amber (A).

Libanopsyllipsocus Azar & Nel, 2011. This genus is considered as belonging to Psyllipsocidae by Azar *et al.* (2015: 346) without discussing the arguments presented by Mockford *et al.* (2013: 16) in favour of an assignment to Pachytroctidae.

Libanopsyllipsocus alexanderasnitzyi Azar & Nel, 2011. Lebanon (I): Lower Cretaceous amber (A). This species is considered as belonging to Psyllipsocidae by Azar *et al.* (2015: 346) without discussing the arguments presented by Mockford *et al.* (2013: 16) in favour of an assignment to Pachytroctidae.

Tapinella spec. Brazil (V): Silva Neto *et al.*, 2014a. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Psocomorpha

Yoshizawa & Johnson, 2014: Phylogeny, new higher-level classification proposed. Six infraorders recognized: Archipsocetae, Caeciliusetae, Homilopsocidea (redefined), Philotarsetae (new infraorder), Epipsocetae, Psocetae.

Awightipsocus** Azar, 2014: 312. Gender: M. Type species not designated. Incertae sedis within Psocomorpha (not assigned to an infraorder or family).

Awightipsocus jarzembowskii* Azar, 2014: 312. Limestone fossil from Late Eocene (A), Great Britain (I).

Awightipsocus megaloi* Azar, 2014: 314. Limestone fossil from Late Eocene (A), Great Britain (I).

Awightipsocus minimus* Azar, 2014: 314. Limestone fossil from Late Eocene (A), Great Britain (I).

Wightimicropsocus** Azar, 2014: 315. Gender: M. Type species: *Wightimicropsocus inexpectatus* Azar (by monotypy). Incertae sedis, probably within Psocomorpha (not assigned to an infraorder or family).

Wightimicropsocus inexpectatus* Azar, 2014: 315. Limestone fossil from Late Eocene (A), Great Britain (I).

Wightipsocus** Azar, 2014: 307. Gender: M. Type species: *Psocus acourti* Cockerell, 1921. Incertae sedis within Psocomorpha (not assigned to an infraorder or family).

Wightipsocus acourti (Cockerell, 1921). Redescription: Azar, 2014: 307 (**from** *Psocus*). Limestone fossil from Late Eocene (A), Great Britain (I).

Wightipsocus intasi* Azar, 2014: 309. Limestone fossil from Late Eocene (A), Great Britain (I).

Wightipsocus rossi* Azar, 2014: 311. Limestone fossil from Late Eocene (A), Great Britain (I).

Archipsocetae

Yoshizawa & Johnson, 2014: Phylogeny, infraorder status confirmed.

Archipsocidae

Yoshizawa & Johnson, 2014: Phylogeny, family status confirmed.

Archipsocus spec. Brazil (V): Silva Neto *et al.*, 2014a. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Pararchipsocus spec. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Caeciliusetae

Yoshizawa *et al.*, 2014a: Molecular systematics, new family-level classification and key to families. Six families are recognized (see also Yoshizawa & Johnson, 2014): Amphipsocidae, Stenopsocidae, Dasydemellidae, Asiopsocidae, Paracaeciliidae, Caeciliusidae (including *Calocaecilius* Mockford).

Yoshizawa & Johnson, 2014: Phylogeny, infraorder status confirmed.

Amphipsocidae

Yoshizawa *et al.*, 2014a: Molecular systematics, family definition revised (*Calocaecilius* Mockford assigned to Caeciliusidae and Dasydemellinae reinstated as a family of its own).

Yoshizawa & Johnson, 2014: Phylogeny, revised family definition confirmed.

Calocaeciliinae. See Caeciliusidae; not longer valid as a taxon of the family-group: Yoshizawa *et al.*, 2014a.

Dasydemellinae. See Dasydemellidae, reinstated as a valid family: Yoshizawa *et al.*, 2014a.

Calocaecilius Mockford. Genus assigned to Caeciliusidae: Yoshizawa *et al.*, 2014a.

Stenopsocidae

Yoshizawa *et al.*, 2014a: Molecular systematics, family status confirmed.

Yoshizawa & Johnson, 2014: Phylogeny, family status confirmed.

Graphopsocus cruciatus (Linnaeus). Albania, Kosovo, Montenegro (I): Sziraki, 2013. Germany (I): Büchs, 1988 (ecol.); Blick & Dorow, 2014a, 2014b. Great Britain (I): Alexander, 2013b. Colombia (V): Sarria *et al.*, 2014a, 2014b. Paraguay (V): Garcia Aldrete, 2014a.

Graphopsocus mexicanus Enderlein. Brazil (V): Silva Neto *et al.*, 2014a. Fig.: Lopez, 2015 (habitus photograph).

Stenopsocus immaculatus (Stephens). Albania, Bulgaria, Macedonia, Serbia (I): Sziraki, 2013. Germany (I): Blick & Dorow, 2014a, 2014b.

Stenopsocus lachlani Kolbe. Bosnia-Herzegovina, Bulgaria (I): Sziraki, 2013. Czech Republic (I): Gol & Holusa, 2011 (ecol.).

Stenopsocus stigmaticus (Imhoff & Labram). Germany (I): Blick & Dorow, 2014a, 2014b. Montenegro (I): Sziraki, 2013.

Dasydemellidae

Yoshizawa *et al.*, 2014a: Molecular systematics, family reinstated according to Mockford (1993a) and Lienhard & Smithers (2002).

Yoshizawa & Johnson, 2014: Phylogeny, family status confirmed.

Asiopsocidae

Yoshizawa *et al.*, 2014a: Molecular systematics, family status confirmed.

Yoshizawa & Johnson, 2014: Phylogeny, family status confirmed.

Notiopsocus spec. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Paracaeciliidae

Yoshizawa *et al.*, 2014a: Molecular systematics, new family status for Paracaeciliinae (subfamily of Caeciliusidae).

Yoshizawa & Johnson, 2014: Phylogeny, family status confirmed.

Enderleinella obsoleta (Stephens). Czech Republic (I): Gol & Holusa, 2011 (ecol.). Great Britain (I): Alexander, 2013b.

Xanthocaecilius spec. Brazil (V): Silva Neto *et al.*, 2014a.

Caeciliusidae

Yoshizawa *et al.*, 2014a: Molecular systematics, family definition revised (*Calocaecilius* Mockford assigned to Caeciliusidae and Paracaeciliinae considered as a family of its own).

Yoshizawa & Johnson, 2014: Phylogeny, family status confirmed.

Paracaeciliinae. See Paracaeciliidae, considered as a family of its own: Yoshizawa *et al.*, 2014a.

Caecilius spec. Australia (Barrow Island) (IX): Gunawardene *et al.*, 2012. Morph.: Wipfler & Pass, 2014 (antennal heart).

Caecilius fuscopterus (Latreille). Germany (I): Blick & Dorow, 2014a, 2014b.

Calocaecilius Mockford. Genus transferred from Amphisocidae to Caeciliusidae: Yoshizawa *et al.*, 2014a.

Enderleinella Badonnel. See Paracaeciliidae.

Valenzuela spec. Brazil (V): Silva Neto *et al.*, 2014a. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Valenzuela burmeisteri (Brauer). Bulgaria, Montenegro (I): Sziraki, 2013. Czech Republic (I): Gol & Holusa, 2011 (ecol.). Germany (I): Büchs, 1988 (ecol.).

Valenzuela despaxi (Badonnel). Bulgaria (I): Sziraki, 2013. Czech Republic (I): Gol & Holusa, 2011 (ecol.).

Valenzuela flavidus (Stephens). Albania, Bulgaria, Montenegro (I): Sziraki, 2013. Czech Republic (I): Gol & Holusa, 2011 (ecol.). Germany (I): Büchs, 1988 (ecol.); Blick & Dorow, 2014a, 2014b. Morph.: Friedemann *et al.*, 2014 (attachment structures).

Valenzuela gynapterus (Tetens). Serbia (I): Sziraki, 2013.

Valenzuela piceus (Kolbe). Albania (I): Sziraki, 2013.

Xanthocaecilius Mockford. See Paracaeciliidae.

Homilopsocidea

Yoshizawa & Johnson, 2014: Phylogeny, infraorder definition revised, only five families retained (other families transferred to new infraorder Philotarsetae): Peripsocidae, Ectopsocidae, Elipsocidae, Lachesillidae, Mesopsocidae.

Peripsocidae

Yoshizawa & Johnson, 2014: Phylogeny, family status confirmed.

Kaestneriella spec. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Kaestneriella ecuatoriana Garcia Aldrete. Colombia (V): Sarria *et al.*, 2014a.

Peripsocus spec. Brazil (V): Silva Neto *et al.*, 2014a. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Peripsocus alboguttatus (Dalman). Bulgaria (I): Sziraki, 2013.

Peripsocus didymus Roesler. Germany (I): Blick & Dorow, 2014a, 2014b. Great Britain (I): Alexander, 2013b.

Peripsocus fici Smithers. Australia (Barrow Island) (IX): Gunawardene *et al.*, 2012.

Peripsocus parvulus Kolbe. Germany (I): Büchs, 1988 (ecol.); Blick & Dorow, 2014a, 2014b.

Peripsocus phaeopterus (Stephens). Bulgaria, Greece (I): Sziraki, 2013. Germany (I): Blick & Dorow, 2014a, 2014b.

Peripsocus subfasciatus (Rambur). Bulgaria (I): Sziraki, 2013. Germany (I): Blick & Dorow, 2014a, 2014b.

Ectopsocidae

Yoshizawa & Johnson, 2014: Phylogeny, family status confirmed.

Distribution of Neotropical and Caribbean species of Ectopsocidae (checklist): Saenz Manchola *et al.*, 2014: 539.

Ectopsocidae gen. spec. Australia (Barrow Island) (IX): Gunawardene *et al.*, 2012.

Ectopsocopsis cryptomeriae (Enderlein). Colombia (V): Saenz Manchola *et al.*, 2014. Paraguay (V): Garcia Aldrete, 2014a.

Ectopsocus spec. Colombia (V): Sarria *et al.*, 2014a, 2014b. Australia (Barrow Island) (IX): Gunawardene *et al.*, 2012.

*Ectopsocus andinus** Saenz Manchola, Gonzalez Obando & Garcia Aldrete, 2014: 525. Colombia (V). Fig.: Lopez, 2015 (habitus photograph).

Ectopsocus briggsi McLachlan. Germany (I): Blick & Dorow, 2014a, 2014b. Serbia (I): Sziraki, 2013. Colombia (V): Saenz Manchola *et al.*, 2014. Genet.: Misof *et al.*, 2014 (de novo transcriptome, see Table S1).

Ectopsocus californicus (Banks). Colombia (V): Saenz Manchola *et al.*, 2014.

Ectopsocus columbianus Badonnel. Colombia (V): Saenz Manchola *et al.*, 2014.

Ectopsocus cf. *erosus* (Enderlein). Australia (Barrow Island) (IX): Gunawardene *et al.*, 2012.

*Ectopsocus gorgonaensis** Saenz Manchola, Gonzalez Obando & Garcia Aldrete, 2014: 528. Colombia (V).

Ectopsocus maindroni Badonnel. Colombia (V): Saenz Manchola *et al.*, 2014.

Ectopsocus meridionalis Ribaga. Albania (I): Sziraki, 2013. Germany (I): Blick & Dorow, 2014a, 2014b. Colombia (V): Saenz Manchola *et al.*, 2014.

Ectopsocus pilosus Badonnel. Colombia (V): Saenz Manchola *et al.*, 2014.

Ectopsocus richardsi (Pearman). Colombia (V): Saenz Manchola *et al.*, 2014.

Ectopsocus thorntoni Garcia Aldrete. Description of male: Saenz Manchola *et al.*, 2014: 536. Colombia (V).

Ectopsocus titschacki Jentsch. Brazil (V): Silva Neto *et al.*, 2014a. Colombia (V): Saenz Manchola *et al.*, 2014.

*Ectopsocus valvilobatus** Saenz Manchola, Gonzalez Obando & Garcia Aldrete, 2014: 528. Colombia (V).

Ectopsocus vilhenai Badonnel. Colombia (V): Saenz Manchola *et al.*, 2014.

*Ectopsocus vilhenaoides** Saenz Manchola, Gonzalez Obando & Garcia Aldrete, 2014: 532. Colombia (V).

Elipsocidae

Yoshizawa & Johnson, 2014: Phylogeny, tentatively maintained as valid family, monophyly not supported.

Elipsocus abdominalis Reuter. Germany (I): Blick & Dorow, 2014a, 2014b. Greece (I): Sziraki, 2013.

Elipsocus annulatus Roesler. Greece (I): Sziraki, 2013.

Elipsocus hyalinus (Stephens). Great Britain (I): Alexander, 2013b.

Elipsocus moebiusi Tetens. Albania, Macedonia (I): Sziraki, 2013.

Elipsocus pumilis (Hagen). Germany (I): Blick & Dorow, 2014a, 2014b.

Hemineura dispar Tetens. Bulgaria (I): Sziraki, 2013.

Pseudopsocus fusciceps (Reuter). Germany (I): Büchs, 1988 (ecol.); Blick & Dorow, 2014a, 2014b.

Pseudopsocus rostocki Kolbe. Germany (I): Blick & Dorow, 2014a, 2014b.

Lachesillidae

Yoshizawa & Johnson, 2014: Phylogeny, tentatively maintained as valid family, monophyly not supported.

*Acantholachesilla*** Garcia Aldrete, Saenz Manchola & Gonzalez Obando, 2014: 568. Gender: F. Type species: *Acantholachesilla saltoensis* Garcia Aldrete, Saenz Manchola & Gonzalez Obando. Genus

assigned to Eolachesillinae: Graphocaeciliini; relationships to the genera *Dagualachesilla* and *Dagualachesilloides* discussed.

*Acantholachesilla saltoensis** Garcia Aldrete, Saenz Manchola & Gonzalez Obando, 2014: 568. Colombia (V).

Dagualachesilla anchicayaensis Garcia Aldrete, Gonzalez Obando & Carrejo, 2013a. Fig.: Lopez, 2015 (habitus photograph).

Dagualachesilla queremalensis Garcia Aldrete, Gonzalez Obando & Carrejo, 2013a. Fig.: Lopez, 2015 (forewing photograph).

Graphocaecilius spec. Brazil (V): Silva Neto *et al.*, 2014a.

Hemicaecilius nicolasi Garcia Aldrete, Gonzalez Obando & Carrejo, 2012. Fig.: Lopez, 2015 (habitus photograph).

Lachesilla Westwood. Diagnosis of *palmera* species group, with list of species included: Garcia Aldrete, 2014a: 738.

Lachesilla spec. Brazil (V): Silva Neto *et al.*, 2014a. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Lachesilla cesarcardonai Garcia Aldrete, Gonzalez Obando & Saldaña, 2013. Fig.: Lopez, 2015 (habitus photograph).

*Lachesilla cladoclaspers** Garcia Aldrete & Silva Neto, 2014: 7 (assigned to *riegeli* group). Brazil (V).

Lachesilla cuala Garcia Aldrete. Paraguay (V): Garcia Aldrete, 2014a.

Lachesilla diamantina Garcia Aldrete & Silva Neto, 2013. Brazil (V): Silva Neto *et al.*, 2014a.

Lachesilla lapadoce Garcia Aldrete & Silva Neto, 2013. Brazil (V): Silva Neto *et al.*, 2014a. Paraguay (V): Garcia Aldrete, 2014a.

*Lachesilla lugoi** Garcia Aldrete, 2014a: 737 (belonging to *pedicularia* species group). Paraguay (V).

Lachesilla mattogrossensis Garcia Aldrete. Paraguay (V): Garcia Aldrete, 2014a.

*Lachesilla nilopecanhensis** Garcia Aldrete & Silva Neto, 2014: 9 (assigned to *forcepeta* group). Brazil (V).

Lachesilla pedicularia (Linnaeus). Germany (I): Büchs, 1988 (ecol.); Blick & Dorow, 2014a, 2014b.

Lachesilla pereirorum Garcia Aldrete, 2004d. Paraguay (V): Garcia Aldrete, 2014a.

Lachesilla rugosa Garcia Aldrete. Paraguay (V): Garcia Aldrete, 2014a.

Lachesilla tanaidana Roesler. Russia (I): Golub & Golub, 2013.

Lachesilla tectorum Badonnel. Paraguay (V): Garcia Aldrete, 2014a.

Lachesilla yucateca Mockford, 2002a. Description of male: Mockford & Young, 2014: 126. USA: Texas (III).

*Lachesilla zuninoi** Garcia Aldrete, 2014b: 95 (assigned to *corona* group). Mexico (IV).

*Lachesilla zuninoides** Garcia Aldrete, 2014b: 96 (assigned to *corona* group). Mexico (IV).

Mesopsocidae

Yoshizawa & Johnson, 2014: Phylogeny, tentatively maintained as valid family, monophyly not supported.

Cyrtopsochus nasutus (Enderlein). Greece (I): Sziraki, 2013.

*Mesopsocoides*** Azar, Nel & Perrichot, 2014: 12. Gender: M. Type species: *Mesopsocoides dupei* Azar, Nel & Perrichot.

*Mesopsocoides dupei** Azar, Nel & Perrichot, 2014: 13. France (I), Late Cretaceous Vendean amber (A).

Mesopsocus duboscqui Badonnel. Albania, Greece (I): Sziraki, 2013.

Mesopsocus laticeps (Kolbe). Germany (I): Blick & Dorow, 2014a, 2014b.

Mesopsocus unipunctatus (Müller). Germany (I): Büchs, 1988 (ecol.); Blick & Dorow, 2014a, 2014b. Greece (I): Sziraki, 2013.

Philotarsetae

Yoshizawa & Johnson, 2014: Phylogeny, new infraorder established, containing three families: Philotarsidae, Trichopsocidae, Pseudocaeciliidae.

Philotarsidae

Yoshizawa & Johnson, 2014: Phylogeny, family status confirmed.

Philotarsidae gen. spec. Australia (Barrow Island) (IX): Gunawardene *et al.*, 2012.

Aaroniella spec. Brazil (V): Silva Neto *et al.*, 2014a. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Philotarsus parviceps Roesler. Czech Republic (I): Gol & Holusa, 2011 (ecol.).

Philotarsus picicornis (Fabricius). Bulgaria, Greece (I): Sziraki, 2013. Czech Republic (I): Gol & Holusa, 2011 (ecol.). Germany (I): Blick & Dorow, 2014a, 2014b.

Trichopsocidae

Yoshizawa & Johnson, 2014: Phylogeny, family status confirmed.

Calopsocidae (see Pseudocaeciliidae)

Yoshizawa & Johnson, 2014: Phylogeny, family synonymized with Pseudocaeciliidae.

Calopsocus Hagen. See Pseudocaeciliidae.

Pseudocaeciliidae

Yoshizawa & Johnson, 2014: Phylogeny, family definition revised (Calopsocidae considered as a new synonym of Pseudocaeciliidae and Bryopsocidae as a new synonym of Zelandopsocinae).

Zelandopsocinae. Yoshizawa & Johnson, 2014: Bryopsocidae considered as a new synonym of Zelandopsocinae.

Calopsocus infelix (Hagen). China, Vietnam (VIII): Liang Feiyang *et al.*, 2013b (description).

Cladioneura foliata Smithers. Australia (Barrow Island) (IX): Gunawardene *et al.*, 2012.

Heterocaecilius spec. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Pseudocaecilius citricola (Ashmead). Colombia (V): Sarria *et al.*, 2014a, 2014b. Paraguay (V): Garcia Aldrete, 2014a.

Scytopsocus spec. Brazil (V): Silva Neto *et al.*, 2014a. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Bryopsocidae (see Pseudocaeciliidae)

Yoshizawa & Johnson, 2014: Phylogeny, family synonymized with Zelandopsocinae (subfamily of Pseudocaeciliidae).

Epipsocetae

Yoshizawa & Johnson, 2014: Phylogeny, infraorder status confirmed. Four families recognized: Dolabellopsocidae, Cladiopsocidae, Ptiloneuridae, Epipsocidae.

Dolabellopsocidae

Yoshizawa & Johnson, 2014: Phylogeny, family status confirmed.

Dolabellopsocus Eertmoed. Distribution of species and key to the neotropical species: Calderon Martinez *et al.*, 2014.

Dolabellopsocus spec. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Dolabellopsocus calima* Calderon Martinez, Gonzalez Obando & Garcia Aldrete, 2014: 13. Colombia (V).

Dolabellopsocus lobatus Mockford. Colombia (V): Calderon Martinez *et al.*, 2014.

Dolabellopsocus roseusoides* Calderon Martinez, Gonzalez Obando & Garcia Aldrete, 2014: 13. Colombia (V).

Dolabellopsocus similis Mockford. Colombia (V): Calderon Martinez *et al.*, 2014.

Dolabellopsocus yundiguai* Calderon Martinez, Gonzalez Obando & Garcia Aldrete, 2014: 18. Colombia (V).

Isthmopsocus Eertmoed. Distribution of species and key to the neotropical species: Calderon Martinez *et al.*, 2014.

Isthmopsocus spec. Brazil (V): Silva Neto *et al.*, 2014a. Colombia (V): Sarria *et al.*, 2014a.

Isthmopsocus barbatusoides* Calderon Martinez, Gonzalez Obando & Garcia Aldrete, 2014: 18. Colombia (V).

Isthmopsocus foliatus* Calderon Martinez, Gonzalez Obando & Garcia Aldrete, 2014: 22. Colombia (V).

Cladiopsocidae

Yoshizawa & Johnson, 2014: Phylogeny, family status confirmed (including *Spurostigma* Eertmoed).

Cladiopsocus Roesler. Distribution of species and key to the neotropical species: Calderon Martinez *et al.*, 2014.

Cladiopsocus spec. Brazil (V): Silva Neto *et al.*, 2014a. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Cladiopsocus arboricola* Calderon Martinez, Gonzalez Obando & Garcia Aldrete, 2014: 3. Colombia (V).

Cladiopsocus bidentatus* Calderon Martinez, Gonzalez Obando & Garcia Aldrete, 2014: 6. Colombia (V).

Cladiopsocus multimaculatus Eertmoed. Colombia (V): Calderon Martinez *et al.*, 2014.

Cladiopsocus nebulosus* Calderon Martinez, Gonzalez Obando & Garcia Aldrete, 2014: 6. Colombia (V).
Fig.: Lopez, 2015 (habitus photograph).

Cladiopsocus pacificus* Calderon Martinez, Gonzalez Obando & Garcia Aldrete, 2014: 9. Colombia (V).

Spurostigma caatinga Silva Neto & Garcia Aldrete, 2012. Brazil (V): Silva Neto *et al.*, 2014a.

Spurostigmatidae (see Cladiopsocidae)

Yoshizawa & Johnson, 2014: Phylogeny, reinstated family (see Casasola Gonzalez, 2006a) not recognized (see Lienhard & Smithers, 2002).

Spurostigma Eertmoed. See Cladiopsocidae.

Ptiloneuridae

Yoshizawa & Johnson, 2014: Phylogeny, tentatively maintained as valid family, potentially embedded within Cladiopsocidae.

Euplocania spec. Brazil (V): Silva Neto *et al.*, 2014a. Fig.: Lopez, 2015 (habitus photograph).

Loneura spec. Brazil (V): Silva Neto *et al.*, 2014a. Fig.: Lopez, 2015 (habitus photograph).

Loneura gorgonaensis Garcia Aldrete, Gonzalez & Sarria, 2011. Colombia (V): Sarria *et al.*, 2014a.

Loneura insularis Garcia Aldrete, Gonzalez & Sarria, 2011. Colombia (V): Sarria *et al.*, 2014a.

Loneura monticola Garcia Aldrete, Gonzalez & Sarria, 2011. Colombia (V): Sarria *et al.*, 2014a.

Triplocania spec. Brazil (V): Silva Neto *et al.*, 2014a. Fig.: Lopez, 2015 (habitus photograph).

Triplocania ariasi New. Brazil (V): Silva Neto *et al.*, 2014a.

*Triplocania lamasi** Silva Neto, Rafael & Garcia Aldrete, 2014: 79. Brazil, Colombia (V).

*Triplocania mariateresae** Silva Neto, Rafael & Garcia Aldrete, 2014: 79. Brazil (V).

*Triplocania newi** Silva Neto, Rafael & Garcia Aldrete, 2014: 81. Brazil (V).

*Triplocania plaumanni** Silva Neto, Rafael & Garcia Aldrete, 2014: 84. Brazil (V).

Epipsocidae

Yoshizawa & Johnson, 2014: Phylogeny, family status confirmed, Neurostigmatidae treated as a junior synonym (as proposed by Casasola Gonzalez, 2006a, 2006b).

Bertkauia lucifuga (Rambur). Germany (I): Blick & Dorow, 2014a, 2014b.

Epipsocus spec. Brazil (V): Silva Neto *et al.*, 2014a. Colombia (V): Sarria *et al.*, 2014a.

Goja spec. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Mesepipsocus spec. Brazil (V): Silva Neto *et al.*, 2014a. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Neurostigma spec. Brazil (V): Silva Neto *et al.*, 2014a.

Psocetae

Yoshizawa & Johnson, 2014: Phylogeny, infraorder status confirmed. Four families recognized: Psilopsocidae, Hemipsocidae, Myopsocidae, Psocidae.

Psilopsocidae

Yoshizawa & Johnson, 2014: Phylogeny, family status confirmed.

Hemipsocidae

Yoshizawa & Johnson, 2014: Phylogeny, family status confirmed.

Hemipsocus spec. Brazil (V): Silva Neto *et al.*, 2014a.

Hemipsocus africanus Enderlein. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Myopsocidae

Yoshizawa & Johnson, 2014: Phylogeny, family status confirmed.

Lichenomima spec. Brazil (V): Silva Neto *et al.*, 2014a. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Myopsocus spec. Brazil (V): Silva Neto *et al.*, 2014a. Colombia (V): Sarria *et al.*, 2014a, 2014b. Fig.: Lopez, 2015 (habitus photograph).

Psocidae

Yoshizawa & Johnson, 2014: Phylogeny, family status confirmed.

Amphigerontia spec. Brazil (V): Silva Neto *et al.*, 2014a.

Amphigerontia contaminata (Stephens). Albania, Greece, Macedonia (I): Sziraki, 2013.

Barrowia insularis Smithers. Australia (Barrow Island) (IX): Gunawardene *et al.*, 2012.

Blaste spec. Brazil (V): Silva Neto *et al.*, 2014a. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Blaste conspurcata (Rambur). Albania (I): Sziraki, 2013.

Blaste quadrimaculata (Latreille). Albania, Greece (I): Sziraki, 2013.

Blastopsocus spec. Brazil (V): Silva Neto *et al.*, 2014a. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Cerastipsocus spec. Brazil (V): Silva Neto *et al.*, 2014a.

Cervopsocus spec. Brazil (V): Silva Neto *et al.*, 2014a.

Dictyopsocus spec. Brazil (V): Silva Neto *et al.*, 2014a (misspelled *Dyctiopsocus*).

Elaphopsocoides** Roman Palacios, Garcia Aldrete & Gonzalez Obando, 2014: 94. Gender: M. Type species: *Elaphopsocoides colombiensis* Roman Palacios, Garcia Aldrete & Gonzalez Obando. Assigned to subfamily Amphigerontiinae.

Elaphopsocoides colombiensis* Roman Palacios, Garcia Aldrete & Gonzalez Obando, 2014: 94. Colombia (V). Fig.: Lopez, 2015 (habitus photograph).

Elaphopsocoides lahonduraensis* Roman Palacios, Garcia Aldrete & Gonzalez Obando, 2014: 97. Colombia (V).

Elaphopsocus spec. Brazil (V): Silva Neto *et al.*, 2014a.

Eremopsocus spec. Brazil (V): Silva Neto *et al.*, 2014a.

Eremopsocus nigripes Mockford. Brazil (V): Silva Neto *et al.*, 2014a.

Hyalopsocus contrarius (Reuter). Greece (I): Sziraki, 2013.

Indiopsochus spec. Brazil (V): Silva Neto *et al.*, 2014a. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Loensia fasciata (Fabricius). Germany (I): Büchs, 1988 (ecol.); Blick & Dorow, 2014a, 2014b.

Loensia variegata (Latreille). Germany (I): Büchs, 1988 (ecol.); Blick & Dorow, 2014a, 2014b. Greece (I): Sziraki, 2013.

Metylophorus spec. Brazil (V): Silva Neto *et al.*, 2014a.

Metylophorus nebulosus (Stephens). Germany (I): Blick & Dorow, 2014a, 2014b. Macedonia (I): Sziraki, 2013.

Neopsocus rhenanus Kolbe. Albania, Bulgaria, Montenegro (I): Sziraki, 2013.

Oreopsocus montanus (Kolbe). Greece (I): Sziraki, 2013.

Psocidus spec. Brazil (V): Silva Neto *et al.*, 2014a.

Psococerastis spec. Brazil (V): Silva Neto *et al.*, 2014a. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Psococerastis gibbosa (Sulzer). Albania (I): Sziraki, 2013. Germany (I): Blick & Dorow, 2014a, 2014b.

Ptycta Enderlein. Phylogeny and biogeography of Hawaiian species (X): Bess *et al.*, 2014.

Ptycta spec. Brazil (V): Silva Neto *et al.*, 2014a. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Steleops spec. Brazil (V): Silva Neto *et al.*, 2014a. Fig.: Lopez, 2015 (habitus photograph).

Steleops albertoneto Gonzalez, Garcia Aldrete & Carrejo, 2011b. Brazil (V): Silva Neto *et al.*, 2014a.

Symbiopsocus Li Fasheng. Checklist of species, key to Chinese species: Liu Luxi *et al.*, 2014.

Symbiopsocus yangminius* Liu Luxi, Li Fasheng & Liu Zhiqi 2014: 290. China (VIII).

Thyrsopsocus spec. Colombia (V): Sarria *et al.*, 2014a, 2014b.

Trichadenotecnum Enderlein. Keys to species groups and to species from Peninsular Malaysia and Singapore, definition of a new species group (*krucilense* group): Yoshizawa *et al.*, 2014c.

Trichadenotecnum spec. Brazil (V): Silva Neto *et al.*, 2014a. Colombia (V): Sarria *et al.*, 2014a, 2014b. Malaysia (VIII): Yoshizawa *et al.*, 2014c: 484 (fig.) (assigned to *spiniserrulum* group).

Trichadenotecnum adika Endang, Thornton & New, 2002. Singapore (VIII): Yoshizawa *et al.*, 2014c (assigned to *spiniserrulum* group).

Trichadenotecnum anomalum* Yoshizawa & Lienhard, 2014; *in*: Yoshizawa *et al.*, 2014c: 492 (assigned to *majus* group). Singapore (VIII).

Trichadenotecnum cinnamomum Endang & New, 2005. Description of female: Yoshizawa *et al.*, 2014c: 472 (assigned to *corniculum* group). Malaysia (VIII). NOTE: The female assigned to this species by Endang & New (2005: 36) is considered as misidentified.

Trichadenotecnum circularoides Badonnel. Singapore (VIII): Yoshizawa *et al.*, 2014c (assigned to *circularoides* group).

Trichadenotecnum cornutum Endang & New, 2005. Malaysia (VIII): Yoshizawa *et al.*, 2014c: (assigned to *majus* group).

Trichadenotecnum endangae* Yoshizawa & Lienhard, 2014; *in*: Yoshizawa *et al.*, 2014c: 481 (assigned to *spiniserrulum* group). Malaysia (VIII).

Trichadenotecnum germanicum Roesler. Germany (I): Büchs, 1988 (erroneously called *T. sexpunctatum* on p. 272; ecol.).

Trichadenotecnum gombakense New & Lee. Malaysia (VIII): Yoshizawa *et al.*, 2014 (assigned to *spiniserrulum* group).

Trichadenotecnum hammani Endang, Thornton & New, 2002. Malaysia (VIII): Yoshizawa *et al.*, 2014c (assigned to *spiniserrulum* group).

Trichadenotecnum imrum New & Thornton. Description of female: Yoshizawa *et al.*, 2014c: 474 (assigned to *corniculum* group). Singapore (VIII).

Trichadenotecnum kerinciense Endang & New, 2005. Description of male: Yoshizawa *et al.*, 2014c: 496 (assigned to *majus* group). Malaysia (VIII).

Trichadenotecnum kojimai* Yoshizawa & Lienhard, 2014; *in*: Yoshizawa *et al.*, 2014c: 478 (assigned to *spiniserrulum* group). Malaysia (VIII).

- Trichadenotecnum krucilense* Endang, Thornton & New, 2002. Malaysia (VIII): Yoshizawa *et al.*, 2014c (assigned to *krucilense* group).
- Trichadenotecnum majus* (Kolbe). Germany (I): Blick & Dorow, 2014a, 2014b.
- Trichadenotecnum malayense* New. Malaysia (VIII): Yoshizawa *et al.*, 2014 (assigned to *spiniserrulum* group).
- Trichadenotecnum marginatum* New & Thornton. Generic assignment questionable (appears to be close to *Cryptopsocus cynostigmus* Li Fasheng, 2002): Yoshizawa *et al.*, 2014c.
- Trichadenotecnum pardus* Badonnel. Singapore (VIII): Yoshizawa *et al.*, 2014c (assigned to *spiniserrulum* group).
- Trichadenotecnum pardidum* Thornton: New, 1975e: 258.
[Not *Trichadenotecnum pardidum* Thornton, 1961: 16].
- Trichadenotecnum rachimi* Endang & Thornton. Singapore (VIII): Yoshizawa *et al.*, 2014c (assigned to *majus* group).
- Trichadenotecnum arciforme* Thornton: New & Lee, 1992a: 155.
[Not *Trichadenotecnum arciforme* Thornton, 1961: 11].
[Not *Trichadenotecnum arciforme* Thornton: Thornton, 1984b: 157].
- Trichadenotecnum santosai* Endang & Thornton. Malaysia (VIII): Yoshizawa *et al.*, 2014c (assigned to *majus* group).
- Trichadenotecnum sexpunctatum* (Linnaeus). Albania (I): Sziraki, 2013. Germany (I): Büchs, 1988 (ecol.); Blick & Dorow, 2014a, 2014b. Great Britain (I): Alexander, 2013b.
- Trichadenotecnum sibolangitense* Endang & New, 2005. Description of female: Yoshizawa *et al.*, 2014c: 487 (assigned to *majus* group). Malaysia, Singapore (VIII).
- Trichadenotecnum soenarti* Endang, Thornton & New, 2002. Malaysia (VIII): Yoshizawa *et al.*, 2014c (assigned to *majus* group).
- Trichadenotecnum yatai** Yoshizawa & Lienhard, 2014; *in*: Yoshizawa *et al.*, 2014c: 476 (assigned to *spiniserrulum* group). Malaysia (VIII).

4. Additions to the Bibliography

NOTE: Complete bibliographical references to publications cited in the present paper, which are not listed here, can be found in the World Bibliography (Lienhard & Smithers, 2002: 493-664) or in Parts 1 to 13 of the "Additions"; see also **Synthesis of Parts 1-10**: http://www.ville-ge.ch/mhng/psocoptera/divers/synthesis_add_1_10.pdf

Remarks: Papers with two authors are listed in alphabetical order of second authors after the chronological list of papers with the first author as unique author. Papers with more than two authors (i. e. "first author *et al.*"-papers) are listed chronologically after the two-author papers. References to papers published in the same year are distinguished by suffix-letters added to the publication year. No cross-references to co-authors or editors are given.

For a **subject bibliography** see: <http://www.ville-ge.ch/mhng/psocoptera/page/ps-bibli.htm>

- Alexander, K. N. A. 2013b. Psocoptera (barkflies). *Devonshire Association for the Advancement of Science, Literature and the Arts, Report and Transactions* 145: 348.
- Athanassiou, C. G., Kavallieratos, N. G., Arthur, F. H. & Throne, J. E. 2014a. Residual efficacy of chlorfenapyr for control of stored-product psocids (Psocoptera). *Journal of Economic Entomology* 107(2): 854-859. **(Only abstract seen)**.
- Athanassiou, C. G., Kavallieratos, N. G., Throne, J. E. & Nakas, C. T. 2014b. Competition among species of stored-product psocids (Psocoptera) in stored grain. *PLOS ONE* 9(8): e102867. DOI: 10.1371/journal.pone.0102867. **(Only abstract seen)**.
- Azar, D. 2014. Tertiary bark lice (Insecta: Psocodea) from the Insect Limestone (Bembridge Marls, Late Eocene) of the Isle of Wight, UK. *Earth and Environmental Science Transactions of the Royal Society of Edinburgh* 104: 307-316, 9 figs, 2 plates. Doi:10.1017/S1755691014000036.
- Azar, D., Nel, A. & Perrichot, V. 2014. Diverse barklice (Psocodea) from Late Cretaceous Vendean amber. *Paleontological Contributions* 10C: 9-15, 4 figs.
- Azar, D., Huang Dying, Cai Chenyang & Nel, A. 2015. The earliest records of pachytroctid booklice from Lebanese and Burmese Cretaceous ambers (Psocodea, Troctomorpha, Nanopsocetae, Pachytroctidae). *Cretaceous Research* 52: 336-347, 41 figs.

- Bess, E. C., Catanach, T. A. & Johnson, K. P. 2014. The importance of molecular dating analyses for inferring Hawaiian biogeographical history: a case study with bark lice (Psocidae: *Ptycta*). *Journal of Biogeography* 41: 158-167, 2 figs.
- Blick, T. & Dorow, W. H. O. 2014a. Weitere Tiergruppen im Naturwaldreservat Kinzigaue (Hessen). Untersuchungszeitraum 1999-2001. In: Blick, T., Dorow, W. H. O. & Köhler, G. Kinzigaue. Zoologische Untersuchungen 1999-2001, Teil 2. *Naturwaldreservate in Hessen* 13: 161-192. (Psoc.: pp. 177-179).
- Blick, T. & Dorow, W. H. O. 2014b. Gesamtüberblick über die Gebietsfauna des Naturwaldreservats Kinzigaue (Hessen) und ihre Bedeutung für den Naturschutz. Untersuchungszeitraum 1999-2001. In: Blick, T., Dorow, W. H. O. & Köhler, G. Kinzigaue. Zoologische Untersuchungen 1999-2001, Teil 2. *Naturwaldreservate in Hessen* 13: 193-232. (Psoc.: p. 208).
- Büchs, W. 1988. Stamm- und Rindenzoozönosen verschiedener Baumarten des Hartholzauenwaldes und ihr Indikatorwert für die Früherkennung von Baumschäden. Teil. 1. PhD thesis, Rheinische Friedrich-Wilhelms-Universität, Bonn, 813 pp. (unpublished). (Psoc.: pp. 253-273).
- Calderon Martinez, N. R., Gonzalez Obando, R. & Garcia Aldrete, A. N. 2014. Descriptions and records of Cladiopsocidae and Dolabellopsocidae (Insecta: Psocodea: 'Psocoptera') from Valle del Cauca and National Natural Park Gorgona, Colombia. *Zootaxa* 3889(1): 1-30, 101 figs.
- Cameron, S. L. 2014. Insect mitochondrial genomics: Implications for evolution and phylogeny. *Annual Review of Entomology* 59: 95-117. (Psoc. mentioned in Tables 1 and 2 and on pp. 107-109).
- Chen Shi-Chun, Wei Dan-Dan, Shao Renfu, Dou Wei & Wang Jin-Jun 2014a. The complete mitochondrial genome of the booklouse, *Liposcelis decolor*: Insights into gene arrangement and genome organization within the genus *Liposcelis*. *PLOS ONE* 9(3): e91902. Doi:10.1371/journal.pone.0091902 (8 pp., 7 figs).
- Chen Shi-Chun, Wei Dan-Dan, Shao Renfu, Shi Jun-Xia, Dou Wei & Wang Jin-Jun 2014b. Evolution of multipartite mitochondrial genomes in the booklice of the genus *Liposcelis* (Psocoptera). *BMC Genomics* 15 (art. no. 861). **(Only abstract seen)**.
- Dennis, D. S. 2014. Ethology of *Holopogon phaeonotus* Loew, 1874 (Diptera: Asilidae) in Northeastern Florida, USA. *Journal of the Entomological Research Society* 16: 141-158. **(Only abstract seen)**.
- Devetak, D., Omerzu, M. & Clopton, R. E. 2013. Notes on the gregarines (Protozoa: Apicomplexa: Eugregarinorida) of insects in Slovenia. *Annales Series Historia Naturalis (Koper)* 23(1): 73-89. **(Only abstract seen)**.
- Diaz-Montano J., Campbell, J. F., Phillips, T. W. & Throne, J. E. 2014. Evaluation of potential attractants for *Liposcelis bostrychophila* (Psocoptera: Liposcelidae). *Journal of Economic Entomology* 107(2): 867-874. **(Only abstract seen)**.
- Footitt, R. G. & Adler, P. H. (eds) 2009. Insect biodiversity: science and society. *Wiley-Blackwell, Oxford*, xxi + 632 pp., 8 plates. (Psoc.: pp. 3, 38, 58, 59, 110, 484).
- Friedemann, K., Spangenberg, R., Yoshizawa, K. & Beutel, R. G. 2014. Evolution of attachment structures in the highly diverse Acercaria (Hexapoda). *Cladistics* 30: 170-201.
- Garcia Aldrete, A. N. 2014a. A new species of *Lachesilla* in the *pedicularia* group and new records of Psocoptera (Insecta: Psocodea) from Paraguay. *Revista Mexicana de Biodiversidad* 85: 736-740, 5 figs.
- Garcia Aldrete, A. N. 2014b. A pair of new sister species of *Lachesilla* in species group *Corona* (Psocodea: 'Psocoptera': Lachesillidae), from Mexico. *Dugesiana* 21(2): 95-98, 9 figs.
- Garcia Aldrete, A. N. & Silva Neto, A. M. da 2014. Two new species of *Lachesilla* in species groups *riegeli* and *forcepeta* (Psocodea: 'Psocoptera': Lachesillidae), from the state of Bahia, Brazil. *Revista Brasileira de Entomologia* 58(1): 7-10, 10 figs.
- Garcia Aldrete, A. N., Saenz Manchola O. F. & Gonzalez Obando, R. 2014. *Acantholachesilla* gen. n. (Psocodea: 'Psocoptera': Lachesillidae: Eolachesillinae: Graphocaeciliini) from Valle del Cauca, Colombia. *Zootaxa* 3821(5): 567-574, 15 figs.
- Gielis, C., van Nunen, F. & Solleveld, P. 2014. De insectenfauna van enkele vogelnestkasten [The insect fauna of some bird nest boxes]. *Entomologische Berichten* 74(1-2): 81-88, 6 figs. (In Dutch, with English summary).
- Gol, J. & Holusa, O. 2011. Taxocenoses structure of psocids (Insecta: Psocoptera) in the forest ecosystems in area of the Kralicky Sneznik Mts. *Acta Musei Beskidensis* 3: 71-84. (In Czech). **(Only abstract seen)**.
- Golub, N. V. & Golub, V. B. 2013. First record of *Lachesilla tanaidana* Roesler, 1953 (Psocoptera, Lachesillidae) from East-European forest-steppe. *Euroasian Entomological Journal* 12(4): 336-338, 1 fig. (In Russian, with English abstract).
- Gunawardene, N. R., Taylor, C. K. & Majer, J. D. 2012. Revisiting the Psocoptera (Insecta) of Barrow Island, Western Australia. *Australian Entomologist* 39(4): 253-260.

- Jervis, M. A. 2013. Robert Hook's Micrographia – an entomological cornucopia. *Antenna, Bulletin of the Royal Entomological Society* 37(4): 176-189. (Psoc.: p. 182, Figure 9, some insect sketches made in the early 1660s = excellent facsimile reproduction of the same figure as published by Neri, 2005; this figure shows probably a young nymph of Psocomorpha).
- Kucerova, Z., Wakil, W., Yasin, M., Yang Qianqian, Li Zhi-Hong, Hromadkova, J., Kalinovic, I., Opit, G. & Lienhard, C. 2014. Morphological and molecular characterization of a Pakistan strain of the stored-product pest *Liposcelis paeta* (Insecta: Psocodea: Liposcelidae) with observations on the variability of the head surface sculpture in liposcelids. *Journal of Stored Products Research* 57: 12-23, 10 figs.
- Liang Feiyang, Li Fasheng & Liu Xingyue 2013b. Discovery of the barklice family Calopsocidae (Psocoptera: Psocomorpha) from China and Vietnam, with redescription of *Calopsocus infelix* (Hagen). *Entomotaxonomia* 35(4): 256-262, 12 figs.
- Lienhard, C. 2014. Additions and Corrections (Part 13) to Lienhard & Smithers, 2002: "Psocoptera (Insecta) - World Catalogue and Bibliography" (pp. 1-20). In: Yoshizawa, K. (ed.). Psocid News. The Psocidologists' Newsletter. No. 16 (March 4, 2014). *Systematic Entomology, Faculty of Agriculture, Hokkaido University, Sapporo*, 20 pp.
- Lienhard, C. & Ferreira, R. L. 2014. New species of *Psyllipsocus* from Brazilian caves (Psocodea: 'Psocoptera': Prionoglarididae). *Revue suisse de Zoologie* 121(2): 211-246, 17 figs.
- Liu Luxi, Li Fasheng & Liu Zhiqi 2014. A new species of *Symbiopsocus* Li (Psocodea: 'Psocoptera': Psocidae) from Taiwan, China, with a revised checklist and key to species. *Zootaxa* 3774 (3): 289-294, 9 figs.
- Liu Xin Chao, Liang Yan, Shi Wang Peng, Liu Qi Zhi, Zhou Ligang & Liu Zhi Long 2014. Repellent and insecticidal effects of the essential oil of *Kaempferia galanga* rhizomes to *Liposcelis bostrychophila* (Psocoptera: Liposcelidae). *Journal of Economic Entomology* 107(4): 1706-1712. **(Only abstract seen)**.
- Loomis, J. D. & Cameron, G. N. 2014. Impact of the invasive shrub Amur honeysuckle (*Lonicera maackii*) on shrub-layer insects in a deciduous forest in the eastern United States. *Biological Invasions* 16(1): 89-100. **(Only abstract seen)**.
- Lopez, P. 2015. El mundo fascinante de los insectos psocopteros. El investigador Alfonso Garcia Aldrete ha descrito 481 especies de Mexico, Brasil y Colombia. *Gaceta UNAM, Organo informativo de la Universidad Nacional Autonoma de Mexico*, no. 4663 (22 de enero de 2015): 4-5 y centrales [with numerous colour photographs].
- Misof, B. et al. 2014. Authors: Bernhard Misof, Shanlin Liu, Karen Meusemann, Ralph S. Peters, Alexander Donath, Christoph Mayer, Paul B. Frandsen, Jessica Ware, Tomáš Flouri, Rolf G. Beutel, Oliver Niehuis, Malte Petersen, Fernando Izquierdo-Carrasco, Torsten Wappler, Jes Rust, Andre J. Aberer, Ulrike Aspöck, Horst Aspöck, Daniela Bartel, Alexander Blanke, Simon Berger, Alexander Böhm, Thomas R. Buckley, Brett Calcott, Junqing Chen, Frank Friedrich, Makiko Fukui, Mari Fujita, Carola Greve, Peter Grobe, Shengchang Gu, Ying Huang, Lars S. Jermiin, Akito Y. Kawahara, Lars Krogmann, Martin Kubiak, Robert Lanfear, Harald Letsch, Yiyuan Li, Zhenyu Li, Jiguang Li, Haorong Lu, Ryuichiro Machida, Yuta Mashimo, Pashalia Kapli, Duane D. McKenna, Guanliang Meng, Yasutaka Nakagaki, José Luis Navarrete-Heredia, Michael Ott, Yanxiang Ou, Günther Pass, Lars Podsiadlowski, Hans Pohl, Björn M. von Reumont, Kai Schütte, Kaoru Sekiya, Shota Shimizu, Adam Slipinski, Alexandros Stamatakis, Wenhui Song, Xu Su, Nikolaus U. Szucsich, Meihua Tan, Xuemei Tan, Min Tang, Jingbo Tang, Gerald Timelthaler, Shigekazu Tomizuka, Michelle Trautwein, Xiaoli Tong, Toshiki Uchifune, Manfred G. Walz, Brian M. Wiegmann, Jeanne Wilbrandt, Benjamin Wipfler, Thomas K. F. Wong, Qiong Wu, Gengxiong Wu, Yinlong Xie, Shenzhou Yang, Qing Yang, David K. Yeates, Kazunori Yoshizawa, Qing Zhang, Rui Zhang, Wenwei Zhang, Yunhui Zhang, Jing Zhao, Chengran Zhou, Lili Zhou, Tanja Ziesmann, Shijie Zou, Yingrui Li, Xun Xu, Yong Zhang, Huanming Yang, Jian Wang, Jun Wang, Karl M. Kjer, Xin Zhou. Phylogenomics resolves the timing and pattern of insect evolution. *Science* 346 (6210): 763-767, 2 figs. DOI: 10.1126/science.1257570.
- Mockford, E. L. & Garcia Aldrete, A. N. 2014. A new genus and two new species, one extant and one fossil, in the family Troctopsocidae (Psocodea: 'Psocoptera': Troctomorpha: Amphientometae: Electrentomoidea). *Zootaxa* 3869 (2): 159-164, 13 figs.
- Mockford, E. L. & Young, D. W. 2014. Redescription of the male of *Lachesilla yucateca* Mockford (Psocodea: 'Psocoptera': Lachesillidae) and the northward extension of the species' range. *Life: The Excitement of Biology* 2(2): 125-129, 6 figs.
- Nayak, M. K., Collins, P. J., Throne, J. E. & Wang Jin-Jun 2014. Biology and management of psocids infesting stored products. *Annual Review of Entomology* 59: 279-297. (Supplemental tables 1-8, online doi: 10.1146/annurev-ento-011613-161947).

- Olejarski, P. & Rybacki, R. 2011. Insect pests occurring in stored rapeseed. *Progress in Plant Protection* 51(4): 1567-1574. (In Polish). **(Not seen)**.
- Perez, J. E. J. & Barrion-Dupo, A. L. A. 2013. Diversity and colonization pattern of leaf-litter arthropods during early stages of decomposition in Mt. Makiling, Los Banos, Laguna. *Philippine Journal of Systematic Biology* 7: 39-52. **(Only abstract seen)**.
- Pricop, E. 2014. An interesting psocid species (Psocoptera: Psyllipsocidae) newly recorded from Romania. *ABAH Bioflux* 6(1): 71-74, 1 fig.
- Roman Palacios, C., Garcia Aldrete, A. N. & Gonzalez Obando, R. 2014. *Elaphopsocoides*, a new genus of Psocidae (Psocodea: 'Psocoptera') from Valle del Cauca, Colombia. *Zootaxa* 3873 (1): 93-100, 21 figs.
- Saenz Manchola, O. F., Gonzalez Obando, R. & Garcia Aldrete, A. N. 2014. Ectopsocidae (Psocodea: 'Psocoptera') from Valle del Cauca and NNP Gorgona, Colombia. *Zootaxa* 3786 (5): 523-540, 46 figs.
- Sarria Sarria, F., Gonzalez Obando, R. & Garcia Aldrete, A. N. 2014a. Psocoptera (Insecta: Psocodea) from the National Natural Park Gorgona, Cauca, Colombia. *Revista de Biología Tropical* 62 (Suppl. 1): 243-256.
- Sarria Sarria, F., Garcia Aldrete, A. N. & Gonzalez Obando, R. 2014b. Diversidad de Psocoptera (Insecta: Psocodea) en el Parque Nacional Natural Gorgona (Oceano Pacifico, Colombia). *Revista de Biología Tropical* 62 (Suppl. 1): 257-264.
- Shreve, S. M. & Johnson, K. P. 2014. Population genetics of bisexual and unisexual populations of the scaly-winged bark louse *Echmepteryx hageni* (Insecta: Psocoptera). *Genetica* 142: 405-418, 2 figs.
- Silva Neto, A. M. da, Bravo, F. & Garcia Aldrete, A. N. 2014a. Psocideos (Psocodea: 'Psocoptera') do Semiárido: uma diversidade subestimada (Capítulo 10, pp. 117-126). In: Bravo, F. & Calor, A. (eds). *Artropodes do Semiárido, biodiversidade e conservação. Feira de Santana, Printmidia*, 298 pp.
- Silva Neto, A. M. da, Rafael, J. A. & Garcia Aldrete, A. N. 2014b. New species of *Triplocania* Roesler with forewing M3 forked (Psocodea: 'Psocoptera': Ptiloneuridae), from Brazil. *Zootaxa* 3838 (1): 77-86, 29 figs.
- Sziraki, G. 2013. Data to the Psocoptera fauna of Balkan Peninsula and two Aegean islands. *Folia Historico Naturalia Musei Matraensis* 37: 65-70.
- Taylor, C. K. 2013. The genus *Lithoseopsis* (Psocodea: Amphientomidae) in the Western Australian fauna, with description of the male of *Lithoseopsis humphreysi* from Barrow Island. *Records of the Western Australian Museum, Supplement* 83: 245-252, 2 figs.
- Thapa, R., Wongsiri, S., Lee, M. L. & Choi, Y.-S. 2013. Predatory behaviour of pseudoscorpions (*Ellingsenius indicus*) associated with Himalayan *Apis cerana*. *Journal of Apicultural Research* 52(5), article number UNSP 52.5.58. DOI: 10.3896/IBRA.1.52.5.08. **(Only abstract seen)**.
- Throne, J. E. & Flinn, P. W. 2013. Distribution of psocids (Psocoptera) in temperature gradients in stored wheat. *Journal of Stored Products Research* 55: 27-31. **(Only abstract seen)**.
- Turienzo, P. & Di Iorio, O. 2007. Insects found in birds' nests from Argentina. Part I: a bibliographical review, with taxonomical corrections, comments and a hypothetical mechanism of transmission of cimicid bugs. *Zootaxa* 1561:1-52. (Psoc.: pp. 10, 37; some undetermined psocids mentioned).
- Wakil, W. & Yasin, M. 2013. First report of rusty grain beetle and psocids infesting stored wheat in Punjab, Pakistan. *International Journal of Agriculture & Applied Sciences* 5(2): 39-40.
- Wang Ke-Xia, Zhan Xiao-Dong, Huang Yue-E, Guo Wei & Li Chao-Pin 2014. Investigation on the species of booklice breeding in the stored Chinese root-stock medicinal materials. *Huanjing Kunchong Xuebao* 36(4): 644-648. **(Only abstract seen)**.
- Wei Dan-Dan, Shao Ren-Fu, Chen Shi-Chun & Wang Jin-Jun 2014. Progress in mitochondrial genome diversity and phylogeny of Psocodea. *Acta Entomologica Sinica* 57(4): 483-494. **(Only abstract seen)**.
- Whitfield, J. B. & Purcell, A. H. 2013. Daly and Doyen's introduction to insect biology and diversity. Third edition. *Oxford University Press, New York & Oxford*, i-xiii, 1-734. **(Not seen)**.
- Wipfler, B. & Pass, G. 2014. Antennal heart morphology supports relationship of Zoraptera with polyneopteran insects. *Systematic Entomology* 39(4): 800-805, 3 figs.
- Wolf, P., Siesenop, U., Verspohl, J. & Kamphues, J. 2014. Hygienic quality of feedstuffs for small mammals sent to the consultation service. *Tierärztliche Praxis, Ausgabe Kleintiere Heimtiere* 42(2): 101-106. **(Only abstract seen)**.
- Yoshizawa, K. 2003d. Order Psocoptera: Book Lice (pp. 243-248). In: Grzimek's Animal Life Encyclopedia: Insects. *Gale Group, Chicago, USA*. **(Not seen)**.
- Yoshizawa, K. (ed.) 2014. Psocid News. The Psocidologists' Newsletter. No. 16 (March 4, 2014). *Systematic Entomology, Faculty of Agriculture, Hokkaido University, Sapporo*, 20 pp.
- Yoshizawa, K. 2015. [Female penis: story of its discovery and its impact for evolutionary studies, with introduction to the methods to observe copulated insect pairs]. *Japanese Journal of Entomology (New Series)* 18(1): 8-16, 3 figs. (In Japanese).

- Yoshizawa, K. & Johnson, K. P. 2014. Phylogeny of the suborder Psocomorpha: congruence and incongruence between morphology and molecular data (Insecta: Psocodea: 'Psocoptera'). *Zoological Journal of the Linnean Society* 171: 716-731, 3 figs.
- Yoshizawa, K., Mockford, E. L. & Johnson, K. P. 2014a. Molecular systematics of the bark lice infraorder Caeciliusetae (Insecta: Psocodea). *Systematic Entomology* 39: 279-285, 2 figs.
- Yoshizawa, K., Ferreira, R. L., Kamimura, Y. & Lienhard, C. 2014b. Female penis, male vagina, and their correlated evolution in a cave insect. *Current Biology* 24(9): 1006-1010, 3 figs. (Supplemental information: text and Figures S1-S3 and Tables S1-S2, online at: <http://dx.doi.org/10.1016/j.cub.2014.03.022>).
- Yoshizawa, K., Lienhard, C. & Ghani, I. A. 2014c. *Trichadenotecnum* species from Peninsular Malaysia and Singapore (Insecta: Psocodea: 'Psocoptera': Psocidae). *Zootaxa* 3835 (4): 469-500, 29 figs.
- Yoshizawa, K., Ferreira, R. L., Kamimura, Y. & Lienhard, C. 2014d. A transgender Brazilian cave insect. *The Winnower*, September 03, 2014, 3 pp. DOI: 10.15200/winn.140978.89418.
- Zhang Zhi-Qiang 2013. Phylum Arthropoda (pp. 17-26). In: Zhang Zhi-Qiang (ed.). Animal biodiversity: an outline of higher-level classification and survey of taxonomic richness (Addenda 2013). *Zootaxa* 3703: 1-82. (Psoc.: p. 21).

5. Corrections to Lienhard & Smithers, 2002

Remark: These "Corrections" refer to the pages of Lienhard & Smithers (2002).

044: *Psocathropos pilipennis* (Enderlein). Add: Diagnostic characters: Mockford, 1993a: 51.

573: Replace the reference "Leach, W. 1815" by the following more complete reference: Leach, W. E. 1815. Entomology (pp. 57-172). In: Brewster, D. (ed.). The Edinburgh Encyclopaedia. Volume 9. *Edinburgh, William Blackwood*. (Psoc.: p. 139).

PSOCOPTERA IN THE PUBLIC

Kazunori Yoshizawa (Hokkaido University, Japan)

E-mail: psocid@res.agr.hokudai.ac.jp

Psocoptera are our close friends but, unfortunately, they are a group of insects rather neglected by taxonomists and evolutionary biologists. Two papers published in 2014 may change the situation dramatically, putting the Psocoptera on the front line (at least for a moment) of insect systematics and evolutionary research.

The one was published in May by Yoshizawa, Lienhard and two colleagues from Brazil (Rodrigo Ferreira) and Japan (Yoshitaka Kamimura) in the journal *Current Biology* (Yoshizawa *et al.*, 2014b: see Addition to Bibliography above). In this paper, we reported, for the first time, the acting condition of the gynosome (female copulatory organ, or female penis, present in *Neotrogla* and first reported by Lienhard, Do Carmo & Ferreira, 2010). Because the presence of an intromittent organ in the female changes our general idea about sex, the paper attracted enormous public interest. Altmetric scores the paper as the 14th most attractive scientific paper published in 2014 (see <http://www.altmetric.com/top100/2014/>: As of Feb 12th, the Score increases to 1795, ranking it 77th among over 3M papers so far evaluated by Altmetric). The gynosome was also selected as one of the oddest genital organs in the animal kingdom (e.g., see <http://www.mareonline.nl/archive/2014/05/08/evolutie-tussen-de-benen>). See also Yoshizawa *et al.* (2014d) and Yoshizawa (2015) for the detailed story about its discovery and evolutionary significance.

The other paper was published in November by an international team, the 1KITE consortium (<http://1kite.org>), in the journal *Science* (Misof *et al.*, 2014). The paper reports the most comprehensive insect phylogeny available to date, based on ca. 1500 genes sequenced from over 100 species covering all insect orders. This paper also attracted great public interest (Altmetric Score 678 as of Feb 12th: ranked 552nd). In the resulting tree, Psocodea (= 'Psocoptera' + Phthiraptera) were placed to the sister of Holometabola, which means Psocoptera may be a key taxon in uncovering the origin and evolution of the holometabolous insects. However, placement of Psocodea is rather unstable, receiving 100% support value only under a specific data and model set. Personally, I still believe that the Paraneoptera are monophyletic because many independent morphological characters support it. The Paraneoptera subproject of the 1KITE project and the NSF's AToL Hemipteroid Insect Phylogeny project (with Kevin Johnson as a project leader) collaborate in their efforts for resolving the problems of the hemipteroid phylogeny and monophyly of Paraneoptera.

EDITORIAL

"Psocid News" publishes any kinds of topics (formal or informal) that may be interesting for psocidologists, but articles containing official nomenclatural acts (e.g. descriptions of new taxa, proposals of new combinations or new synonyms) will not be accepted for publication by the editor (see below).

Psocid News (ISSN 1348-1770) is only distributed electronically and is available at PsocoNet Homepage <<http://www.psocodea.org>>, Hokkaido University Collection of Scholarly and Academic Papers (HUSCAP) <<http://hdl.handle.net/2115/35519>> and National Diet Library Homepage <<http://www.ndl.go.jp/en/>>.

Disclaimer. "Psocid News" is not a published work within the meaning of ICZN.

Next issue. About Feb. 2016. Please let me have all contributions by Jan. 31 2016.

Editorial address. Psocid News is edited by Kazunori Yoshizawa at the Systematic Entomology, Faculty of Agriculture, Hokkaido University, Sapporo, 060-8589 JAPAN.

Telephone: +81-11-706-2424

Facsimile: +81-11-706-4939

E-mail: psocid@res.agr.hokudai.ac.jp

Web page: <http://www.psocodea.org>