



HOKKAIDO UNIVERSITY

Title	Index1-10
Citation	Journal of the Faculty of Science, Hokkaido University. Series 4, Geology and mineralogy, 1-10
Issue Date	1962
Doc URL	https://hdl.handle.net/2115/36935
Type	other
File Information	Index1-10.pdf



CONTENTS

Vol. I (1930) — Vol. X (1961)

Vol. I.

No. 1 (1930)

- T. NAGAO: On Some Cretaceous Fossils from the Islands of Amakusa, Kyûshû, Japan 1
J. SUZUKI: Petrological Study of the Crystalline Schist System of Shikoku, Japan . . 27

No. 2 (1931)

- K. UWATOKO: The Oil Shale Deposit of Fushun, Manchuria 113
T. NAGAO: Two New Decapod-Species from the Upper Cretaceous Deposits of Hokkaido, Japan 207
T. NAGAO: *Anaptychus* and *Aptychus* Lately Acquired from the Upper Cretaceous of Hokkaido, Japan 215
S. ÔISHI: Mesozoic Plants from Kita-Otari, Prov. Shinano, Japan 233

REPRINTS COLLECTION

- T. NAGAO: The Occurrence of *Anaptychus*-like Bodies in the Upper Cretaceous of Japan
T. NAGAO: New Discovery of *Aptychus* in Two Species of Ammonites from the Upper Cretaceous of Japan
S. ÔISHI: On *Fraxinopsis* WIELAND and *Yabeiella* ÔISHI, gen. nov.
S. ÔISHI: A New Type of Fossil Cupular (?) Organ from the Jidô Series of Korea
S. ÔISHI: *Yabeiella* sp. from the Japanese Triassic

No. 3-4 (1932)

- S. ÔISHI: The Rhaetic Plants from the Nariwa District, Prov. Bitchû (Okayama Prefecture), Japan 257
K. UWATOKO: Genesis of Oil by High Radial Axial Pressure 381

REPRINTS COLLECTION

- J. SUZUKI: Aegirite-augite Glaucophan Quartz Schist from the Province of Teshio, Hokkaido, Japan
Z. HARADA: Beiträge zur Kenntnis der optischen und chemischen Eigenschaften des Danburits von Obira, Japan

Vol. II.

No. 1 (1932)

S. ÔISHI: The Jurassic Plants from Shitaka (the Maizuru Coal-field), Prov. Tango (Kyôto Prefecture), Japan	1
T. NAGAO: Two Tertiary and One Cretaceous Crustacea from Hokkaido, Japan . . .	15
T. NAGAO: Some Cretaceous Mollusca from Japanese Saghalin and Hokkaido (Lamelibranchiata and Gastropoda)	23
S. ÔISHI: Rhaetic Plants from Province Nagato (Yamaguchi Prefecture), Japan	51
J. SUZUKI: The Contact Metamorphic Ore Deposits in the Environs of the Ofuku Mine, Province of Nagato, Japan	69

No. 2 (1933)

K. UWATOKO and K. OHTATSUME: The Upper Cretaceous Oil-bearing Sedimentary Rocks of Hokkaido, Japan	133
T. NAGAO: A New Variety of <i>Toucasia carinata</i> (MATHERON) from the Lower Cretaceous of Japan	163
Z. HARADA: Über die optischen Daten des Danburits von Scopi, Schweiz	169

No. 3 (1934)

T. NAGAO: Cretaceous Mollusca from the Miyako District, Honshû, Japan	177
---	-----

No. 4 (1934)

Z. HARADA: Über die Lichtbrechung des Scheelits von Japan	279
T. YOSHIMURA: "Todorokite," a New Manganese Mineral from the Todoroki Mine, Hokkaido, Japan	289
T. NEMOTO: Preliminary Note on Alkaline Rhyolites from Tokati, Hokkaido	299
J. SUZUKI: Metamorphosed Calcareous Concretions in the Hornfels at the Southern Coast of Tokati Province, Hokkaido	323
J. SUZUKI: On Some Soda-pyroxene and -amphibole bearing Quartz Schists from Hokkaido	339
Z. HARARA: Über einen neuen Pektolithfund in Japan	355

Vol. III.

No. 1 (1935)

J. SUZUKI and T. NEMOTO: The Chemical Composition of the Granitic Rocks of Japan	1
T. WATANABE: On the Brucite-Marble (Predazzite) from the Nantei Mine, Suian, Tyôsen (Korea). The Geology of the Suian Gold Mining District. (1st Report)	49

S. TOYAMA and S. ÔISHI: Notes on Some Jurassic Plants from Chalai-nor, Prov. North Hsingan, Manchoukuo	61
S. ÔISHI: Notes on Some Fossil Plants from Tung-ning, Prov. Pinchiang, Manchoukuo	79
S. ÔISHI: A New Species of <i>Zamites</i> from the Nisi-Nakayama Bed, Yamaguchi Prefecture	97

No. 2 (1936)

T. WATANABE: Crystals of Native Tellurium from Japan	101
S. ÔISHI and E. TAKAHASHI: The Rhaetic Plants from Province Nagato. A Supplement	113
S. ÔISHI and K. YAMASITA: On the Fossil Dipteridaceae	135
T. NAGAO: <i>Nipponosaurus sachaliensis</i> , A New Genus and Species of Trachodont Dinosaur from Japanese Saghalien	185

No. 3-4 (1936)

Z. HARADA: Chemische Analysenresultate von japanischen Mineralien	221
---	-----

Vol. IV.

No. 1-2 (1938)

Z. HARADA: Über die optischen Daten des Danburits von Ôbuki bei Mitaté, Miyazaki Präfektur	1
Z. HARADA: Neue Vorkommen von weingelbem Danburit aus Obira, Ôita Präfektur	7
Z. HARADA: Beiträge zur Kenntnis der optischen und chemischen Eigenschaften des Apatits von Kurokura, Kanagawa Präfektur	11
T. YOSHIMURA: Thulite from Myôzinzima, Sisakazima Islands, Japan	17
T. NAGAO: Tertiary Orogeny in Hokkaido	23
T. NAGAO and K. ÔTATUME: Molluscan Fossils of the Hakobuti Sandstone of Hokkaido	31
S. ÔISHI and E. TAKAHASHI: Notes on Some Fossil Plants from the Moulin and the Mishan Coal-Fields, Prov. Pinchiang, Manchoukuo	57
T. NAGAO and K. HUZIOKA: A New Species of <i>Callianassa</i> from the Neogene Tertiary of Hokkaido	63
S. ÔISHI and K. HUZIOKA: Fossil Plants from Nariwa. A Supplement	69
S. ÔISHI: On the Cuticles of Tertiary <i>Ginkgoites</i> Leaves from Kuzi, Iwate Prefecture	103
T. NEMOTO: A New Method of Determining the Extinction Angle of Monoclinic Minerals, Especially of Pyroxenes and Amphiboles, by Means of Random Sections	107
T. YOSHIMURA: Flame Colouration by Manganese	113
T. NAGAO: Some Molluscan Fossils from the Cretaceous Deposits of Hokkaido and Japanese Saghalien. Part I. Lamellibranchiata and Scaphopoda	117
K. HUZIOKA: On the Occurrence of a New Species of <i>Phlebopteris</i> in Japan	143
K. HUZIOKA: Notes on Some Neogene Plants from the Island of Heigun, Yamaguchi	

Pref., with Description of Two New Species of the Genera <i>Carpinus</i> and <i>Sassafras</i>	147
Z. HARADA: Danburit von Toroku, Miyazaki Präfektur. (Studien über japanische Bormineralien, IV)	153
Z. HARADA: Beiträge zur Kenntnis der chemischen Eigenschaften des Ludwigit von Hol-Kol bei Suan, Korea. (Studien über japanischen Bormineralien, V)	165
J. SUZUKI: On a Rock of Nordmarkitic Composition from Hakutô Volcano, Korea	173
J. SUZUKI: On the Occurrence of Aegirine-Augite in Natrolite Veins in the Dolerite from Nemuro, Hokkaido	183
Y. SASA and K. TANAKA: Glaciated Topography in Kanbô Massif, Tyôsen (Korea)	193

No. 3-4 (1939)

T. NAGAO: Some Molluscan Fossils from the Cretaceous Deposits of Hokkaido and Japanese Saghalien	213
T. NAGAO and T. MATUMOTO: A Monograph of the Cretaceous <i>Inoceramus</i> of Japan	241
S. ÔISHI: On " <i>Dicksoniopteris</i> " <i>Naumanni</i> Nathorst	301
S. ÔISHI: Notes on Some Fossil Ferns from the Naktong Series of Korea	307
T. YOSHIMURA: Studies on the Minerals from the Manganese Deposit of the Kaso Mine, Japan	313
T. YOSHIMURA: Caledonite and Leadhillite from the Toroku Mine, Miyazaki Pref., Japan	453
T. YOSHIMURA: Teineite, a New Tellurate Mineral from the Teine Mine, Hokkaido, Japan	465
K. HUZIOKA: On the Occurrence of a New Species of <i>Nathorstia</i> in Japan	471
Z. HARADA: Über die optischen Eigenschaften der japanischen Datolithe. (Studien über japanische Bormineralien, VI)	475
Z. HARADA: Beiträge zur Kenntnis des Turmalins von Japan. (Studien über japanische Bormineralien, VII)	487
Z. HARADA: Optische Untersuchungen der japanischen Axinite. (Studien über japanische Bormineralien, VIII)	501
J. SUZUKI: A Note on Soda-Amphiboles in Crystalline Schists from Hokkaidô	507

Vol. V.

No. 1 (1939)

Z. HARADA: Zur Kenntnis der japanischen Bormineralien. (Studien über japanische Bormineralien, IX)	1
--	---

No. 2-4 (1940)

S. ÔISHI: The Mesozoic Floras of Japan	123
--	-----

Vol. VI

No. 1 (1940)

T. NAGAO and T. MATUMOTO: A Monograph of the Cretaceous <i>Inoceramus</i> of Japan. Pt. II	1
M. ISIBASI: On the Feldspar Crystals from Bunkeimen, Korea	65
T. NAGAO: On a New Brachyura Crab from the Tatunokuti Bed of Sendai, Miyagi Prefecture	69

No. 2 (1942)

T. NAGAO: An Occurrence of a Fossil Sea Lion in the Miocene Deposits of Sinano, Japan	75
T. NAGAO: On Some Fossil Crustacea from Japan	85
T. NAGAO and M. MINATO: <i>Corwenia hasimotoi</i> , A New Tetracoral from the Upper Palaeozoic of Sikoku	101
T. NAGAO and M. MINATO: An Interesting Coral from the Lower Carboniferous of the Kitakami District, Japan	107
T. NAGAO and K. HUZIOKA: Fossil <i>Acila</i> from Hokkaido and Karahuto (Saghalin) . .	113
T. NAGAO and T. INOUE: Myarian Fossils from the Cenozoic Deposits of Hokkaido and Karahuto	143
S. ÔISHI: On the Occurrence of a Dipteridaceous Fern from the Tetori Series of To- yama Prefecture	159
S. ÔISHI and K. HUZIOKA: A New Species of <i>Goeppertella</i> from the Hongay Coal- mine, Tonkin, French Indo-China	163
S. ÔISHI: Notes on Some Mesozoic Plants from Lo-tzu-kou, Province Chientao, Man- choukuo	167
S. ÔISHI and K. HUZIOKA: Studies on the Cenozoic Plants of Hokkaido and Karahuto. I. Ferns from the <i>Woodwardia</i> Sandstone of Hokkaido	177
S. ÔISHI and K. HUZIOKA: Studies on the Cenozoic Plants of Hokkaido and Karahuto. II. <i>Salvinia natans</i> ALLIONI fossils subsp. nov. from Karahuto and <i>S. formosa</i> HEER from Hokkaido	193
S. ÔISHI and K. HUZIOKA: Studies on the Cenozoic Plants of Hokkaido and Karahuto. III. <i>Comptoniophyllum</i> from Hokkaido and Karahuto	201

No. 3-4 (1943)

T. WATANABE: Geology and Mineralization of the Suian District, Tyôsen (Korea). The Geology of the Suian Mining District (3rd Report)	205
---	-----

Vol. VII.

No. 1 (1943)

T. NAGAO and K. ÔTATUME: The Fossil Corbiculids from the Palaeogene Ishikari Series	
---	--

in the Ishikari Coal-Field, Hokkaido	1
K. ÔTATUME: On Two Fossil Corbiculids from the Palaeogene Coal-bearing Tertiary of Obirasibe, Tesio Province, Hokkaido	15
K. ÔTATUME: Three Species of Fossil Corbiculids from the Tertiary Formation of Karafuto	21
T. NAGAO and M. MINATO: Ueber eine bedeutende Diskordanz im jüngeren Palaeozoikum des Kitakami-Gebirges im nördlichen Honsyu, Japan	29
M. MINATO: Notes on Some Permian Fossils from the Toman Formation in South-eastern Manchoukuo	49
M. MINATO: Notes on Some Lower Carboniferous Fossils from the Kirin Formation in Mincheng, Panshih-hsien, Prov. Kirin, Manchoukuo	59
S. ÔISHI and K. HUZIOKA: A Supplementary Note on <i>Salvia formosa</i> HEER	67
S. ÔISHI and K. HUZIOKA: Studies on the Cenozoic Plants of Hokkaido and Karahuto. IV. On the Tertiary <i>Tilia</i> from Hokkaido and Karahuto	71
S. ÔISHI and K. HUZIOKA: Studies on the Cenozoic Plants of Hokkaido and Karahuto. V. Tertiary <i>Acers</i> from Hokkaido and Karahuto	81
S. ÔISHI and K. HUZIOKA: Studies on the Cenozoic Plants of Hokkaido and Karahuto. VI. On the Tertiary <i>Platanus</i> from Hokkaido and Karahuto	103
K. HUZIOKA: Notes on Some Tertiary Plants from Tyosen. I	117

No. 2 (1948)

Z. HARADA: Chemical Analyses of Japanese Minerals. (II)	143
---	-----

No. 3 (1950)

A. FUKADA: On the Occurrence of <i>Perisphinctes</i> (s.s) from the Ozika Peninsula in the Southern Kitakami Mountainland	211
Z. HARADA: Datolite and Associated Minerals from the Iwato Copper Mine, Miyazaki Prefecture. (Supplement to the Studies on Japanese Boron Minerals)	217
S. HASHIMOTO: On the Nickel-bearing Pyrrhotite and Graphite Deposits at Oshirabetsu, Tokachi Province, Hokkaido. (Geological and Petrological Studies on the Basic Plutonic Rocks in the Hidaka Mountain. 1st Report)	227
T. ISHIKAWA: New Eruption of Usu Volcano, Hokkaido, Japan, during 1943-1945	237
M. ISHIBASHI: Studies on the Tungsten Minerals and their Genesis from Japan and Korea	261
M. MINATO: Zur Orogenese und zum Vulkanismus im Jüngeren Palaeozoikum des Kitakami-Gebirges, N. Honshu, Japan. (Stratigraphische und Tektonische Untersuchungen des Japanischen Palaeozoikums. Teil 6)	277
R. SAITO: On the Geological Ages of Pre-Cambrian Granites in South Manchuria	303
T. SAITO: Chemical Composition of Fluorites from Japan. (Studies on the Fluorite from Japan, I)	307
M. TAKAYASU: On the Kaolinite Crystal from Numaushi, Hokkaido, Japan. (Preliminary Report)	315

No. 4 (1951)

Z. HARADA: Star-shaped Trillings of Enargite from the Kamikita Mine, Aomori Prefecture, Japan	319
I. HAYASAKA and A. FUKADA: On the Ontogeny of <i>Barroisiceras minimum</i> YABE from the Upper Ammonite Bed in Hokkaido. (Palaeontological Study of Cretaceous Ammonites from Hokkaido. I)	324
I. HAYASAKA and M. MATSUI: On Some Gastropoda from the Momijiyama Formation. (Palaeontological Studies of the Tertiary System, Southern Part of the Ishikari-Coal Field, Hokkaido. 1st Report)	331
T. ISHIKAWA: Petrological Significance of Large Anorthite Crystals included in Some Pyroxene Andesites and Basalts in Japan	339
M. MINATO: On the Lower Carboniferous Fossils of the Kitakami Massif, Northeast Honsyû, Japan	355
T. SAITO: On the Impurities in Fluorites. (Studies on the Fluorities from Japan. II)	383
T. TOMISAKA: On the Relation between Inner Structure and Crystal Surface of Danburite from Toroku, Miyazaki Prefecture, Japan. (Studies on the Irregularity of Crystal Surface. I)	389

Vol. VIII.

No. 1 (1948)

M. ISHIBASHI: Hausmannite from the Ômatsuma Mine, Oshima Province, Hokkaido	1
M. ISHIBASHI: Wolframite Molybdenite Deposit at the Santoku Mine, Chûseihokudô, Korea	5
M. HUNAHASHI: Contact Metasomatism associated with the Pyroxene-Peridotite of the Horoman Region in Hidaka Metamorphic Zone, Hokkaido. (Studies on the Metamorphic phenomena related to the ultrabasic igneous rocks. 1st Report)	31

No. 2 (1952)

T. BAMBA: Ultra-basic Rocks of the Chugoku District, South-Western Part of Japan	65
Z. HARADA and M. KITAHAMA: On Some Sulphosalt Minerals (Tetrahedrite and Tennantite) from Northern Japan	74
I. HAYASAKA and M. SHIBATA: A New Tertiary Species of <i>Echinarchinus</i> from Hokkaido	82
I. HAYASAKA and S. UOZUMI: On Some Recent and Fossil Brachiopods from Hokkaido	86
M. ISHIBASHI: A Sn-Te-Bi-Sb Paragenesis in Ores from the Suttu Mine, Hokkaido	97
T. ISHIKAWA: The Chemical Characteristics of the Lavas from Volcano Tarumai, Hokkaido, Japan	107
M. MINATO: A Further Note on the Lower Carboniferous Fossils of the Kitakami-Mountainland, Northeast Japan	136
J. SUZUKI: Ultra-basic Rocks and associated Ore Deposits of Hokkaido	175

No. 3 (1953)

A. FUKADA: A New Species of <i>Nerinea</i> from the Central Hokkaido	211
I. HAYASAKA: On the Echinoid called " <i>Sinacchinus Kawaguchi</i> "	217
I. HAYASAKA: A Pliocene Mya-bed in Hokkaido: A Palaeoecological Note	221
T. ISHIKAWA: Xenoliths included in the Lavas from Volcano Tarumai, Hokkaido, Japan	225
Y. KATSUI: Petro-chemical Study on the Lavas from Volcano Rishiri, Hokkaido, Japan	245
M. MINATO, Y. KITAGAWA, S. KUMANO and S. SUGIYAMA: Zur Entwicklung des Abashiri-Sees	259
T. SAITO: On Minor Elements in Ore Minerals of the Yakumo Mine, Hokkaido, Japan	267
Y. SUZUKI: Studies of Variation in Mineral Compositions of Some Granodioritic Masses in Japan and Korea	277

No. 4 (1954)

Z. HARADA: Chemical Analyses of Japanese Minerals. (III)	289
I. HAYASAKA: <i>Euconospira</i> with Color Markings from the Permian of Japan	349
I. HAYASAKA: Younger Palaeozoic Cephalopods from the Kitakami Mountains	361
I. HAYASAKA and M. MINATO: A Note on the Carboniferous and Permian Faunas of Japan	375
I. HAYASAKA and S. UOZUMI: Palaeontological Note on Some Fossils of Genus <i>Pitar</i> in Hokkaido	381
I. HAYASAKA and S. UOZUMI: Molluscan Fauna of the so-called "Momijiyama Transitional Formation"	391
H. KOBAYASHI: On the Cummingtonite Plagioclase Rock of the Koshimizu District, Toyama Prefecture, Japan. (Studies on the Hida Metamorphic Rocks. 3)	407
J. SUZUKI: On the Rodingitic Rocks in the Serpentinite Masses of Hokkaido	419
Y. SUZUKI: On the Relations between the Mineral and Chemical Compositions of Some Acid Plutonic Rocks in Japan	431

Vol. IX.

No. 1 (1955)

Z. HARADA and T. HATTORI: Über den Zinnober von der Itomuka Mine, Hokkaido, Japan	1
S. HASHIMOTO and M. MINATO: Quarternary Geology of Hokkaido, 1st Report: On the Ice Ages and Post Glacial Age of the Hidaka Mountain-range	7
I. HAYASAKA: A New Permian Species of <i>Porcellia</i> from Japan	21
I. HAYASAKA: Zwei Spezies der Oberkretazischen Kieselschwämme aus Hokkaidô, Japan	25
M. MINATO: Zur stratigraphischen Lücke der Prä-Onimaru Serie (Ober-Visé) in Japan	31

Y. SUZUKI: Some Mutual Relations among the Mineral Constituents of Plutonic Rock Series	43
K. TOGARI and S. TOGARI: Conditions controlling the Crystal Form of Calcium Carbonate Minerals (1). (On the Influences of the Temperature and the Presence of Magnesium Ion)	55

No. 2 (1955)

M. MINATO: Japanese Carboniferous and Permian Corals	56
--	----

No. 3 (1956)

K. KIZAKI: Petrofabrics of the Oshirabetsu Dome in the Southern Hidaka Metamorphic Zone, Hokkaido, Japan	289
M. MINATO: On the Stratigraphical Position of the Stone Implements of Pre-Jomon Culture newly found at Tarukishi and Vicinity, Southwestern Hokkaido	319
Y. SUZUKI: On the Occurrence of the So-called Tsubosawa Gneiss in the Kitakami District, Japan	337
S. UOZUMI and T. FUJIE: The Sand-Pipe, Created by the Pelecypods: <i>Platydon nipponica</i> n. sp. and (<i>Pholadica</i>) <i>Penitella kamakurensis</i> (YOKOYAMA)	351
Y. URASIMA: "Bosa" Quartz Veins, Especially the Fine-Grained Aggregates of the Konomai Mine in Hokkaido, Japan	371

No. 4 (1957)

T. FUJIE: On the Myarian Pelecypods of Japan. Part 1. Summary of the Study of the Genus <i>Mya</i> from Hokkaido	381
M. HUNAHASHI: Alpine Orogenic Movement in Hokkaido, Japan	415
M. MINATO and M. KATO: Upper Viséan Corals from the Kirin Formation in the Vicinity of Mincheng, Kirin Province, N. E. China	471
J. SUZUKI, T. ISHIKAWA, H. OMACHI and Y. SUZUKI: On the Sulphur Deposits of the Akan Sulphur Mine, Hokkaido, Japan	501
Y. SUZUKI: On the Granitic Rocks in Hokkaido	519
S. UOZUMI: Genus <i>Yoldia</i> and <i>Portlandia</i> from Hokkaido, Japan	539
Y. URASIMA: Mineralization of Central Kitami Mining District in Hokkaido, Japan	597

Vol. X.

No. 1 (1959)

Z. HARADA: Chemical Analyses of Japanese Minerals: (IV)	1
S. HASHIMOTO: Some Notes on the Geology and Petrography of the Southern Approach in Mt. Manaslu in the Nepal Himalaya	35
S. HONJO: The Neoschwagerinids from the Akasaka Limestone. (A Palaeontological Study of the Akasaka Limestone, 1st Report)	111

T. ISHIKAWA and Y. KATSUI: Some Considerations on the Relation between the Chemical Character and the Geographical Position of the Volcanic Zones in Japan . . .	163
K. KIZAKI: The Structural Evolution of the Kamishibetsu Gneiss	183
K. NAKAMURA: Some Lower Permian Sakamotozawa Brachiopods	199
T. TANAI: On the Formation of the Coal-bearing Deposits in Honshu, Japan. The Distribution and the Stratigraphical Relationships of the Coal Fields	209
Y. URASIMA: On the Silica Minerals of the Abuta Mine in Hokkaido, Japan	235

No. 2 (1959)

Y. HARIYA: New Find of Groutite, HMnO_2 , in Japan	255
M. KATO: Some Carboniferous Rugose Corals from the Ichinotani Formation, Japan . .	263
M. MATSUI: On Some Oligocene Molluscan Fossils from Hokkaido, Japan	289
M. MINATO and S. HONJO: The Axial Septula of Some Japanese Neoschwagerininae with Special Remarks of the Phylogeny of the Subfamily Neoschwagerininae DUNBER and CONDRA, 1928	305
M. MINATO, H. TAKEDA, T. KAKIMI und M. KATO: Zur Biostratigraphie der Onimaru- und Nagaiwa-Serie	337
J. SUZUKI and Y. SUZUKI: Petrological Studies of the Kamuikotan Metamorphic Complex in Hokkaido, Japan	349
K. TOGARI and S. TOGARI: Conditions controlling the Crystal Form of Calcium Carbonate Minerals. (2) (Mineralogical Study of Mollusca)	447

No. 3 (1960)

S. HONJO: A Study of Some Primitive Neoschwagerina by a New Serial Section Technique	457
T. ISHIKAWA: Some Petrological Considerations on the Miocene Volcanic Activities in Green-tuff Regions in Japan	471
T. MITSUDA: Pseudomorphs of Kaolinite after Biotite (Studies on Mechanism of Weathering, 1st Report)	481
K. NAKAMURA: Dictyoclostus Derived from the Middle Permian Kanokura Series and the Lower Permian Sakamotozawa Series of the Kitakami Mountains, Japan . . .	495
S. SATÔ: Palynological Study on the Haboro Coal Seam of the Haboro Coal-bearing Formation. Palynological Study on Neogene Coal 1.	513
T. SHIRAI: New Genus and Species of Foraminifera from the Pliocene Formation, South-western Hokkaido	537
T. TANAI: A Cycadean Trunk from Uryu District, Hokkaido, Japan	545
T. TANAI and N. SUZUKI: Miocene Maples from South western Hokkaido, Japan . .	551

No. 4 (1961)

M. GOTO: Some Mineralo-chemical Problems Concerning Calcite and Aragonite, with Special Reference to the Genesis of Aragonite	571
Y. HARIYA: Mineralogical Studies on Manganese Dioxide and Hydroxide Minerals in Hokkaido, Japan	641
K. TOGARI: Mineralogical Studies on Japanese Sphalerite	703