



HOKKAIDO UNIVERSITY

Title	Validity and visualization of a numerical model used to determine dynamic configurations of fishing nets
Author(s)	Suzuki, Katsuya; 鈴木, 勝也; Takagi, Tsutomu et al.
Citation	Fisheries Science, 69(4), 695-705 https://doi.org/10.1046/j.1444-2906.2003.00676.x
Issue Date	2003-08
Doc URL	https://hdl.handle.net/2115/380
Rights	© 2003 公益社団法人日本水産学会
Type	journal article
File Information	FS_69_695-705_2003_Table.pdf, 表



Net	Construction of nylon twine	Twine diameter (mm)	Mesh size (mm)	Total mass (g)	Mesh number	
					Width	Height
A	210d/2	0.348	75.0	9.91	32	32
B	210d/2	0.348	50.0	14.68	48	45
C	210d/2	0.348	40.0	22.31	60	60

Table 1
K Suzuki et al.

Net	Number of particles	Bar length between knots (cm)	Mass of a particle		Projection area of a particle (cm ²)		
			Knot (g)	Bar (g)	Knot (cm ²)	Bar	
						τ (cm ²)	η, ξ (cm ²)
A	6216	3.75	4.32×10^{-5}	2.39×10^{-3}	3.81×10^{-3}	9.53×10^{-4}	1.31×10^{-1}
B	13061	2.50	4.57×10^{-5}	1.67×10^{-3}	3.81×10^{-3}	9.53×10^{-4}	8.71×10^{-2}
C	21728	2.00	5.22×10^{-5}	1.52×10^{-3}	3.81×10^{-3}	9.53×10^{-4}	6.97×10^{-2}

Table 2
K Suzuki et al.