



HOKKAIDO UNIVERSITY

Title	Identification of hydroxychavicol and its dimers, the lipase inhibitors contained in the Indonesian spice, <i>Eugenia polyantha</i>
Author(s)	Kato, Eisuke; Nakagomi, Ryo; Gunawan-Puteri, Maria D. P. T. et al.
Citation	Food Chemistry, 136(3-4), 1239-1242 https://doi.org/10.1016/j.foodchem.2012.09.013
Issue Date	2013-02-15
Doc URL	https://hdl.handle.net/2115/52136
Type	journal article
File Information	Supplementary_data.pdf, Supplementary data



Supplementary data

Identification of hydroxychavicol and its dimers, the lipase
inhibitors contained in the Indonesian spice, *Eugenia polyantha*

Eisuke Kato, Ryo Nakagomi, Maria D.P.T. Gunawan-Puteri and Jun Kawabata*

Laboratory of Food Biochemistry, Division of Applied Bioscience, Graduate School of
Agriculture, Hokkaido University, Kita-ku, Sapporo, Hokkaido 060-8589, Japan

*Corresponding author

Tel/Fax +81-11-706-2496, E-mail junk@chem.agr.hokudai.ac.jp


Contents

<i>¹H NMR spectra of 2 (500 MHz, CDCl₃, rt)</i>	2
<i>¹³C NMR spectra of 2 (125 MHz, CDCl₃, rt)</i>	3
<i>¹H-¹H COSY spectra of 2</i>	4
<i>HMQC spectra of 2</i>	5
<i>HMBC spectra of 2</i>	6
<i>¹H NMR spectra of 3 (500 MHz, CDCl₃, rt)</i>	7
<i>¹³C NMR spectra of 3 (125 MHz, CDCl₃, rt)</i>	8
<i>¹H-¹H COSY spectra of 3</i>	9
<i>HMQC spectra of 3</i>	10
<i>HMBC spectra of 3</i>	11


¹H NMR spectra of 2 (500 MHz, CDCl₃, rt)

This report was created by ACD/NMR Processor Academic Edition. For more information go to www.acdlabs.com/nmrproc/

Acquisition Time (sec)	3.1719	Comment	dH(TSP)=0.00 ppm, dC(TSP)=0.00 ppm Bruker ANX-500/ GC-MS & NMR Lab. Fac. Agric. Hokkaido Univ.
Data	23 Jan. 2012 20.33.20		Data Stamp 23 Jan. 2012 20.33.20
File Name	D:\HMR\00000000\Eugenia polyantha 2X11W6d		
Number of Transients	128	Origin spect	Frequency (MHz) 500.13 Nucleus 1H
Points Count	32768	Pulse Sequence zg30loop	Frequency (MHz) 500.13 Nucleus root
Solvent	CHLOROFORM-d	Pulse Acquisition Spectrum Offset (Hz) 3986.9890	Receiver Gain 2048.00 SWH(cyclical) (Hz) 10330.58
Temperature (degree C)	23.700	Spectrum Type STANDARD	Sweep Width (Hz) 10330.26




¹³C NMR spectra of 2 (125 MHz, CDCl₃, rt)



^1H - ^1H COSY spectra of **2**

This report was created by ACD/NMR Processor Academic Edition. For more information go to www.acdlabs.com/nmrproc/


COSY.esp




HMQC spectra of 2

This report was created by ACD/NMR Processor Academic Edition. For more information go to www.acdlabs.com/nmrproc/


HMQC.esp



HMBC spectra of 2



¹H NMR spectra of 3 (500 MHz, CDCl₃, rt)



¹³C NMR spectra of 3 (125 MHz, CDCl₃, rt)


This report was created by ACD/NMR Processor Academic Edition. For more information go to www.acdlabs.com/nmrproc/

2012/05/17 14:34:20


Acquisition Time (sec)	10912	Comment	dH ₂ O TSP=0.00 ppm, JcH(TSP)=0.00 ppm	Broker AMX-500, GC-MS & NMR Lab, Fac. Agric., Hokkaido Univ.
Date	06 Feb 2012 18:23:12		Date Stamp	06 Feb 2012 18:23:12
File Name	D:\NMR\Tskat20120208\2Vpdata\1V1r		Frequency (MHz)	125.76
Number of Transients	6400	Origin	Nucleus	13C
Points Count	32768	Pulse Sequence	Original Points Count	32768
			Receiver Gain	5792.60
			SW (KHz)	30030.03
Solvent	CHLOROFORM-d	Spectrum Offset (Hz)	Spectrum Type	STANDARD
Temperature (degree C)	24.800		Sweep Width (Hz)	30029.11

C.esp


VerticalScaleFactor = 1



^1H - ^1H COSY spectra of 3



HMQC spectra of 3



HMBC spectra of 3

