



HOKKAIDO UNIVERSITY

Title	Mechanism of the toxicity induced by natural humic acid on human vascular endothelial cells
Author(s)	Kihara, Yusuke; Yustiawati; Tanaka, Masato et al.
Citation	Environmental Toxicology, 29(8), 916-925 https://doi.org/10.1002/tox.21819
Issue Date	2014-08
Doc URL	https://hdl.handle.net/2115/53585
Rights	This is the pre-peer reviewed version of the following article: Kihara, Y., Yustiawati, , Tanaka, M., Gumiri, S., Ardianor, , Hosokawa, T., Tanaka, S., Saito, T. and Kurasaki, M. (2014), Mechanism of the toxicity induced by natural humic acid on human vascular endothelial cells. Environ. Toxicol, 29: 916-925., which has been published in final form at https://doi.org/10.1002/tox.21819 .
Type	journal article
File Information	Table 1.pdf, 表1



TABLE I. Primers used in RT-PCR analysis

Primer's Name	Sequence (5'→3')	Annealing site	Length [bp]	Temperature [°C]
β -Actin F	ATGGATGACGATATCGCTG		19	61.1
β -Actin R	ATGAGGTAGTCTGTCAGGT		19	53.1
Caspase 6F	CAGTACAAGATGGACCACAAGAG	241—263	23	62.44
Caspase 6R	ATCGTATGCGTAAATGTGGTTG	528—507	22	63.28
Caspase 8F	CGCTTCTTTGAATCCATAGTAAAC	140—163	24	61.62
Caspase 8R	ATTGATGGACTCCTGCTTCTTC	434—413	22	63.33
Caspase 9F	CAAAGGAGCAGAAAGTAGTGAAG	411—433	23	60.95
Caspase 9R	GAGGAAGGGCAGAAAGTTCAC	687—668	20	62.73