



HOKKAIDO UNIVERSITY

Title	Suppression of iASPP-dependent aggressiveness in cervical cancer through reversal of methylation silencing of microRNA-124
Author(s)	Dong, Peixin; Xiong, Ying; Watari, Hidemichi et al.
Citation	Scientific Reports, 6, 35480 https://doi.org/10.1038/srep35480
Issue Date	2016-10-21
Doc URL	https://hdl.handle.net/2115/63170
Rights(URL)	https://creativecommons.org/licenses/by/4.0/
Type	journal article
File Information	srep35480-s1.pdf, Supplementary Information



Supplemental Information

Suppression of iASPP-dependent aggressiveness in cervical cancer through reversal of methylation silencing of microRNA-124

Peixin Dong^{1,*}, Ying Xiong^{2,*}, Hidemichi Watari³, Sharon JB Hanley¹, Yosuke Konno³, Kei Ihira³, Fumihiko Suzuki⁴, Takahiro Yamada¹, Masataka Kudo³, Junming Yue⁵ & Noriaki Sakuragi^{1,3}

¹Department of Women's Health Educational System, Hokkaido University School of Medicine, Hokkaido University, N15, W7, Sapporo 0608638, Japan

²Department of Gynecology, State Key Laboratory of Oncology in South China, Sun Yat-sen University Cancer Center, Guangzhou 510060, P. R. China


³Department of Gynecology, Hokkaido University School of Medicine, Hokkaido University, N15, W7, Sapporo 0608638, Japan

⁴Department of Obstetrics and Gynecology, Tohoku University, Sendai 9808574, Japan


⁵Department of Pathology and Laboratory Medicine, University of Tennessee Health Science Center, USA; Center for Cancer Research, University of Tennessee Health Science Center, Memphis, TN, USA

*Equal contributors

Correspondence should be addressed to: P. D. (email: dpx1cn@gmail.com), H. W. (email: watarih@med.hokudai.ac.jp) and J. Y. (email: jyue@uthsc.edu)



Supplementary Figure 1: Immunoblot of p53 protein expression in Hela cells after knockdown of p53.



Supplementary Figure 2: miR-34a functions as a tumor suppressor in CC cells. Invasion (left) and proliferation (right) of HeLa (**a**) and SiHa (**b**) cells transfected with control or miR-34a mimic. qPCR analysis of the indicated mRNAs in HeLa (**c**) and SiHa (**d**) cells transfected with control or miR-34a mimic. The data are shown as the mean $\pm$ SEM; $n = 3$; $**P < 0.01$.