



Title	Oral administration of the β -glucan produced by <i>Aureobasidium pullulans</i> ameliorates development of atherosclerosis in apolipoprotein E deficient mice
Author(s)	Aoki, Shiho; Iwai, Atsushi; Kawata, Koji et al.
Citation	Journal of Functional Foods, 18, 22-27 https://doi.org/10.1016/j.jff.2015.06.044
Issue Date	2015-10
Doc URL	https://hdl.handle.net/2115/63473
Rights	© 2015. This manuscript version is made available under the CC-BY-NC-ND 4.0 license http://creativecommons.org/licenses/by-nc-nd/4.0/
Rights(URL)	https://creativecommons.org/licenses/by-nc-nd/4.0/
Type	journal article
File Information	supplemental information(Aok_et_al_CAD).pdf




Supplemental information

Oral administration of the β -glucan produced by *Aureobasidium pullulans* ameliorates development of atherosclerosis in apolipoprotein E deficient mice.

Shiho Aoki¹, Atsushi Iwai^{1, 2*}, Koji Kawata^{1, 2}, Daisuke Muramatsu¹, Hirofumi Uchiyama², Mitsuyasu Okabe², Masahiro Ikesue³, Naoyoshi Maeda³, and Toshimitsu Uede^{3, 4}.

¹ Aureo Science Co., Ltd., Sapporo, Hokkaido, Japan; ² Aureo Co., Ltd., Kimitsu, Chiba, Japan; ³ Division of Molecular Immunology and ⁴ Department of Matrix Medicine, Institute for Genetic Medicine, Institute for Genetic Medicine, Hokkaido University, Sapporo, Japan.

*** Correspondence should be addressed to Atsushi Iwai, Aureo Science Co., Ltd., Hokudai Business Spring, North 21, West 12, Kita-ku, Sapporo, Hokkaido, 001-0021, Japan; Phone: +81-11-757-1316; Fax: +81-11-738-1317; E-Mail: iwai-atsushi@aureo.co.jp**



Supplemental Figure S1. Effect of AP-PG on body weight changes and food intake

(A-D) The body weight and food intake of each group of mice were monitored weekly. The food intakes and body weights of the two groups were nowhere statistically significantly different.