



HOKKAIDO UNIVERSITY

Title	A LIST OF BIRDS' SKIN BELONGING TO THE ORDER OF ACCIPITRES KEPT IN THE UNIVERSITY MUSEUM OF NATURAL HISTORY IN SAPPORO
Author(s)	Yoshimaro, Yamashina; Kozo, Mukasa
Citation	札幌博物学会会報, 13(3), 287-297
Issue Date	1934-06-20
Doc URL	https://hdl.handle.net/2115/64091
Type	journal article
File Information	Vol.13No.3_036.pdf



A LIST OF BIRDS' SKIN BELONGING TO THE ORDER OF ACCIPITRES KEPT IN THE UNIVERSITY MUSEUM OF NATURAL HISTORY IN SAPPORO

BY

MARQUIS YOSHIMARO YAMASHINA AND KÔZÔ MUKASA

(侯爵 山階芳麿・武笠耕三)

Preface

Since the publication of a list of birds in Hokkaido by Dr. S. HATTA and his assistant Mr. MURATA in 1905 based on the specimens in the University Museum, there have been added many birds' skin to the collection gathered chiefly by themselves. Some of the American specimens were donated by the U. S. National Museum. The large collection which numbers at present almost ten thousand, including BLAKISTON's collection are now being put in order.

This is to report first on the birds belonging to the order of Accipitres, thanks to the kind assistance freely offered by Marquis YAMASHINA.

T. INUKAI

The Chief Curator of the Museum.

The birds' skin belonging to this order consist of 125 individuals mostly from Hokkaido, covering 2 families and 26 forms. Most of them were identified already at the time of collection. They have been kept in good condition. In the following list, however, the specific names which are now current are used. At the end of the list the names of the contributed specimens are given.

Family FALCONIDÆ.

Genus *Falco* LINNÆUS (1758).

1. *Falco peregrinus pealei* RIDGWAY, 1873.

English name: Peale's Peregrine Falcon.

Japanese name: *Ôhayabusa*.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
10047	♀?	Ad	Hokkaido	? III 1896	370	177		24	55
10070	♂	Imm?	"	?	354	186		22	51

2. *Falco peregrinus calidus* LATHAM, 1790.

English name: Siberian Peregrine Falcon.

Japanese name: *Hayabusa*.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
3970	♂	Imm	Hokkaido (Kitami)	? IV 1906	309	146		18	48

3. *Falco rusticolus candicans* GMELIN, 1788.

English name: Greenland Falcon.

Japanese name: *Shirohayabusa*.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
225	♂	Ad	Hokkaido (Otaru)	16 I 1894	356	202		23	63
3161	♀?	Ad	" (Nemuro)	? IV 1892	395	227		25	65
10071	♀?	Imm	? Kurile (Shumushu)	? 1907 ?	407	222		24	65

4. *Falco subbuteo subbuteo* LINNÆUS 1758.

English name: Hobby.

Japanese name: *Chigohayabusa*.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
216	♂?	Imm	Hokkaido (Sapporo)	? X 1890	263	141		13	37
1131	♂	Ad	" (Okadama)	2 IX 1889	264	137		13	35
1136	♂?	Imm	" (Shimamatsu)	? IX 1879	257	129		13	34

5. *Falco columbarius insignis* (CLARK), 1907.

English name: Asiatic Merlin.

Japanese name: *Kochôgenbô*.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
270	♀	Imm	Hokkaido (Sapporo)	9 XII 1896	220	133		14	39
2812	♀	Imm?	Sakhalin (Dariné)	2 X 1910	225	139		14	40
3854	♂?	Imm?	Hokkaido (Sapporo)	? II 1920	208	122		12	39
10052	♀	Imm?	" ?	?	220	135		14	39

(*Cerchneis* BOIE, 1826).

6. *Falco tinnunculus japonensis* TICEHURST, 1929.

English name: Japanese Kestrel.

Japanese name: *Chôgenbô*.

No.	Sex	Age	Locality	Date	Wing	Length in mm.		
						Tail	Exp. Culmen	Tarsus
2811	♀	Ad?	Hokkaido?	? 1887	249	160	16	41
10050	♂	Ad?	Formosa (Shûshû)	10 I 1908	232	156	15	42
10051	♀	Ad?	Hokkaido (Sapporo)	10 II 1917	249	160	14	41

Genus *Aquila* BRISSON, (1760).

7. *Aquila chrysaetos japonica* SEVERTZOW, 1888.

English name: Japanese Golden Eagle.

Japanese name: *Inuwashi*.

No.	Sex	Age	Locality	Date	Wing	Length in mm.		
						Tail	Exp. Culmen	Tarsus
3164	♂	Ad?	Korea	10 XII 1907	583	327	39	105

Genus *Buteo* LACÉPÈDE (1799).

(*Buteo* LACÉPÈDE, 1799).

8. *Buteo ferox hemilasius* TEMMINCK & SCHLEGEL, 1844.

English name: Upland Buzzard.

Japanese name: *Ônosuri*.

No.	Sex	Age	Locality	Date	Wing	Length in mm.		
						Tail	Exp. Culmen	Tarsus
10034	♂?	Imm?	?	?	445	231	25	85

9. *Buteo buteo burmanicus* HUME, 1875.

English name: Japanese Buzzard, Japanese Desert-Buzzard.

Japanese name: *Nosuri*.

No.	Sex	Age	Locality	Date	Wing	Length in mm.		
						Tail	Exp. Culmen	Tarsus
156	♀	Imm?	Hokkaido (Sapporo)	? IX 1910	363	222	24	71
3146	♂	Ad?	" (Taiheizan)	20 IX 1906	391	223	24	75
3155	♀	Imm?	" (Sapporo)	25 III 1896	374	224	24	71
3158	♂?	Ad?	" ?	? 1887	365	227	21	73
3222	♂	Imm?	Sakhalin (Ikusagawa)	7 IX 1911	354	221	—	73
3224	♂	Ad?	" (")	15 IX 1911	367	228	23	72
3944	♀	Ad?	Hokkaido (Sapporo)	7 IV 1892	370	216	25	70
10024	♀	Imm?	" (")	14 VIII 1913	376	202	25	75
10025	♀	Ad?	" (Hanakawa)	8 IV 1911	379	220	24	75
10026	♂?	Ad?	" ?	?	364	216	22	71
10027	♂?	Ad?	" ?	?	371	213	22	74
10028	♀	Imm?	" (Sapporo)	9 X 1913	375	224	22	67
10029	♀	Ad?	" (")	10 IX 1907	387	222	24	75
10030	♂	Imm?	Sakhalin	? XII 1908	361	218	21	69
10031	♀	Imm?	Hokkaido (Sapporo)	? 1910	354	215	20	61
10032	♂?	Imm?	" ?	?	355?	220	23	69
10033	♂?	Ad?	" ?	?	374	222	24	78
10035	♂?	Ad?	" ?	?	381	227	25	72

(Triorchis KAUP, 1829).10. *Buteo lagopus pallidus* (MENZBIER), 1888.

English name: Siberian Rough-legged Buzzard.

Japanese name: *Keashinosuri*.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
265	♀	Imm?	Hokkaido (Kotoni)	28 III 1896	446	233	23		69

Genus *Nisaetus* HODGSON (1836).11. *Nisaetus nipalensis orientalis* (TEMMINCK & SCHLEGEL), 1844.

English name: Japanese Hawk-Eagle.

Japanese name: *Kumataka*.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
215	♀	Ad	Hokkaido (Kuriyama)	16 XII 1891	507	364	33		109
3142	♀	Ad	" (Uennai)	? I 1877	504	331	36		107
3151	♀	Ad	" (Sapporo)	3 III 1911	509	342	35		110
3156	♂	Ad	" ?	?	485	334	32		111
3160	♂	Ad	" (Sapporo)	? 1912?	489	314	32		109
10020	♂?	Imm?	" (")	?	472	338	33		97
10021	♂	Ad	" ?	10 VI 1875	485	329	38		97
10022	♀	Ad	" (Nopporo)	? II 1910?	523	362	36		103
10023	♂	Ad?	" ?	?	467	319	31		98

Genus *Circus* LACÉPÈDE (1806).12. *Circus aeruginosus aeruginosus* (LINNÆUS), 1758.

English name: Marsh Harrier.

Japanese name: *Chûhi*.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
267	♂?	Ad?	Hokkaido (Shiroishi)	? X 1902	413	267	23		93
3147	♀?	Ad?	" (")	12 X 1902	419	260	24		96
10000	♂?	Imm?	" ?	?	397	234	21		92
10001	♀?	Ad?	" ?	?	412	250	22		88

13. *Circus cyaneus cyaneus* (LINNÆUS), 1766.

English name: Hen Harrier.

Japanese name: *Haiirochûhi*.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
10002	♂	Ad?	Hokkaido (Sapporo)	28 III ?	345	226	16		73
10049	♀	Ad?	" ?	?	381	252	—		79

Genus *Accipiter* BRISSON (1760).(*Astur* LACÉPÈDE, 1799).14. *Accipiter gentilis schvedowi* (MENZBIER), 1882.

English name: Siberian Goshawk.

Japanese name: *Ôtaka*.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
272	♀	Ad	Hokkaido (Sapporo)	? X 1884	332	236	23		82
3981	♀?	Ad	" ?	?	337	251	24		86
10005	♂	Imm	" (Sapporo)	2 XI 1915	—	—	24		82
10006	♂?	Ad	" ?	? 1885	298	194	19		74
10007	♀?	Imm	" ?	?	325	249	23		80
10008	♀?	Ad	" ?	?	340	249	26		85
10048	♂?	Imm	" (Ishikari)	5 V 1906	294	228	20		74
10072	♀	Ad	" (Bannagure)	3 XI 1914	330	234	26		81

(*Accipiter* BRISSON, 1760).15. *Accipiter nisus nisosimilis* (TICKEL), 1833.

English name: Asiatic Sparrow-Hawk.

Japanese name: *Konori* (♂), *Haitaka* (♀).

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
1132	♂?	Imm	Hokkaido ?	? XI 1887	212	156	11		54
2808	♂?	Ad	" (Sapporo)	25 VI 1894	218	164	12		55
2814	♀?	Ad	" (Sapporo)	6 IX 1907	250	190	14		62
3159	♀?	Ad	" (Sapporo)	5 IV 1898	248	187	14		63
3289	♀?	Ad?	" (Shakotan)	16 IX ?	236	182	—		62
3290	♂?	Imm	Sakhalin (Ikusagawa)	27 IX ?	205	159	12		56
3853	♀?	Imm	Hokkaido (Sapporo)	1 IX 1919	243	181	13		62
3960	♀?	Ad	" ?	?	251	190	14		61
3978	♀?	Ad	" (Sapporo)	16 II 1914	248	202	14		65
10061	♀?	Ad	" ?	?	242	184	14		61
10062	♀?	Ad?	" ?	?	259	198	14		65
10064	♂?	Imm?	" ?	?	204	—	11		55
10065	♂?	Imm	Hondo (Chichibu)	? II 1912	208	163	—		56
10066	♂?	Ad	Hokkaido (Sapporo)	2 VII 1916	213	154	12		56

16. *Accipiter virgatus gularis* (TEMMINCK & SCHLEGEL), 1844.

English name: Japanese Sparrow-Hawk.

Japanese name: *Essai* (♂), *Tsumi* (♀).

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
1129	♀?	Imm?	Hokkaido (Sapporo)	? X 1896	186	136		12	53
1133	♀?	Imm?	" (")	17 X 1909	181	132		12	52
1135	♀?	Imm?	" (")	5 X 1909	190	137		12	54
2809	♀?	Imm?	" (")	22 X 1909	199	146		12	52
2810	♂?	Imm?	" (")	5 X 1905	168	126		10	49
2813	♀?	Imm?	" (Muroran)	? IX 1879	188	144		11	51
2939	♂?	Imm?	" ?	8 X 1898	164	119		11	49
3291	♀?	Imm?	" (Shakotan)	16 IX ?	192	142		11	53
3921	♂?	Ad?	" (Sapporo)	2 XI 1913	166	115		10	48
10067	♀?	Imm?	" (")	10 X 1915	187	136		12	52
10068	♂?	Imm?	" (")	1 IX 1914	—	113		11	49
10074	♀?	Imm?	" (")	18 IX 1915	189	136		12	52

17. *Accipiter virgatus affinis* HODGSON, 1844.

English name: Larger Besra Sparrow-Hawk.

Japanese name: *Taiwantsumitaka*.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
10069	♀?	Ad?	Formosa (Horisha)	? IV 1909	202	151		14	61

Genus *Milvus* LACÉPÈDE (1799).

18. *Milvus migrans lineatus* (GRAY), 1831.

English name: Black-eared Kite.

Japanese name: *Tobi*.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
3144	♀	Ad?	Hokkaido (Otaru)	? X 1901	502	318		30	62
3145	♂?	Imm?	" (Sapporo)	10 IX 1878	476	288		29	62
3150	♂?	Ad?	" (Nishitappu)	12 XI 1901	480	306		29	62
3152	♀	Ad?	" (Tomakomai)	10 XI 1901	483	305		30	62
3157	♂?	Imm?	" (Sapporo)	2 IX 1885	472	296		—	62
3162	♂?	Imm?	" ?	?	470	278		27	60
10076	♀?	Ad?	" (Eniwa)	1 VI 1932	490	305		31	63
10077	♂?	Imm?	" (Sapporo)	? IX 1879	469	291		28	61
10078	♂?	Imm?	" (Kuroiwa)	10 VIII 1881	472	294		30	61
10079	♂	Imm?	Kurile (Rubetsu)	10 IX 1910	475	302		30	61

19. *Milvus migrans formosanus* KURODA, 1920.

English name: Formosan Black-eared Kite.

Japanese name: *Himetobi*.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
10042	♂	Ad?	Formosa (Shūshū)	4 II 1908	449	264	30		59
10043	♂	Ad?	" (")	4 II 1908	433	243	29		60
10044	♂	Ad?	" (")	7 II 1903	455	267	30		62
10045	♀	Ad?	" (")	9 II 1908	455	285	30		61
10046	?	Ad?	"	?	446	266	30		61
10080	♂	Ad?	" (Suikatō)	30 VIII 1907	472	283	32		63
10081	♂	Ad?	" (Shūshū)	1 II 1908	440	257	29		59
10082	♂	Ad?	" (")	1 II 1908	443	258	30		60

Genus *Haliaeetus* SAVIGNY (1809).

20. *Haliaeetus albicilla albicilla* (LINNÆUS), 1758.

English name: White-tailed Sea-Eagle.

Japanese name: *Ojirowashi*.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
226	♀	Imm?	Hokkaido (Sapporo)	? XII 1879	598	293	53		99
3154	♂?	Ad	" (Tokachi)	? IX 1881	575	272	52		95
3163	♀?	Imm?	" (Sapporo)	? IV 1879	605	298	49		96
10014	♂?	Imm?	" (")	? I 1878	577	266	52		98
10015	♂?	Imm	" (")	? II 1879	559	281	49		90
10016	♀	Imm	" ?	? I 1911	597	304	61		102

21. *Haliaeetus pelagicus pelagicus* (PALLAS) 1827.

English name: Steller's Sea-Eagle.

Japanese name: *Ôwashi*.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
266	♂?	Imm?	Hokkaido (Chitose)	29 I 1884	551	341	63		102
3165	♀?	Imm?	" (Ebetsu)	30 XI 1912?	630	369	70		108
3363	?	Imm	"	4 VI ?	—	—	32		90
10017	♀	Ad	"	? 1932	605	340	73		113
10018	♂	Ad	"	? 1932	554	299	65		108
10019	♀?	Imm?	" ?	?	644	370	69		105
10073	♂?	Ad	" ?	?	603	341	75		102

Genus *Pernis* CUVIER (1817).

22. *Pernis apivorus japonicus* KURODA, 1925.

English name: Japanese Honey Buzzard.

Japanese name: *Hachikuma*.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
3037	♂	Ad	Hondo (Adusamura)	2 X 1911	428	251	24		60
3365	♂	Ad	" (Shinano)	?	423	241	24		60

Genus *Butastur* HODGSON (1843).23. *Butastur indicus* (GMELIN), 1788.

English name: Eastern Buzzard-Hawk, Grey-faced Buzzard-Eagle.

Japanese name: *Sashiba*.

No.	Sex	Age	Locality	Date	Wing	Length in mm.		
						Tail	Exp. Culmen	Tarsus
3036	♂	Ad	Hondo (Chichibu)	15 XI 1905	311	184	19	60
3959	♀	Ad	" (Kyôto)	17 XII 1905	330	185	—	60

Genus *Haematornis* GOULD (1831).24. *Haematornis cheela hoya* (SWINHOE), 1866.

English name: Formosan Serpent-Eagle.

Japanese name: *Ôkammuriwashi*.

No.	Sex	Age	Locality	Date	Wing	Length in mm.		
						Tail	Exp. Culmen	Tarsus
3098	♂?	Ad	Formosa	? III 1870?	494	298	35	106

Family PANDIONIDÆ.

Genus *Pandion* SAVIGNY (1809).25. *Pandion haliaetus haliaetus* (LINNÆUS), 1758.

English name: Osprey.

Japanese name: *Misago*.

No.	Sex	Age	Locality	Date	Wing	Length in mm.		
						Tail	Exp. Culmen	Tarsus
260	♂?	Imm	Hokkaido (Sapporo)	17 X 1890	483	228	34	64

A specimen probably from Siberia.

Family FALCONIDÆ.

Genus *Falco* LINNÆUS (1758).*(Falco* L., 1758).1. *Falco rusticolus rusticolus* LINNÆUS, 1758.

English name: Gyr-Falcon.

No.	Sex	Age	Locality	Date	Wing	Length in mm.		
						Tail	Exp. Culmen	Tarsus
3112	♂	Imm?	Saarikrsk?	12 I 1912?	355	215	23	55

The specimens contributed by the U. S. National Museum.

Family FALCONIDÆ.

Genus *Falco* LINNÆUS (1758).

(*Falco* L., 1758).

1. *Falco mexicanus* SCHLEGEL, 1850.¹⁾

English name: Prairie Falcon.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
10057	?	Ad	Texas	?	347	189		21	55

2. *Falco columbarius columbarius* LINNÆUS, 1758.

English name: Eastern Pigeon Hawk.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
10056	♂	Ad	New York (Long Island)	?	190	113		12	34

(*Cerchneis* BOIE, 1826).

3. *Falco sparverius phalaena* (LESSON), 1845.

English name: Desert Sparrow Hawk.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
10053	♀	Ad?	?	?	195	132		13	33
10054	♂	Ad	California	14 IX 1890	185	119		11	35
10055	♂	Ad	Arizona (Fort Verde)	9 II 1885	192	123		11	35
10075	♀	Ad	Mexico (Sonora)	14 XI 1890	189	125		13	36

Genus *Asturina* VIEILLOT, 1816.

4. *Asturina plagiata plagiata* SCHLEGEL, 1862.

English name: Mexican Goshawk.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
10060	♂	?	Mexico (Tampico)	30 V 1888	256	154		22	72

1) The authors could not refer to the original description (Abh. Geb. Zool., Heft III) and the year of publication is different according to literatures as 1841 (A. O. U. Check-List, 2nd. Ed., 1895), 1844 (SWANN'S Syn. Accip., 1922), 1843 (PETER'S Check-List of Birds, 1931) and 1850 (A. O. U. Check-List, 4th. Ed., 1931).

Genus *Buteo* LACÉPÈDE, (1799).(*Buteo* LACÉPÈDE, 1799).5. *Buteo magnirostris griseocauda* (RIDGWAY), 1873.

English name: Mexican Large-billed Hawk.

No.	Sex	Age	Locality	Date	Wing	Length in mm.		
						Tail	Exp. Culmen	Tarsus
10059	?	?	Mexico	?	245	168	20	71

6. *Buteo platypterus platypterus* (VIEILLOT), 1823.

English name: Broad-winged Hawk.

No.	Sex	Age	Locality	Date	Wing	Length in mm.		
						Tail	Exp. Culmen	Tarsus
10036	♂	?	Venezuela (Valle)	20 XII 1902	274	162	18	64
10037	♂	?	New Jersey (Paterson)	27 IV 1901	268	153	18	63

7. *Buteo lineatus lineatus* (GMELIN), 1788.

English name: Northern Red-shouldered Hawk.

No.	Sex	Age	Locality	Date	Wing	Length in mm.		
						Tail	Exp. Culmen	Tarsus
10039	?	Ad	Pennsylvania	?	330	206	22	89

8. *Buteo borealis borealis* (GMELIN), 1788.

English name: Eastern Red-shouldered Hawk.

No.	Sex	Age	Locality	Date	wing	Length in mm.		
						Tail	Exp. Clumen	Tarsus
10040	?	Ad	Eastern North America	?	362	202	24	80

9. *Buteo borealis calurus* CASSIN, 1855.

English name: Western Red-tailed Hawk.

No.	Sex	Age	Locality	Date	Wing	Length in mm.		
						Tail	Exp. Culmen	Tarsus
10041	♂	Ad	Western North America	?	388	216	25	82

(*Tachytriorchis* KAUP, 1844).10. *Buteo albicaudatus hyospodius* GURNEY, 1876.

English name: Sennett's White-tailed Buzzard.

No.	Sex	Age	Locality	Date	Wing	Length in mm.		
						Tail	Exp. Culmen	Tarsus
10038	?	?	Texas (Corpus Christi)	?	404	182	—	89

Genus *Circus* LACÉPÈDE (1806).11. *Circus cyaneus hudsonius* (LINNÆUS), 1766.

English name: American Marsh Hawk.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
10003	♂	Imm	California (San Francisco)	?	325	218		17	75
10004	♂	?	?	?	337	218		17	77

Genus *Accipiter* BRISSON (1760).12. *Accipiter velox velox* (WILSON), 1812.

English name: Sharp-shinned Hawk.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
10012	♂	Ad	Pennsylvania	?	205	162		12	56
10013	♀	Imm	North America	?	201	158		12	54

13. *Accipiter cooperi* (BONAPARTE), 1828.

English name: Cooper's Hawk.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
10009	♂	Ad	New Jersey	?	232	190		15	57
10010	♀	Ad	Pennsylvania	?	264	209		19	70
10011	?	Imm	California	?	248	211		17	68

Genus *Elanoides* VIEILLOT, 1818.14. *Elanoides forficatus yetapa* (VIEILLOT), 1818.

English name: Swallow-tailed Kite.

No.	Sex	Age	Locality	Date	Wing	Length in mm.			
						Tail	Exp.	Culmen	Tarsus
10058	?	Ad	?	?	406	268		19	—