HOKKAIDO UNIVERSITY

Title	満州國産蜘蛛類 III
Author(s)	齋藤, 三郎
Citation	札幌博物学会会報, 15(3), 191-193
Issue Date	1938-07-15
Doc URL	https://hdl.handle.net/2115/64229
Type	journal article
File Information	Vol.15No.3_007.pdf

Hokkaido University Collection of Scholarly and Academic Papers : HUSCAP

Arachnida of Manchoukuo III

By

Saburô SAITÔ

(齋 藤 三 郎)

As to the Arachnida fauna of Manchoukuo the writer has reported already 69 species of spiders and 5 of harvestmen from Jehol[1] and from the district along the South-Manchuria Railway[2]. On September of 1937, Prof. Dr. T. INUKAI brought back a considerable number of spiders and harvestmen with a large collection of the other animals from his journey to Manchoukuo and Inner Mongolia as far as Kulumpeierh (呼倫貝爾) of Hei-lung-kiang (黑龍江省). These valuable materials were put at my disposal for systematical study through his courtesy. For this I wish here to express my heartiest thanks to Prof. T. INUKAI.

Of 20 species the following 13 species of spiders and 1 of harvestmen are refered again to the fauna of Manchoukuo, while the 6 listed afterwards are new;

1. ***Gnaphosa sinensis*** SIMON

Gnaphosa sinensis SIMON :—**1880**, Ann. Soc. ent. Fr., 5 ser., X, 121.

Loc. 1 ♀, the basin of the river Gan (垠河), Sept. 8.

Dist. China (Pepin), Manchoukuo (Cheng-te, Chao-yang, Harbin).

2. ***Tibellus oblongus*** (WALCKENAER)

Aranea oblonga WALCKENAER :—**1802**, Faune Par., II, 228.

Loc. 2 ♀ ♀ (subadult), Wonfu (王府), Aug. 29, 30.

Dist. Manchoukuo (Hsin-king), U.S.A., Alaska, Europe, China (Pepin), Japan (Hokkaidô, the Southern Kurile Islands).

3. ***Araneus adiantus*** WALCKENAER

Aranea adianta WALCKENAER :—**1802**, Faune Par., II, 199.

Loc. 2 ♀ ♀ (subadult), Wonfu, Aug. 29, 30.

Dist. Manchoukuo (Ai-tao-tzu-ling, Peh-ying-fang, Schuang-ta-shan, Weng-niu-te, Leo-suu-ton, Hsin-king, Kai-yuan), Japan (Hokkaidô, Southern Saghalien), Siberia, Europe.

4. ***Araneus cornutus*** CLERCK

Araneus cornutus CLERCK :—**1757**, Sv. Spindl., 39.

Loc. 1 ♀, the basin of the river Gan, Sept. 8.

---

1) Report of the First Sc. Exped. to Manchoukuo, Sec. V, Div. I, Pt. III, Arts. 11, 12, **1936**.

2) Annot. Zool. Jap., Vol. 16, **1937**.

Trans. Sapporo Nat. Hist. Soc., Vol. XV, Pt. 3, 1938

Dist. Manchoukuo (Harbin), Japan (Southern Saghalien, Hokkaidô), U.S.A., Europe.

5. ***Araneus hamatus*** CLERCK

Araneus hamatus CLERCK :—**1757**, Sv. Spindl., 51.

Loc. 1 ♀ (subadult), Wonfu, Aug. 29, 30.

Dist. Manchoukuo (Shuang-ta-shan), Europe.

6. ***Eucta chinensis*** CHAMBERLIN

Eucta chinensis CHAMBERLIN :—**1924**, Proc. U.S. Nat. Mus., LXIII, 12.

Loc. 3 ♀ ♀ (subadult), Wonfu, Aug. 29, 30.

Dist. China, Manchoukuo (Chao-yang).

7. ***Agelena labyrinthica*** (LINNAEUS)

Aranea labyrinthica LINNAEUS, **1758**, Syst. Nat., Ed. 10, I, 620.

Loc. 1 ♀, the basin of the river Gan, Aug. 8.

Dist. Manchoukuo (Chao-yang, Shuang-ta-shan, Leo-sun-ton, An-shan, Kai-yuan), U.S.A., Europe.

8. ***Agelena opulenta*** L. KOCH

Agelena opulenta L. KOCH :—**1877**, Verhandl. d.k.k. Zool. bot. Ges., XXVII, 757.

Loc. 1 ♀, Khailassu (哈啦蘇), Sept. 12.

Dist. Manchoukuo (Harbin, An-shan, Siong-yu-cheng, Hsin-king, Pehying-fang), Japan (Kyûsyû, Honsyû, Hokkaidô).

9. ***Tegenaria Derhamii*** (SCOPOLI)

Aranea Derhamii SCOPOLI, **1763**, Entom. Carn., 400.

Loc. 1 ♀, Khailar (海拉爾), Sept. 10.

Dist. Manchoukuo (Leo-suu-ton, Hsin-king, Chao-yang, Shuang-ta-shan), U.S.A., Europe.

10. ***Dolomedes fimbriatus*** (CLERCK)

Araneus fimbriatus CLERCK :—**1757**, Sv. Spindl., 106.

Loc. 1 ♀, 4 subadults, Khailassu, Sept. 12.

Dist. Manchoukuo (Chang-shan-yu, Cheng-te), Europe.

11. ***Lycosa monticola*** (CLERCK)

Araneus monticola CLERCK :—**1757**, Sv. Spindl., 91.

Loc. 2 ♀ ♀, Khailar, Sept. 9.

Dist. Manchoukuo (Hsin-king), Japan (Hokkaidô), Siberia, Europe.

12. ***Lycosa T-insignita*** Bös. et STRAND

Lycosa T-insignita BÖSENBERG et STRAND :—**1906**, Abhandl. senckenb. Naturf. Ges., XXX, 324.

Loc. 1 ♀, the basin of the river Gan, Aug. 8.
Dist. Manchoukuo (Peh-wing-fang, Shuang-ta-shan, Cheng-te, Hsin-king), Japan (Hokkaidô, Honsyû, Kyûsyû, Formosa).

13. ***Oxyopes sertatus*** L. KOCH

Oxyopes sertatus L. KOCH :—**1877**, Verhandl. d.k.k. zool. bot. Ges., XXVII, 779.

Loc.; ♂, 1 ♀ (subadult), Khailassu, Sept. 11, 12.
Dist. Manchoukuo (Tieh-ling), Japan (Formosa, Honsyû, Kyûsyû).

14. ***Opilio trispinifrons*** ROEWER

Opilio trispinifrons ROEWER :—**1911**, Zool. Jahrb., Syst., V, 596.

Loc. Khailassu, Sept. 12.
Dist. Manchoukuo (Weng-niu-te), China (Pepin).

The following 6 are recorded for the first time from the Manchurian fauna;

15. ***Philodromus spinitarsus*** SIMON

Philodromus spinitarsus SIMON :—**1895**, BULL. Soc. ent. Fr., LXII.

Loc. 1 ♂ (subadult), Handshur (旧珠爾), Sept. 6.
Dist. Japan (Kyûsyû), China.

16. ***Xysticus ephippiatus*** SIMON

Xysticus ephippiatus SIMON :—**1880**, Ann. Soc. ent. Fr., 5 ser., X, 107.

Loc. 5 ♀ ♀ (immature), Wonfu, Aug. 29, 30.
Dist. China (Pepin, Suifu, Soochow), Japan (Hokkaidô, Honsyû, Kyûsyû).

17. ***Xysticus striatypes*** L. KOCH

Xysticus striatipes L. KOCH :—**1870**, Beitr. Kennt. Ar.

Loc. 1 ♀, Handshur, Sept. 9, 11 ♂ ♂, 10 ♀ ♀ (subadult), Wonfu, Aug. 29, 30.
Dist. Europe.

18. ***Thanatus miniaceus*** SIMON

Thanatus miniaceus SIMON :—**1800**, Ann. Soc. ent. Fr., 5 ser., X, 110.

Loc. 11 ♀ ♀ (subadult), Wonfu, Aug. 29, 30.
Dist. China (Pepin).

19. ***Larinia punctifera*** BÖS. et STRAND

Larinia punctifera BÖSENBERG et STRAND :—**1906**, Verhandl. senckenb. Naturf Ges., XXX, 212.

Loc. 4 ♀ ♀ (subadult), Wonfu, Aug. 29, 30.
Dist. Japan (Honsyû).

20. ***Lutica*** sp.

Loc. 1 ♀ (subadult), Wonfu, Aug. 29, 30.