



HOKKAIDO UNIVERSITY

Title	Multi-reassortant G3P[3] group A rotavirus in a horseshoe bat in Zambia
Author(s)	Sasaki, Michihito; Orba, Yasuko; Sasaki, Satoko et al.
Citation	Journal of General Virology, 97, 2488-2493 https://doi.org/10.1099/jgv.0.000591
Issue Date	2016-10
Doc URL	https://hdl.handle.net/2115/67281
Type	journal article
File Information	Supplementary J.Gen.Virol. v.97 p.2488-2493.pdf, Supplementary Material



Supplementary Material

Table S1. Primers used for coding sequence amplification in this study

Primer	Polarity	Sequence (5' to 3')	Reference
VP1-F	Forward	GGCTATTAAAGCTRTACAATGG	Fujii <i>et al.</i> 2012
VP1-R2	Reverse	GGTTAACACGCGTTCAGAAGGA	This study
VP1-F2	Forward	GTCAGGAGAGAAGCAGACGAAAG	This study
VP1-R	Reverse	CACATCTAAGCACTCTAATCTTG	Fujii <i>et al.</i> 2012
VP2-F	Forward	GGCTATTAAAGGCTCAATGG	Fujii <i>et al.</i> 2012
VP2-R2	Reverse	ACGCCATCAATAACAACCTTGTC	This study
VP2-F2	Forward	ATGTGGCTATTGACAGTCGTTC	This study
VP2-R	Reverse	TTGGCGTTTACARTTCGTTCA	Fujii <i>et al.</i> 2012
VP3-F	Forward	TGCGTTTTACCTCTGATGGTG	Fujii <i>et al.</i> 2012
VP3-R	Reverse	TCACATCATGACYAGTGTGTTAAG	Fujii <i>et al.</i> 2012
VP4-F	Forward	GGCTATAAAATGGCTTCGCT	Fujii <i>et al.</i> 2012
VP4-R2	Reverse	AATGAGGGTTCTTCTACAGCCAA	This study
VP4-F2	Forward	AGTGTCAATTACATTCAGCAGGTGT	This study
VP4-R	Reverse	GGGGGTCACATCCTC	Fujii <i>et al.</i> 2012
VP6-F	Forward	GGCTTTWAAACGAAGTCTTC	Fujii <i>et al.</i> 2012
VP6-R2	Reverse	GAAACTGAATCTTTCTGCATCAGG	This study
VP6-F2	Forward	ATTCACGCTGAACAGATCACAG	This study
VP6-R	Reverse	GGTCACATCCTCTCACT	Fujii <i>et al.</i> 2012
VP7-F	Forward	GGCTTTTAAAGMGAGAATTTC	Fujii <i>et al.</i> 2012
VP7-R	Reverse	GGGGGTCACATCATAACAATTCT	Fujii <i>et al.</i> 2012
NSP1-F	Forward	GGCTTTTTTTATGAAAAGTCTTGTG	Fujii <i>et al.</i> 2012
NSP1-R2	Reverse	AATTCTTGATGCTGGCTGCCAA	This study
NSP1-F2	Forward	AGGACTAAAAGTCGCATAGTCCT	This study
NSP1-R	Reverse	CTAGGCGCTACTCTAGT	Fujii <i>et al.</i> 2012
NSP2-F	Forward	GGCTTTTAAAGCGTCTCAGTC	Fujii <i>et al.</i> 2012
NSP2-R	Reverse	GGTCACATAAGCGCTTTCTATTC	Fujii <i>et al.</i> 2012
NSP3-F	Forward	GGCTTTTAATGCTTTTCAGTGGTTG	Fujii <i>et al.</i> 2012
NSP3-R	Reverse	GGTCACATAACGCCCTATAG	Fujii <i>et al.</i> 2012
NSP4-F	Forward	CTTTTAAAGTTCTGTTCCGAGAG	Fujii <i>et al.</i> 2012
NSP4-R	Reverse	AAGACCATTCTTCCATTAAAC	Fujii <i>et al.</i> 2012
NSP5-F	Forward	GGCTTTTAAAGCGCTACAGT	Fujii <i>et al.</i> 2012
NSP5-R2	Reverse	AGGAGAAATCCACTTGATCGCA	This study
NSP5-F2	Forward	CTGCTTCAAACGATCCACTCAC	This study
NSP5-R	Reverse	GGTCACAAAACGGGAGTGGGGA	Fujii <i>et al.</i> 2012

Table S2. Primers used for rotavirus screening in this study

Primer	Polarity	Sequence (5' to 3')	Reference
RotexoF (VP7)	Forward	MDCGGWTAGMYYYBTTTWAATG	Li <i>et al.</i> 2016
RotexoR (VP7)	Reverse	CCCATNGMDATCCAYTTRTT	Li <i>et al.</i> 2016
RotinF (VP7)	Forward	TAGCYBTTTTRATGTATGGKAT	Li <i>et al.</i> 2016
RotinR (VP7)	Reverse	TCCATNGGRTTRCAHARCC	Li <i>et al.</i> 2016
LUS12-14 VP4-F	Forward	ATCAGACGCCTATAGCTAATTCGG	This study
LUS12-14 VP4-R	Reverse	CTGAAGCTTCGGTAACAATGTCTG	This study
LUS12-14 NSP2-F	Forward	AGTGGCGGTGATAATTTGTGAAG	This study
LUS12-14 NSP2-R	Reverse	TGCCTTGTTTCATTGAGGATGTG	This study

Table S3. Primers used for 5' and 3' rapid amplification of cDNA end in this study

Primer	Polarity	Sequence (5' to 3')	Reference
VP2-5RACE1	Reverse	GATAATCTGGCATTTCAGTAAGCAC	This study
VP2-5RACE2	Reverse	CGTAGTTCCTTTTCACCATTCGCT	This study
VP2-3RACE1	Forward	GAACGTGCCTCAGATAAAATTGCAC	This study
VP2-3RACE2	Forward	AGTTGGAAAGGGATGAGATGTATGG	This study
VP4-5RACE1	Reverse	CGATATCCTCAATTGGTTGAGCTTTC	This study
VP4-5RACE2	Reverse	CATTACGGCATAACAGTTTCGGAGTAG	This study
NSP2-3RACE1	Forward	ACACATGGTAAAGGTCACTACAGAG	This study
NSP2-3RACE2	Forward	ATTCATCAGTTGCGAATCATGCAG	This study