



Title	Characterization of Third-Generation-Cephalosporin-Resistant Shiga Toxin-Producing Strains of Escherichia coli O157:H7 in Japan
Author(s)	Kawahara, Ryuji; Seto, Kazuko; Taguchi, Masumi et al.
Citation	Journal of clinical microbiology, 53(9), 3035-3038 https://doi.org/10.1128/JCM.01263-15
Issue Date	2015-07
Doc URL	https://hdl.handle.net/2115/68543
Rights	Copyright © American Society for Microbiology, Journal of clinical microbiology, 53(9), 2015, page 3035-3038 and doi: 10.1128/JCM.01263-15
Type	journal article
File Information	Figure2.pdf






FIG 2 Profiling and hybridization of plasmids extracted from CMY-2-producing *E. coli* O157:H7 strains (A) and the transconjugants (B, C). (A) Lanes: M1, *Salmonella* Enteritidis L156; M2, *E. coli* NR1; 1, 18H093; 2, 19H131; 3, 19H180; 4, 19H187; 5, 19H188; 6, 19H252; 7, 19H311; 8, *E. coli* C600. (B) Lanes: 1, C600/18H093; 2, C600/19H131; 3, C600/19H180; 4, C600/19H187; 5, C600/19H188; 6, C600/19H252; 7, C600/19H311; 8, *E. coli* C600. This agarose gel was hybridized with the *bla*_{CMY-2} probe after transferring to a nylon membrane (C).