



HOKKAIDO UNIVERSITY

Title	Discovery of <i>Bembidion negrei</i> (Coleoptera, Carabidae) from Hokkaido, Japan
Author(s)	Ogawa, Naoki
Citation	Elytra, New series, 4(1), 153-154
Issue Date	2014-05-30
Doc URL	https://hdl.handle.net/2115/74892
Type	journal article
File Information	Ogawa(2014) - Discovery of <i>Bembidion negrei</i> from Hokkaido, Japan.pdf



Discovery of *Bembidion negrei* (Coleoptera, Carabidae) from Hokkaido, Japan

Naoki OGAWA

Systematic Entomology, Department of Ecology and Systematics, Graduate School of Agriculture,
Hokkaido University, Sapporo, 060–8589 Japan

Bembidion negrei HABU, 1958 is a carabid species endemic to Japan. The species is originally described from “Mt. Osore, at lake-side of Usoriyamako, Aomori prefecture” (HABU, 1958). Since then, this species has been recorded only from the type locality and Tochigi Prefecture (Tochigi Prefecture, 2011). Habitat of the species known to date is restricted to edges of wetlands and streams where spring water containing sulfur is streaming in.

Here, I report this species from Hokkaido for the first time.

Specimens examined. 7 exs., Mt. Esan, Hakodate-shi, Hokkaido Pref., Japan, 23–VII–2013, Naoki OGAWA leg.

They were collected under small stones along water edge discolored by sulfur. This provides further evidence that *B. negrei* is specialized for such a peculiar habitat. The present locality is only ca. 55 km from Mt. Osore-yama, the type locality of this species. However, this represents the first record of this species from Hokkaido across the Tsugaru Straits, which is widely recognized as an important geographic barrier defining zoogeographical sub-regions for Japanese Archipelago (Blakiston Line: BLAKISTON, 1883). Therefore, the present dis-



Fig. 1. Habitus of *Bembidion negrei*, male, collected in Hokkaido, dorsal view.




Fig. 2. Male genitalia of the specimen presented in Fig. 1. — A, Aedeagus; B, parameres.

covery also involves zoogeographical importance.

I express my sincere gratitude to Dr. Shigehisa HORI and Dr. Kazunori YOSHIZAWA for their kind help and information.

References

- BLAKISTON, T. W., 1883. Zoological indications of ancient connection of the Japan islands with the continent. *Trans. asia. Soc. Japan*, **11**: pt. 1.
- HABU, A., 1958. One new *Bembidion*-species from North Japan (Col., Carabidae). *Kontyû, Tokyo*, **26**: 64–67.
- Tochigi Prefecture, 2011. Red List of Tochigi Prefecture (rev. 2011). <http://www.pref.tochigi.lg.jp/d04/redlist.html> (accessed on Jan. 17, 2014).

Manuscript received 18 January 2014;
revised and accepted 6 April 2014.