



HOKKAIDO UNIVERSITY

Title	Risk factors for dysfunction of preoperative endoscopic biliary drainage for malignant hilar biliary obstruction
Author(s)	Sugiura, Ryo; Kuwatani, Masaki; Kato, Shin et al.
Citation	Journal of hepato-biliary-pancreatic sciences, 27(11), 851-859 https://doi.org/10.1002/jhbp.778
Issue Date	2020-11
Doc URL	https://hdl.handle.net/2115/83141
Rights	This is the peer reviewed version of the following article: Sugiura, R, Kuwatani, M, Kato, S, et al. Risk factors for dysfunction of preoperative endoscopic biliary drainage for malignant hilar biliary obstruction. J Hepatobiliary Pancreat Sci. 2020; 27: 851- 859., which has been published in final form at https://doi.org/10.1002/jhbp.778 . This article may be used for non-commercial purposes in accordance with Wiley Terms and Conditions for Use of Self-Archived Versions.
Type	journal article
File Information	Supplemental Table.pdf



Supplemental Table.

Univariate and multivariate analyses of risk factors for dysfunction of the initial EBD
in the patients with unplanned re-intervention

	Univariate analysis		Multivariate analysis		
	n	<i>P</i> -value	Hazard ratio	95%CI	<i>P</i> -value
Age		0.60			
≤ 70 years	26				
> 70 years	32				
Sex		0.39			
Male	36				
Female	22				
Final diagnosis		0.70			
Cholangiocarcinoma	51				
Gallbladder cancer	7				
Bismuth-Corlette classification		0.04			
I/II/IIIa/IIIb	50		1		

IV	8	3.19	1.22-8.31	0.02
Serum T-BIL before initial EBD	0.46			
≤ 2.0 mg/dL	25			
> 2.0 mg/dL	33			
Cholangitis before initial EBD	0.37			
Absence	47			
Presence	11			
Biliary drainage method	0.06			
ENBD	44	1		
EBS	11	2.10	0.89-4.95	0.09
Size of the EBD tube/stent	0.25			
≤ 6-Fr	19			
≥ 7-Fr	39			
Type of EBD tube/stent	0.09			
Straight	49	1		
Pigtail	9	0.32	0.07-1.42	0.13

Endoscopic sphincterotomy	0.14
---------------------------	------

Absence	31
---------	----

Presence	27
----------	----

Preoperative waiting period	0.39
-----------------------------	------

> 60 days	25
-----------	----

≤ 60 days	33
-----------	----

EBD, endoscopic biliary drainage; EBS, endoscopic biliary stenting; ENBD,

endoscopic nasobiliary drainage; T-BIL, total-bilirubin