



| | |
|------------------|---|
| Title | 2-Arachidonoyl glycerol potently induces cholecystokinin secretion in murine enteroendocrine STC-1 cells via cannabinoid receptor CB1 |
| Author(s) | Ochiai, Keita; Hirooka, Rina; Sakaino, Masayoshi et al. |
| Citation | Lipids, 56(6), 603-611 https://doi.org/10.1002/lipd.12323 |
| Issue Date | 2021-11 |
| Doc URL | https://hdl.handle.net/2115/87053 |
| Rights | This is the peer reviewed version of the following article: Ochiai, K, Hirooka, R, Sakaino, M, Takeuchi, S, Hira, T. 2-Arachidonoyl glycerol potently induces cholecystokinin secretion in murine enteroendocrine STC-1 cells via cannabinoid receptor CB1. Lipids. 2021; 56: 603- 611, which has been published in final form at https://doi.org/10.1002/lipd.12323 . This article may be used for non-commercial purposes in accordance with Wiley Terms and Conditions for Use of Self-Archived Versions. |
| Type | journal article |
| File Information | ESM_2.pdf |






Fig. S2 Release of LDH in STC-1 cells exposed to 2-AG, structurally related compounds, and hydrolysates of 2-AG. LDH activity was measured in the supernatant of STC-1 cells exposed to 100 μ M 2-AG, structurally related compounds (i.e., 2-AG ether and 1-AG), and hydrolysates of 2-AG. The lysis reagent was used to release total intracellular LDH. The values represent LDH activity (%) relative to the total LDH control and are expressed as the mean \pm SEM (n=3). 2-AG, 2-arachidonoyl glycerol; 2-AG ether, 2-arachidonoyl glycerol ether; 1-AG, 1-arachidonoyl glycerol; 20:4n-6, arachidonic acid

Title

2-arachidonoyl glycerol potently induces cholecystokinin secretion in murine enteroendocrine STC-1 cells via cannabinoid receptor CB1

Journal

Lipids

Authors

¹Keita Ochiai, ²Rina Hirooka, ²Masayoshi Sakaino, ²Shigeo Takeuchi, ³Tohru Hira

Affiliations

¹Graduate School of Agriculture, Hokkaido University, Sapporo 060-8589, Japan

²J-OIL MILLS, INC., Yokohama 230-0053, Japan

³Research Faculty of Agriculture, Hokkaido University, Sapporo 060-8589, Japan

Corresponding author

E-mail: hira@chem.agr.hokudai.ac.jp