



Title	A 2.0-GHz compact ESR spectrometer for monitoring automobile lubrication oil degradation
Author(s)	Cheng, Fan; Shibata, Takayuki; Aoki, Yoshifumi et al.
Citation	Journal of magnetic resonance, 332, 107081 https://doi.org/10.1016/j.jmr.2021.107081
Issue Date	2021-11
Doc URL	https://hdl.handle.net/2115/90438
Rights	© 2021. This manuscript version is made available under the CC-BY-NC-ND 4.0 license http://creativecommons.org/licenses/by-nc-nd/4.0/
Rights(URL)	https://creativecommons.org/licenses/by-nc-nd/4.0/
Type	journal article
File Information	Supplementary_Material.pdf



Supplementary Material

A 2.0-GHz compact ESR spectrometer for monitoring automobile lubrication oil degradation

Fan Cheng,^{a,*} Takayuki Shibata,^a Yoshifumi Aoki,^b Hiroshi Hirata^c

^a Sensor Research & Development Division, MIRISE Technologies Corporation, 500-1 Minamiyama, Komenoki-cho, Nisshin, Aichi, 470-0111, Japan

^b TOYOTA CENTRAL R&D LABS., INC., 41-1, Yokomichi, Nagakute, Aichi, 480-1192, Japan

^c Division of Bioengineering and Bioinformatics, Faculty of Information Science and Technology, Hokkaido University, North 14, West 9, Kita-ku, Sapporo, 060-0814, Japan

* Corresponding author:

Fan Cheng

E-mail: han.tei.j6z@mirise-techs.com

Contents

- Figure S1 Detailed diagram of analog signal processing circuits (part 1): LPF; notch filter; sig-to-diff; demod; 1/64 frequency divider; and DC servo circuits.
- Figure S2 Detailed diagram of analog signal processing circuits (part 2): phase shifter; variable gain amplifier; LPF; and driver circuit for modulation coils.
- Figure S3 Detailed diagram of analog signal processing circuits (part 3): driver circuits for the field sweep coil.





Figure S1 Detailed diagram of analog signal processing circuits (part 1) : LPF; notch filter; sig-to-diff; demod; 1/64 frequency divider; and DC servo circuits.



Driver circuit for modulation coils

Figure S2 Detailed diagram of analog signal processing circuits (part 2): phase shifter; variable gain amplifier; LPF; and driver circuit for modulation coils.

