



HOKKAIDO UNIVERSITY

Title	New Species of Insects from Japan described during the Year 1934
Citation	Insecta matsumurana, 9(4), 175-179
Issue Date	1935-06
Doc URL	https://hdl.handle.net/2115/9305
Type	departmental bulletin paper
File Information	9(4)_p175-179.pdf



NEW SPECIES OF INSECTS FROM JAPAN
DESCRIBED DURING THE YEAR 1934*

HYMENOPTERA

FRISON, T. H.: Records and Descriptions of *Bremus* and *Psithyrus* from Formosa and the Asiatic Mainland (Trans. Nat. Hist. Soc. Formosa, XXIV, p. 150—185).

Bremus (*Lapidariobombus*) *formosellus*, p. 163, var. *derivatus*, p. 166, var. *gradatus*, p. 167; *B.* (*Pratobombus*) *mearnsi* var. *deflectus*, p. 173, var. *dilutus*, p. 174; *B.* (*Pratobombus*) *sonani*, p. 175.

GUSSAKOVSKIJ, V.: Beitrag zur Kenntnis der Pseninen- und Pempredoninen Fauna Japans (Hymenoptera, Sphecidae) (Mushi, Fukuoka, VII, pp. 79-98).

Psen yasumatsui, p. 80; *Eopsennulus* subg. nov., p. 84; *Psen iwatai*, p. 85; *Stigmus filippovi*, p. 88.

HEINRICH DETTMER, S. J.: Vier neue Neuroteus-Arten aus Japan ("Brotéria" Série de Ciências Naturalis, Vol. III, fasc. III, pp. 123-132).

Neuroterus vonkuenburgi, p. 123; *N. hellwegi*, p. 126, *N. monzeni*, p. 128; *N. boni-henrici*, p. 130.

ISHII, T.: Fig Chalcidoids of Japan (Kontyu, Vol. VIII, No. 2, pp. 84-100).

Euprista okinavensis, p. 85; *Goniogaster inubiae*, p. 87; *Goniogaster gajimaru*, p. 89; *Otitessella yashiroi*, p. 93; *Eufroggattia okinavensis*, p. 94. *Odontofroggattia*, n. g. p. 95; *Odontofroggattia gajimaru*, p. 95; *Acophila*, n. g., p. 97; *Acophila mikii*, p. 97.

IWATA K.: Two new species of *Crabro* Fabricius (Hymenoptera, Crabronidae) from Japan (Kontyu, Vol. VIII, No. 1, pp. 17-22).

Crabro furuichii, p. 17; *Crabro shibuyai*, p. 20.

ROHWER, S. A.: Descriptions of five parasitic Hymenoptera (Proc. Ent. Soc. Washing., Vol. 36, pp. 43-48).

Phanerotoma formosana, p. 45; *Rhogas narangae*, p. 46; *R. metanostriae*, p. 47.

SCHULTHESS, A. v.: Zur Kenntnis der Odynerusarten (Vespidae, Hym.) der japanischen Subregion (China, Japan, Formosa, Philippinen) (Arb. morph. taxon. Ent. Berlin-Dahlem, Band I, Nr. 1, pp. 66-75; Nr. 2, pp. 91-102).

Symmorphus hoazanensis, p. 67; *Subancistrocerus kankauensis*, p. 68; *Hypancistrocerus sauteri*, p. 70; *Euancistrocerus ingens*, *E. taihorinensis*, *E. taihorinshoensis*, p. 71; *E. samarensis*, p. 72; *Lionotus flavopunctatus* SMITH var. *formosicola*, p. 74; *L. unifasciatus*, p. 75; *L. formosensis*, p. 99; *L. kosempoensis*, p. 101.

SONAN, J.: On four new species and a known species of *Stizus* LATREILLE (Hym. Bembicidae) (Kontyu, Vol. VIII, No. 1, pp. 37-41).

Stizus kotoshonus, p. 37; *Stizus japonicus*, p. 38; *Stizus hirsutus*, p. 39; *Stizus satsumanus*, p. 40.

TOSAWA, N. et SUGIHARA, Y.: Ueber eine neue *Oryssus* Art aus Japan (Trans. Kansai Ent. Soc., No. 5, pp. 1-2).

Oryssus tosenensis, p. 1.

TOSAWA, N.: On *Eumenes* of Japan Empire (Trans. Kansai Ent. Soc., No. 5, pp. 3-16).

Eumenes formosanus, p. 9.

UCHIDA, T.: Eine neue Gattungen und eine neue Art der Unterfamilie Metopiinae (Hym. Ichneum.) (Trans. Sapporo Nat. Hist. Soc., XIII, p. 275-277).

Cerataspis (n. g.), p. 275; *C. clavata*, p. 276.

WATANABE, C.: On *Evaniidae* and *Gasteruptionidae* from Japan (Hymenoptera) (Trans. Sapporo Nat. Hist. Soc., XIII, pp. 280-286).

Gasteruption oshimensis, p. 283; *G. ogasawarensis*, p. 284; *Trichofoenus breviterebrae*, p. 285.

YASUMATSU, K.: On the Genus *Discoelius* of Eastern Asia with a list of the species of the world (Hymenoptera, Eumenidae) (Mushi, Fukuoka, Vol. VII, pp. 3-19).

* Insects described in this magazine are omitted.

- Discoelius esakii*, p. 9; *Discoelius manchurianus*, p. 11.
 ———: A new species of the Genus *Passaloecus* from Japan and Korea (Hymenoptera, Pemphredonidae) (Mushi, Fukuoka, VII, pp. 36-40).
Passaloecus shuckardi, p. 36.
 ———: Les Hyménoptères de l'île Yakushima (Mushi, Fukuoka, VII, pp. 61-67).
Smicromyrme yakushimensis, p. 65.
 ———: Eine neue, *Bombus ignitus* SMITH ähnliche Schmarotzerhummel aus Korea (Annot. Zool. Jap., 14, pp. 399-403).
Psithyrus (Ashtonipsithyrus) coreanus, p. 399.
 ———: *Stizus japonicus* n. sp. (Report on the Leaf-Hoppers injurious to the Rich Plant and their Natural Enemies, Kyushu, 5, pp. 25-27).
Stizus japonicus, p. 25.

DIPTERA

ALEXANDER, C. P.: New or little-known Tipulidae from Eastern Asia (Diptera), XVIII (Philip. Jour. Sei., Vol. 53, pp. 267-300).

Pedicia (Nasiternella) hokkaidensis, p. 278; *Dicranota (Rhaphidolabis) platymera*, p. 279; *Pseudolimmophila mobilis*, p. 280; *P. yumotana*, p. 281; *P. erecta*, p. 281; *Limnophila (Prionolabis) luteibasalis*, p. 283; *L. (Prionobabis) inermis*, p. 285; *L. (Tricholimmophila) prionolaboides*, p. 285; *Ormosia rectangularis*, p. 293; *Molophilus triacanthus*, p. 294.

—————: l. c., XXI Philip. Jour. Aci., Vol. 55, pp. 19-60).

Trichoera mirabilis, p. 20; *Dictenidia inaequipunctata*, p. 21; *Dolichopeza (Dolichopeza) issikiella*, p. 23; *D. (Mitopeza) taiwanicola*, p. 24; *Tipula (Trichotipula) haplotricha*, p. 26; *T. (Vestiplex) nestor*, p. 28; *T. (V.) parvaviculata*, p. 30; *T. (Acutipula) obtusiloba*, p. 32; *T. (Oreomyza) koreana*, p. 33; *T. (O.) obnata*, p. 35; *Limonia (Limonia) melas*, p. 37; *L. (L.) tabashii*, p. 39; *L. (Libnotes) basistrigata*, p. 40; *L. (L.) griseola*, p. 42; *L. (Dicranomyia) kongosana*, p. 43; *Elliptera zipanguensis taiwanicola* (n. subsp.), p. 44; *Dicranoptycha nigrotibialis*, p. 45; *Dicranota (Rhaphidolabis) plana*, p. 46; *Limnophila (Prionolabis) harukonis*, p. 47; *Hexatoma (Eriocera) masakii*, p. 48; *Cladura (Cladura) machidella*, p. 50; *Trentepohlia (Trentepohlia) fuscobasalis*, p. 51; *Protogonomyia* (n. subg.), p. 52; *Gonomyia (Prontogonomyia) clitellata*, p. 53; *Gonomyia (Gonomyia) sekiana*, p. 54; *Erioptera (Ilisia) luliana*, p. 55; *Molophilus ephippiger*, p. 57.

—————: l. c., XXII. Philip. Jour. Vol. 55, pp. 133-164).

Tipula (Lunaticipula) multibarbata, p. 133; *Dolichopeza (Nesopeza) profundemarginata*, p. 137; *Limonia (Libnotes) comissabunda*, p. 140; *L. (Linonia) inseita*, p. 143; *Orimarga (Orimarga) gymno-neura*, p. 146; *O. (O.) griseipennis*, p. 147; *Limnophila (Tricholimmophila) ferocia*, p. 151; *Trentepohlia (Trentepohlia) proba*, p. 153; *Gonomyia (Lipophleps) gressitti*, p. 157; *Ormosia diversipennis*, p. 158; *Cryptolabis (Baoura) socia*, p. 159; *C. (B.) laevilobata*, p. 160; *C. (B.) trichopoda hassensis* (n. subsp.), p. 161.

KARIYA, S.: The Genus *Pedicia* with special Reference to the Japanese Species of the Genus (Diptera: Tipulidae) Journ. Philip. Aci., Vol. 53, pp. 301-307).

Pedicia nawai, p. 304; *P. gifuensis*, p. 305, subsp. *sawadai*, p. 306.

COLEOPTERA

CHUJÔ, M.: Studies on the Chrysomelidae in the Japanese Empire, V. (Sylvia, Taihoku, V, 3, pp. 145-182).

Prioptera angusta ab. *fulva*, n. ab., p. 147; *Hoplionota arisana*, p. 149; *Thlaspida formosae* ab. *immaculatipennis*, n. ab., p. 157; *Metriona (M.) circumdata* ab. *pescaorensis*, n. ab., p. 162; *Cassida (C.) lineola* ab. *formosana*, n. ab., p. 176.

CHUJÓ, M.: Studies on the Chrysomelidae in the Japanese Empire, (VI) (Trans. Nat. Hist. Soc. Formosa, XXIV, pp. 242-247).

Lamprosoma formosensis, p. 245.

—————: Addition and Revision of the Chrysomelidae from the Japanese Empire (I) (Trans. Nat. Hist. Soc. Formosa, XXIV, pp. 248-250).

Leptispa formosana nom. nov. for. *L. bicolor* Chujo, p. 249.

—————: Studies on the Chrysomelidae in the Japanese Empire, (VII) (Trans. Nat. Hist. Soc. Formosa, XXIV, pp. 518-537).

Donacia formosana, p. 526.

GRESSITT, J. L.: New Longicorn Beetles from the Japanese Empire, II (Coleoptera: Cerambycidae) (Philip. Journ. Sci., Vol. 55, pp. 379-386).

Cerambyx minutum, p. 379; *Eustrangalis viridipennis*, p. 380; *Strangalina gracilis*, p. 381; *S. longicornis*, p. 382; *Monochammus filicornis*, p. 383; *Melanauster flavomaculatus*, p. 385.

JEDLIČKA, I.: Carabiden aus Ostasien, V (Casops Cs. Spol. Ent., XXXI, pp. 13-19).

Lebia Purkynei, p. 13.

—————: Neue Carabiden aus Ostasien, VI (Sbonik entom. odd. Nár. Musea v Praze, XII, pp. 116-124).

Pterostichus opacipennis, p. 118.

—————: Monographie der mit Colpodes verwandten Gattungen aus China, Formosa und philippinen (Acta entom. Musea Prague, XII, pp. 177-205).

Colpodes limbatus, p. 185; *C. amoenulus*, p. 194; *C. punctatus*, p. 195.

KŌNO, H.: Die japanischen Hylobiinen. (Journ. Fac. Agr. Hokkaido Imp. Univ., XXXIII, 3).

Hylobius adachii, p. 229; *H. montanus*, *H. pinastri karafutonis*, n. subsp., p. 231; *H. koreanus*, p. 233; *H. shikokuensis*, *H. yakui*, p. 234; *H. galloisi*, p. 235; *H. gigas*, p. 236; *H. okinawanus*, p. 237; *Poiyaunbus*, n. g., *Okikuruminus*, n. g., p. 241; *O. roelofsi sachalinensis*, n. subsp., p. 243; *Nipponiphades*, n. g., p. 244; *Himeniphades*, n. g., p. 245; *H. bipunctatus*, p. 246.

—————: Die Cryptoderminen Japans (Col. Curc.) (Trans. Sapporo Nat. Hist. Soc., XIII, p. 278-279).

Cryptoderma formosense, p. 279.

MATSUSHITA, M.: Über einige japanische Bockkäfer (Trans. Nat. Hist. Soc. Formosa, XXIV, p. 237-241).

Chlorophorus motschulskyi subsp. *inhirsutus*, p. 240; *C. diadema*, var. *itoi*, p. 240; *Niphona yanoi*, p. 240.

—————: Fünf neue Cerambyciden aus dem japanischen Reich (Trans. Nat. Hist. Soc. Formosa, XXIV, pp. 538-542).

Megopsis (Aegosoma) nipponica, p. 538; *Pseudosiversia coreana*, p. 539; *Dymasius kisanus*, p. 540; *Desisa tsurugiana*, *Sybra kotoensis*, p. 541.

MITONO, T.: Descriptions of new Species of Longicorn-Beetles from Formosa (I) (Trans. Nat. Hist. Soc. Formosa, XXIV, pp. 489-493).

Glenea issikii, p. 490, var. *ornata*, p. 491; *Cenodocus seopiferus*, p. 492; *Cleptomtopus orientalis*, p. 492.

MIWA, Y.: On a new Species of Rhysodidae from Formosa (Trans. Nat. Hist. Soc. Formosa, XXIV, pp. 256-257).

Clynidium (Rhysodiastes) rimoganense, p. 256.

—————: Description of a new Species of Niponidae from Formosa (l. c., XXIV, p. 258).

Niponius yamasakii, p. 258.

—————: A Study on the Lucanid-Coleoptera from the Japanese Empire, 5 (l. c., XXIV, pp. 317-332).

Ceruchinae nov. subfam., p. 320; *Eurytrachelelus kyanrauensis*, p. 324.

—————: The Fauna of Elateridae in the Japanese Empire (Dept. Agr. Govern. Res. Inst. For-

mosa, No. 65).

Pseudelater, n. subg., p. 20; Curtisius n. n. for Aplotarsus CURTIS, p. 24; Metactenicerus, n. n. for Ludius section VII, SCHWAR 3, p. 37; Lacon albomaculatus, p. 68; Elater longipennis, p. 76; E. galloisi, p. 77; Athous (Crepidophorus) montanus, p. 113; Corymbites (Actenicerus) pruinosus var. minoensis, n. var., p. 116; Corymbites (Selatosomus) kurofunei, p. 121; C. (S.) tengu, p. 122; Hypoganus mirabilis, p. 125; Orithalus yezoensis, p. 126; Agrypnus pescadorensis, p. 178; Adlocera ramatasenseni, p. 180; Elater (Pseudelater) habunensis, p. 197; Melanoxanthus amianus, p. 204; Athous (Heterathous) antennatus, p. 224; Agriotes taiyaru, p. 232; Adlocera yayeyamana, p. 246; Paralacon amamiensis, p. 248; Melanoxanthus sonani, p. 252; Anchastus castaneus, p. 253; Quasimus cordatus, Q. takahashii, p. 254; Paracardiophorus loochooensis, p. 225; Neotrichophorus aureopilosus, p. 259; Agriotes insularis, p. 260; A. hirayamai, 261; Glyphonyx esakii. G. iriomotensis, p. 263; G. pallidipes, p. 264.

MURAYAMA, J.: Notes on the Ipidae from Kiushu (Annot. Zool. Jap., 14, pp. 287-300).

Stephanoderes amakusanus, p. 287; Kyleborus kumamotoensis, p. 288; X. kadoyamaensis, p. 290; X. calamoides, p. 291; X. osumiensis, p. 292; X. onoharaensis, p. 293; X. nagaoensis, p. 294.

—————: A new Species of Cryphalinae (Coleoptera, Ipidae) from Korea (Journ. Chosen Nat. Hist. Soc., No. 17, pp. 59-60.)

Cryphalus furukawai, p. 59.

PIC, M.: Nouveautés diverses (Mélanges Exotico-Entomologiques, pp. 1-35).

Dorcadiohammus punctatus, p. 8.

SEKI, K.: Hompo-san Merionoeda-zoku no Tengu ni tsuite (Konchūkai, II, pp. 584-586).

Merionoeda kurarensis, p. 585.

THÉRY, A.: Trachydes nouveaux de la faune paléarctique (Col. Buprestidae) (Bull. Soc. Entom. France, Vol. 39, pp. 84-87).

Trachys ornata, p. 86.

LEPIDOPTERA

DOI, H. & CHO, F.: A new species of Erebei and a new form of Melitaea athalia latefascia from Korea (Journ. Chosen Nat. Hist. Soc., No. 17, pp. 34-35).

Erebia kwanbozana, p. 34; Melstaea athalia latefascia f. songtonia (n. f.), p. 34.

EVANS, W. H.: Indo-Australian Hesperiidæ: Descriptions of New Genera, Species and sub-species (Entomologist, XXVII, pp. 181-184, pp. 206-208).

Padraona juno wilemanni (n. subsp.), p. 184; Telicota krefftii horisha (n. subsp.), p. 208.

KANDA, S.: A new subspecies of Lycaenidae from Kuriles (Ageha, Vol. 3, pp. 8-9).

Lycaena enphemus naganumai, p. 8.

MEYRICK, E.: Exotic Microlepidoptera, Vol. IV, Pts. 15-17, pp. 449-544.

Tricyphistis cyanorma, p. 449; Clepsimacha (n. g.) eriocrossa, p. 450; Chelaria leptopalta, p. 451; C. petrinopsis, p. 451; Brachmia ioplaca, p. 453; Ethmia zygospila, p. 459; Coleophora citrarga, p. 460; Opogona phaeadelphia, p. 463; O. thiadelphia, p. 463; Heliozela subpurpurea, p. 466; Phrioxosceles scioplintha, p. 470; Depressaria petronoma, p. 475; D. rhododrosa, p. 476; Cryptolechia phaeoausta, p. 478; C. achlyphanes, p. 478; Crypsithyris crococomma, p. 479; Tinea semidivisa, p. 480; T. croniopa, p. 480; T. defnescens, p. 480; T. argyrocentra, p. 481; Hypophrictis capnomicta, p. 481.

SHIRAKI, T. et SONAN, J.: On a new species of Papilionidae, Papilio maraho SHIRAKI et SONAN (Zephyrus, Vol. 5, pp. 177-182).

Papilio maraho, p. 177.

SONAN, J.: On three new species of the Moths in Japan and Formosa (Kontyu, Vol. VIII, No. 4, 5, 6, pp. 212-214).

Boarmia unmon, p. 212; Pericallia takanoi, p. 213; Dendrolimus okinawanus, p. 214.

SUGIHARA, Y. et OKAMOTO, H.: Uraginshijimi no Sin-ijōkei narabini Kichō no Kikei (Konchū-

kai, II, pp. 297-298).

Curetis bulis japonica ab. *hamaguchii* n. ab., p. 297.

SUGITANI, I.: Corean butterflies. (3) (*Zephyrus*. Vol. 5, pp. 165-176).

Lycaena arion ussuriensis Sheljuzhko, ab. *hironobui*.

RHYNCHOTA

ESAKI, T.: New or unrecorded aquatic Heteroptera from Japan and Saghalien (Mushi, Fukuoka, VII, pp. 26-29).

Aphelochirus takeuchii, p. 26; *Diplonychus major*, p. 27.

KANDA, S.: A new species of *Eulecanium* (Annot. Zool. Jap., 14, pp. 405-408).

Eulecanium Kuwanai, p. 405.

KATO, M.: Semi no 2 Shin-kei ni tsuite (*Konchūkai*, II, 7, pp. 8-10).

Oncotympana maculaticollis var. *aka*, n. var.; *Tibicen flammatus* var. *concolor*, n. var., p. 8.

MONZEN, K.: Some contributions to the knowledges of the new and recorded species of the gall producing aphides (Bull. Sci. Res. Alum. Assoc. Morioka college Agr. & Forest., Vol. IX, pp. 1-22).

Nipponaphis distyliicola, p. 4; *N. globuli*, p. 5; *N. yanonis* var. *autumnus*, p. 9; *Anuraphis floris*, p. 21.

TAKAHASHI, R.: Notes on the Aleyrodidae of Japan (Homoptera), I. (*Kontyū*, Vol. VIII, No. 4, 5, 6, pp. 223-224).

Dialeurodes styraci, p. 223.

—————: A new aphid of the genus *Astegopteryx* KORSCH (Homiptera, Aphididae).

Astegopteryx takenouchii, p. 68.

—————: Okinoshima no Aburamushi (*Fukuoka Hakubutsugaku Zasshi*, Vol. 1, pp. 243-247).

Myzus lactucicola, p. 245.

—————: A new Whitefly from China (Aleyrodidae, Homoptera) (*Ling. Sci. Journ.*, Vol. 13, pp. 137-141).

Bemisia yanagicola, p. 137.

—————: Observations on the Coccidae of Formosa, IV (Dept. Agr. Govern. Res. Inst. Formosa, No. 63, pp. 1-38).

Pseudococcus shintenensis, p. 2; *Aulacaspis greeni*, p. 4; *Phenacaspis formosana*, p. 7; *Chionaspis graminicola*, p. 9; *Unaspis acuminata* var. *turpinae*, p. 10; *Tsukushiaspis bambusifoliae*, p. 11; *T. hichiseisana*, p. 12; *Leucodiaspis hydrangeae*, p. 15; *Lepidosaphes lithocarpi*, p. 18; *Fiorinia proboscidea* var. *randiae*, p. 20; *F. theae* var. *turpinae*, p. 21; *F. taiwana*, p. 24 & var. *arengae*, p. 26; *Neoparlatoria lithocarpi*, p. 28; *N. lithocarpicola*, p. 30; *Aonidia rarasana*, p. 31.

—————: Aleyrodidae of Formosa. III. (I. c., No. 63, pp. 39-71).

Dialeurodes tetrastigmae, p. 39; *D. rarasana*, p. 41; *D. monticola*, p. 42; *D. dioscoreae*, p. 43; *D. piperis*, p. 44; *Dialeuropora hassensanensis*, p. 45; *Pseudaleurolobus maesae*, p. 46; *Aleurotuber culatus latus*, p. 47; *A. suishanus*, p. 48; *A. lithocarpi*, p. 50; *A. longispinus*, p. 51; *A. melastomae*, p. 52; *A. kuwanai*, p. 54; *A. neolitsea*, p. 55; *A. thysanospermi*, p. 56; *A. lagerstroemiae*, p. 57; *Tuberaleyrodes bobuae*, p. 58; *Pealius polygona*, p. 59; *Bemisia kuwanai*, p. 60; *Aleurolobus rhododendri*, p. 62; *Aleurohrixus smilaceti*, p. 63; *Setaleyrodes quercicola*, p. 65; *Tetraleyrodes oplismeni*, p. 66; *T. graminis*, p. 67.

EPHEMERIDA

IMANISHI, K.: Mayflies from Japanese Torrents, IV. Notes on the Genus *Epeorus* (Annot. Zool. Jap., 14, pp. 381-394).

Epeorus aesculus, p. 384; *E. hiemalis*, p. 386; *E. napaesus*, p. 390.