



HOKKAIDO UNIVERSITY

Title	Recent literature in Entomology
Citation	Insecta matsumurana, 19(1-2), 65-70
Issue Date	1955-06
Doc URL	https://hdl.handle.net/2115/9564
Type	departmental bulletin paper
File Information	19(1-2)_p65-70.pdf



RECENT LITERATURE IN ENTOMOLOGY

1954*

General

SHIRAKI, T.: Classification of Insects, Tokyo, 961 pp. (In Japanese).

Apterygota

UCHIDA, H.: The insect fauna of Mt. Ishizuchi and Omogo Valley, Iyo, Japan. The Collembola. Trans. Shikoku Ent. Soc., 4 : 1-6.

———: Apterygota of the Hachijō-Jima and its adjacent islands. Sci. Rep.

Fac. Lit. & Sci. Hirosaki Univ., 1 : 1-17. [*Homidia fujiyamai* p. 7, *Petrobiellus curvistylis* p. 13, Japan, spp. n.].YOSSI, R.: Höhlencollembolen Japans I. Kontyū, 20 : 62-70. [*Onychiurus uénoi* p. 62, *Anurida speoia* p. 64, *Protanura lobella* p. 65, *Lobella similis* p. 66, *Sinella stalagmitorum* p. 67, *Arrhopalites antrobius* p. 68, Japan, spp. n.].———: Springschwänze des Ozé-Naturschutzgebiets. Rep. Scientific Researches of the Ozegahara Moor, 1954, pp. 777-830. [*Ceratophysella denisi* p. 78, *Hypogastrura duplicispinosa* p. 781, *Friesea japonica* p. 782, *Odonthella similis* p. 783, *distincta* p. 785, *Granaturida* (g. n.) p. 788, *tuberculata* p. 789, *Crossodontina* (g. n.) *nipponica* p. 791, *Metanura* (g. n.) p. 791, *Sancti-Sebastiani* p. 793, *pygmaea* p. 794, *Neanura mandarina* p. 796, *Lobella roseola* p. 797, *Folsonia ozéana* p. 801, *Entomobrya ozéana* p. 803, *Tomocerus kawamurai* p. 809, *kumei* p. 812, *uénoi* p. 813, *asahinai* p. 814, *Sphaeridia tunicata* p. 816, Japan, spp. n. *Ptenothryx mongolica* p. 827, *Papirinus* (g. n.) *prodigiosum*, p. 828, Mongolia spp. n.].

Orthoptera

CHOPARD, L.: Les Orthoptères cavernicoles du Japon. Mushi, 27 : 1-8. [*Diestrammena fascipes* p. 4, *Tachycines ishikawai* p. 6, *parvus* p. 8, Japan, spp. n.]

Plecoptera

KAWAI, T.: Studies on the Holognathous stoneflies of Japan. I. Six new species of Nemouridae. Mushi, 26 : 53-58. [*Nemoura* (*Nemoura*) *pseudofluva* p. 53, *naraiensis*, p. 54, *uenoi* p. 55, *denticulata* p. 58, *N.* (*Amphinemura*)

* The papers published in the Insecta Matsumurana, Vol. 18, Nos. 3 & 4, 1954 are omitted.

dichotoma & *N. (Protonemura) towadensis* p. 57, Japan, spp. n.].

- KOHONO, M.: On the genera *Takagripopteryx* OKAMOTO and *Allocapnia* CLAASSEN (Plecoptera: Capniidae). *Mushi*, 27 : 9-18. [*Takagripopteryx imamurai* p. 14, Japan, sp. n.].

Anoplura

- KANEKO, K.: Description of a new species of *Enderleinellus* collected from the South Formosan Squirrel naturalized into Japan. *Bull. Tokyo Medical and Dental University*, No. 1, pp. 49-52. [*Enderleinellus kumadai* p. 49, Japan, sp. n.].

Hemiptera

- ESAKI, T. and S. ITO: A tentative catalogue of Jassoidea of Japan, and her adjacent territories. Publication of the Japan Society for Promotion of Science 315 pp.
- ISHIHARA, T.: Revision of two Japanese genera of the Deltocephalinae. *Do-butsugaku Zasshi (Zool. Mag.)*, 63 : 243-245, (In Japanese with a résumé in English).
- : Some species of the Deltocephalidae of Japan. loc. cit. 63 : 266-270. (In Japanese with a résumé in English).
- : Two Japanese genera of Deltocephalidae, *Paralimnus* MATSUMURA, 1902, and *Metalimnus* RIBAUT, 1948. loc. cit. 63 : 373-376. (In Japanese with a résumé in English).
- : On the genus *Dortulina* MELICHAR, 1903, a genus of the family Deltocephalidae, of Japan. loc. cit. 63 : 377-383. (In Japanese with a résumé in English).
- TAKAHASHI, R.: *Aleurolobus* of Japan. *Kontyû*, 20 : 49-54. [*Aleurobobus japonicus* p. 54, *styraci* p. 52, Japan, spp. n.].

Neuroptera

- NAKAHARA, W.: Early stages of some Japanese Hemerobiidae, including two new species. *Kontyû*, 21 : 41-46. *Hemerobius obtusus* p. 42, *Symphorobius domesticus*, p. 43, Japan, spp. n.]

Lepidoptera

- INOUE, H.: A new species of the Geometridae from Japan. *Kontyû*, 21 : 38-40. [*Hemerophila harutai* p. 38, Japan, sp. n.].
- : Moths of Shansi, North China (I). *Mushi*, 26 : 19-22.
- MURAYAMA, S.: New subspecies of butterflies from Japan, with notes on some species. *New Entomologist*, 3 (4) : 33-35. [*Sasakia charonda sapporensis*, *Favonius orientalis shirozui* & *F. saphirinus oeanus* p. 33, *Neozephyrus smaragdinus amoenus* & *N. aurorinus alpinus* p. 34, *N. a. kansaiensis* & *Artopetes pryleri yatsugatakensis* p. 35, Japan, subspp. n.]

Coleoptera

- CHÛJÔ, M.: Description of a new Chrysomelid-beetle belonging to the Galerucine genus *Atysa* BALY from Japan. *Mushi*, 26 : 1-4. [*Atysa uetsukii* p. 2, Japan, sp. n.].
- : Chrysomelid-beetles from Shikoku, Japan (III). *Trans. Shikoku Ent. Soc.*, 4 : 51-62. [*Calomicrus akkoae* p. 53, *nobyi* p. 55, Japan, spp. n.].
- HABU, N.: Some new species of Carabidae sent to the author by Mr. K. SHIRAHATA. *Bull. Nat. Inst. Agric. Sci., Ser. C*, 4 : 233-243. [*Trichotichnus sachalinensis* p. 233, Saghalien, sp. n. *Agonum shirahatai* p. 235, *Synuchus sakataensis* p. 237, *Crepidactyla shirahatai* p. 239, *Stomis zaonus* p. 241, Japan, spp. n.].
- : Species of the genus *Trichotichnus* from Mt. Hiko, Kyushu. loc. cit., 4 : 245-262. [*Trichotichnus nanus* p. 255, *giganteus* p. 257, Japan, spp. n.].
- : On *Trephionus ôtuboi* HABU. loc. cit., 4 : 263-279. [*Morimotoidius* (g. n.) *formosus* p. 267, *Trephionus* (*Sphodroides*) (subg. n.) *kinoshitai* p. 272, *T.* (*Kirishimanus*) (subg. n.) *takakurai* p. 274, *sordiatatus* p. 276, Japan, spp. n.].
- : Descriptions of some new Carabid-beetles from Japan. loc. cit., 4 : 281-294. [*Ophonus* (*Neopardileus*) (subg. n.) *itoshimanus* p. 281, *Acupalpus sobosanus* p. 283, *Pogonus itoshimaensis* p. 285, *Asaphidion tenryuensis* p. 288, *Pterostichus kirishimanus* p. 290, *Agonum morimotoi* p. 292, Japan, spp. n.].
- : Species of the genus *Agonum* and its allied genera from Mt. Hiko, Kyushu. loc. cit., 4 : 295-337. [*Agonum kyushuensis* p. 304, *takachihoi* p. 309, *esakii* p. 320, *shirozui* p. 328, *ehikoensis* p. 331, Japan, spp. n. *Hemibiagonum* p. 314, *Hikosanoagonum* p. 327, subg. n.].
- : Two new and rare *Agonum*-species preserved in the collection of the Entomological Laboratory of Kyushu University. *Kontyû*, 22 : 17-22. [*Agonum sataensis* p. 17, *hirashimai* p. 19, Japan, spp. n.].
- : On four new species of *Trichotichnus* from Mt. Hiko, Kyushu. *Mushi*, 26 : 53-59. [*Trichotichnus pacificatorius* p. 53, *tranquillus* p. 55, *noctuatundus* p. 56, *vespertinus* p. 57, Japan, spp. n.].
- HIRANO, C.: On the Japanese species of the genus *Eupos*. *Kontyû*, 21 : 1-9. (In Japanese with a résumé in English).
- KUROSAWA, Y.: Buprestid-fauna of Eastern Asia. (1). *Bull. Nat. Sci. Mus.*, 34 : 29-39. *Chrysodema yasumatsui* p. 29, Botel-Tobago Island, sp. n. *Philanthaxia convexifrons* p. 34, Formosa, sp. n. *Nalanda shirozui* p. 36, *Aphanisticus yasumatsui* p. 37, Japan, spp. n. *Buprestis aurantiopicta esakii* p. 33, Formosa, subsp. n.].
- : Buprestid fauna of Eastern Asia (2). loc. cit., 35 : 82-93. [*Trachys ohbayashii* p. 83, *Agrilus subcuneiformis* p. 84, *satoi* p. 85, *semiaurovittatus* p. 87, *taiwanensis* p. 88, *hasegawai* p. 90, Formosa, spp. n.].
- MIYATAKE, M.: Studies on the Japanese Ciidae, I. *Matsuyama Agric. Coll. Sci.*

- Rep., 14 : 41-67. [*Omogocis* (g. n.) *tuberculifrons* p. 41, *Nipponaptercis* (g. n.) *brevis* p. 43, *Lipopterocis* (g. n.) *simplex* p. 45, *Cis robustus* p. 46, *Cis* (*Acanthocis*) (subg. n.) *bisetosus* p. 48, *Paracastocis* (g. n.) *unicornis* p. 52, *Euxestocis* (g. n.) *bicornutus* p. 54, *Ennearthron shikokuense* p. 56, *mohrii* p. 56, *ishiharai* p. 57, *Neoenearthron* (g. n.) *nicarinatum* p. 59, *Octoemnus omogensis* p. 61, *parvulus* p. 62, *punctidorsum* p. 63, *japonicus* p. 64, Japan, spp. n.].
- NAKANE, M.: New or little known Coleoptera from Japan and its adjacent regions X. Trans. Shikoku Ent. Soc., 4 : 7-15. [*Falagria hisamatsui* SAWADA et NAKANE p. 7, *Stenus yanoi* SAWADA et NAKANE p. 8, *Phytolinus variegatus* SAWADA et NAKANE p. 8, *Agathidium derispioides* p. 10, *Trox nohirai* p. 10, *Tritoma arakii* p. 12, *Hypnoides brunneofuscus* p. 14, Japan, spp. n. *Sericania quadrifoliata shikokuana* p. 12, *Calvia duodecimmaculata yuasai* p. 13, Japan, subsp. n.].
- : New or little known Coleoptera from Japan and its adjacent region XI. Oedemeridae. Saikyo Univ. Sci. Rept., 1 : 171-182. [*Xanthochroa wadai* p. 171, *konoi* p. 172, *osawai* p. 173, *X.* (*Patialomorpha*) (subg. n.) *spinicovis* p. 174, *Asclera satana* p. 175, *igai* p. 177, *Eobia fuscipennis* p. 178, *Paroncomera* (g. n.) *yatoi* p. 179, *Oedemerina subrobusta* p. 180, Japan, spp. n. *Asclera subrugosa kyushuensis* p. 178, *Paroncomera yatoi tokarensis* p. 179, Japan, subspp. n.].
- : A list of Coleoptera (Polyphaga) from the Oze, with descriptions of some new species. Rep. Scientific Researches of the Ozegahara Moor, 1954, pp. 727-743. *Nazeris hasegawai* NAKANE et K. SAWADA p. 737, *Actenicerus ozeanus* NAKANE et KISHII p. 737, *Sericus grandis* NAKANE et KISHII p. 739, *Danacia ozensis* NAKANE p. 739, Japan. spp. n.].
- NOBUCHI, A.: Morphological and ecological notes of fungivorous insects (II). On the larvae of Erotylid-beetles from Japan (Erotylidae, Coleoptera) (Part 1). Kontyû, 22 : 1-6. (In Japanese with a résumé in English).
- OHBA YASHI, K.: Five new species of Lycidae from Japan. Mushi, 26 : 19-22. *Dictyopectera speciosa* p. 19, *Conderis chujoji* p. 20, *Xylobanus niger* p. 21, *Cladophorus incompositus* p. 21, *Plateros yakushimaensis* p. 22, Japan, spp. n.].
- OHIRA, H.: New or little-known Elateridae from Japan. Mushi, 27 : 41-47. [*Ampedus hakusanus* p. 42, *Ctenicera minoensis* p. 44, *Agriotetes hattorii* p. 45, Japan, spp. n.].
- UÉNO, S.: A list of adaphagous beetles from the Ozegahara moor, with the descriptions of new species. Rep. Sci. Res. Ozegahara Moor, 1954, pp. 710-726, [*Elaphrus japonicus* p. 718, *Trechus* (*Epaphius*) *ozegaharanus* p. 720, *yosiianus* p. 721, Japan, spp. n.].
- UMEYA, K. and T. FUJIMURA: On *Glenea chlorospila* GAHAN from the Izu islands in Japan. Kontyû, 23 : 13-16. (In Japanese with a résumé in English). [*Glenea chlorospila izuinularis* p. 13, Japan, subsp. n.].
- WITTER, W.: Zur Kenntnis der Moltodes Japans (Col. Cantharidae). Mushi,

26 : 47-52. [*Malthodes ohbayashii* p. 48, *longipygus* p. 49, *kurosawai* p. 49, *simplipygus* p. 50, *minutopygus* p. 50, *furcatopygus* p. 51, Japan, spp. n.].

Diptera

- FORST, S. W. and M. SASAKAWA : New Agromyzidae from Japan II. Mushi, 27 : 49-52. [*Phytomyza jucunda* p. 49, Japan, sp. n.].
- KANO, R., NITAHARA, M. and J. AWAYA : Description of a new mosquito, *Culex* (*Culiciomyia*) *sasai* n. sp. collected in the southwestern part of Japan. (In Japanese). Jap. Jour. Sanitary Zool., 5 : 14-20. [*Culex* (*Culiciomyia*) *sasai* p. 14, Japan, sp. n.].
- KURODA, M. : Three new species and a new subspecies of Agromyzid flies from Japan. Kontyû, 21 : 76-83. [*Phytomyza ranunculi pentalinearioris* p. 76, Japan, subsp. n. *Phytomyza artemisiae* p. 78, *Agromyza euonymia* p. 80, *Ophiomyia asteris* p. 82, Japan, spp. n.].
- MANI, M. S. : A new gall midge from Japan (Intonididae=Cecidomyiidae, Diptera). Mushi, 26 : 9-12. [*Dasyneura wistariae* p. 9, Japan, sp. n.].
- NAGATOMI, A. : A new species of the genus *Arthroceras* WILLISTON from Japan (Diptera, Rhagionidae). Mushi, 26 : 13-15. [*Arthroceras japonicum* p. 13, Japan, sp. n.].
- SASAKAWA, M. : Neue Agromyzidae aus Japan V. Trans. Shikoku Ent. Soc., 4 : 35-59. [*Agromyza quercus* p. 35, *Melanagromyza elaeagni* p. 38, *kammuriensis* p. 40, *styracicola* p. 42, *paederiae* p. 45, Japan, spp. n.].
- : New and unrecorded Agromyzidae from Japan IV. Kontyû, 20 : 55-61. [*Napomyza akebiae* p. 55, *crawfurdiæ* p. 57, Japan, spp. n.].
- : New Agromyzidae aus Japan III. Kontyû, 22 : 23-28. [*Carinagromyza* (g. n.) *heringi* p. 24, Japan, sp. n.].

Hymenoptera

- ISHII, T. and K. YASUMATSU : Description of a new parasitic wasp of *Cerplastes rubens* MASKELL (Hym., Eucyrtidae). Mushi, 27 : 69-74. [*Anicetus beneficus* p. 70, Japan, sp. n.].
- ISHIKAWA, R. : Two new species of *Priocnemis* from Japan (Hymenoptera, Pompilidae). Mushi, 27 : 33-39. [*Priocnemis mitakensis* p. 33, *yasumatsui* p. 36, Japan, spp. n.].
- MINAMIKAWA, J. : On the Hymenopterous parasites of the tea-leafrollers found in Japan and Formosa. Mushi, 26 : 35-46. [*Bracon adoxophyesi* p. 39, *Apanteles adoxophyesi* p. 40, *Meteorus adoxophyesi* p. 41, Japan, spp. n.].
- SAKAGAMI, S. F. : Ueber einige Hummelarten von Hokkaido und Kurilen Inseln (Systematische Studien der Hummeln. V.). Kontyû, 21 : 48-92. [*Bombus* (*Hortobombus*) *tersatus kurilensis* p. 92, Kuriles, subsp. n.].
- TSUNEKI, K. : The genus *Stigmus* PANZER of Europe and Asia with descriptions of eight new species (Hymenoptera, Sphecidae). Memoris of Faculty of Liberal Arts, Fukui University, Series II, Natural Science, No. 3, Pt. 1, 1-38.

- [*Stigmus* (*Carinostigmus*) *iwatai* p. 15, China, *formosanus* p. 25, Formosa, *S. (Stigmus) europaeus* p. 25, *verhoeffi* p. 29, *japonicus* p. 29, *munakatai* p. 32, *convergens* p. 33 & *flavicornis* p. 35, Japan, spp. n.].
- TSUNEKI, K.: The genus *Crossocerus* LEPELETIER et BURLLÉ (1834) of Japan, Korea, Saghalien and the Kuriles (Hymenoptera, Sphecidae, Cacabroninae). Loc. cit. No. 3, Pt. 3, 57-78. [*Ainocrabro* p. 74, subg. n. *Crossocerus (Blepharipus) hakanus* p. 74, *C. (Coelocrabro) tanakai* p. 76, Japan, spp. n. *Crossocerus (Coelocrabro) ambiguus hokkaidoensis* p. 78, Japan, subsp. n.].
- : Descriptions and records of wasps of the families Chrysididae and Sphecidae of Japan. Loc. cit., No. 4, Pt. 5, pp. 37-54. [*Hedychrum okai* p. 37, *Chrysis (Tetrachrysis) komachi* p. 39, *Ectemnius (Clytochrysus) flavohirtus* p. 43. *Crossocerus (Coelocrabro) tyuzendzianus* p. 46, *Stigmus (Stigmus) quadriceps* p. 47, Japan, spp. n.].
- UCHIDA, T.: Ein neuer Schmarotzer des japanischen Ringelspinners (Hym. Ichneumonidae, Cryptinae). Mushi, 26 : 17-18. [*Rhobocampe yasumatsui* p. 17, Japan, sp. n.].
- WATANABE, C.: Discovery of four new species of Telenomidae, egg-parasites of Pentatomid and Plataspid bugs, in Shikoku, Japan. Trans. Shikoku Ent. Soc., 4 : 17-22. [*Telenomus nakagawai* p. 17, *Asolcus plautiae* p. 18, *minor* p. 20 & *elasmuchae* p. 21, Japan, spp. n.].
- : New species and host records of Proctorupidae. Mushi, 26 : 5-8. [*Disogmus affissae* p. 5, *Phaenoserphus nebriae* p. 8, Japan, spp. n.].
- YASUMATSU, K.: Miscellaneous notes on the Scoliidae of Japan. Konyû, 21 : 47-50.

Errata and Addition

CHÛJÔ, M.: Descriptions of a new species and a new subspecies of the genus *Lypsthes* BALY from Japan, including some notices on its two other known-species. Insecta Matsumurana, Vol. 18, Nos. 3 & 4, pp. 103-108, 1954.

- Page 107, line 9 from top, add "free" before "from".
 " line 17 from top, for "2 Ex." read "1 Ex."
 " line 4 from bottom, for "Leptotes" read "Lypsthes".