



HOKKAIDO UNIVERSITY

| | |
|------------------|---|
| Title | Contents of volumes 16-30(1942-1967[1968]) |
| Citation | Insecta matsumurana, 30(2), 129-142 |
| Issue Date | 1968-07 |
| Doc URL | https://hdl.handle.net/2115/9758 |
| Type | departmental bulletin paper |
| File Information | 30(2)_p129-142.pdf |



CONTENTS OF VOLUMES XVI-XXX

(1942-1967 [1968])

ORIGINAL ARTICLES

DIPTERA

| | Vol. | (No.) | Page |
|--|--------|---------|------|
| ITO, S. | | | |
| Neue Trypetiden aus Japan (Diptera) (I) | XVII | (1) | 53 |
| KATO, S. | | | |
| An unrecorded species of the genus <i>Leucopis</i> Meigen (Dipt., Chamaemyiidae) from Japan | XVII | (1) | 50 |
| Odiniidae of Japan, with descriptions of a new species and a new subspecies (Diptera) | XVIII | (1 & 2) | 1 |
| MIYAGI, I. | | | |
| Notes on Korean species of the Canaceidae, with descriptions of two new species (Diptera : Canaceidae) | XXVI | (2) | 122 |
| On the Japanese species of the genus <i>Procanace</i> Hendel, with descriptions of seven new species (Diptera : Canaceidae) | XXVII | (2) | 85 |
| Descriptions of three new species of the genus <i>Notiphila</i> Fallén from Japan, with other notes (Dipt., Ephydriidae) | XXVIII | (2) | 121 |
| Three species of the genus <i>Ochthera</i> Latreille of Japan (Diptera : Ephydriidae) | XXVIII | (2) | 126 |
| NAGATOMI, A. | | | |
| The <i>Chorisops</i> of the Palaearctic region (Diptera : Stratiomyidae) | XXVII | (1) | 18 |
| NISHIJIMA, Y. | | | |
| Descriptions of a new genus and a new species of Chloropidae from Japan (Diptera) | XVIII | (3 & 4) | 84 |
| Notes on Chloropidae of Japan, with description of a new species (Diptera) | XIX | (1 & 2) | 51 |
| Description of a new species of the genus <i>Elachiptera</i> Macquart occurring in Japan (Diptera, Chloropidae) | XX | (1 & 2) | 19 |
| Notes on Chloropidae of Japan, with special reference to the species of the genus <i>Elachiptera</i> Macquart (Diptera, Chloropidae) | XX | (1 & 2) | 39 |
| On two new species of the genus <i>Gampsocera</i> Schiner from Japan (Diptera, Chloropidae) | XX | (1 & 2) | 50 |
| Notes on <i>Platycephalisca nigra</i> Nartshuk in Japan (Diptera, Chloropidae) | XXIII | (1) | 66 |
| Notes on Chloropidae in the Amami Islands (I) | XXIII | (2) | 126 |
| SASAKAWA, M. | | | |
| A new species related to <i>Phytomyza saxifragae</i> Hering | | | |

| | | | |
|--|-------|---------|-----|
| (Diptera, Agromyzidae) | XIX | (2 & 3) | 105 |
| Three Agromyzids from the Kurile Islands (Diptera) | XXIV | (2) | 124 |
| SHIRAKI, T. | | | |
| A new genus of Syrphidae, <i>Matsumyia</i> | XVII | (1) | 1 |
| Studies on the Syrphidae 4. Japanese Graptomyzinae | XVIII | (3 & 4) | 54 |
| Studies on the Syrphidae 5. Two new Japanese species presented by Dr. C. Ôkawa | XX | (1 & 2) | 1 |
| TAKAGI, S. | | | |
| Descriptions of two species of <i>Argyra</i> occurring in Japan (Diptera : Dolichopodidae) | XXIII | (2) | 121 |
| A revision of <i>Conicera japonica</i> Matsumura (Diptera : Phoridae) | XXV | (1) | 44 |
| Notes on <i>Phora apicalis</i> Matsumura | XXV | (1) | 45 |
| A contribution to the knowledge of the marine shore Dolichopodidae of Japan (Diptera) | XXVII | (2) | 49 |
| On some marine shore Dolichopodidae of Taiwan (Diptera) | XIX | (2) | 51 |
| TAKAHASHI, H. | | | |
| Die Simuliiden von Mandschukuo, II | XVI | (1 & 2) | 36 |
| TAKAHASHI, M. | | | |
| A new <i>Ctenacroscelis</i> from Amami-Oshima (Diptera, Tipulidae) | XXIII | (1) | 25 |
| UCHIDA, T. and M. INOUE | | | |
| Eine neue <i>Dasyneura</i> -Art aus Hokkaido (Dipt., Itonididae) | XVIII | (3 & 4) | 73 |
| Eine neue <i>Thecodiplosis</i> -Art (Dip., Itonididae) | XIX | (1 & 2) | 44 |
| Eine neue <i>Contarinia</i> -Art (Dip., Itonididae) | XX | (1 & 2) | 34 |
| UÉDA, S. | | | |
| Description of a new species of the genus <i>Plesioestrus</i> Villeneuve, with notes on <i>Aulacephala hervei</i> Bequaert (Diptera : Larvaevoridae) | XXIII | (1) | 14 |
| A new species of the genus <i>Carcelia</i> from Japan (Diptera : Larvaevoridae) | XXIII | (2) | 112 |
| WATANABE, C. | | | |
| Nomenclature of a bionid-fly and a saw-fly | XXV | (1) | 49 |
| WATANABE, C. and T. KOCHA | | | |
| Dipterous and hymenopterous parasites of five nymphalid butterflies | XIX | (2) | 44 |

HYMENOPTERA

HIRASHIMA, Y.

Some bees of the genus *Nomia* Latreille from Formosa (Hymenoptera, Halictidae) XX (1 & 2) 29

A new species of the genus *Epeolus* Latreille from Japan (Hymenoptera : Apidae) XIX (1 & 2) 40

HUNGERFORD, H. B. and R. MATSUDA

A review of the subgenus *Neogerris* Matsumura (Hemiptera : Gerridae) XXIV (2) 112

HUSSEY, N. W. and K. KAMIJO

A new species of *Megastigmus* from Japan (Hym., Chalcidoidea) XXI (3 & 4) 115

ISHIKAWA, R.

- On the genus *Evagetes* of Japan (Hymenoptera, Pompilidae) . . . XXIII (1) 57

KAMIJO, K.

- Descriptions of two new species of *Megastigmus* from Japan (Hym., Chalcidoidea) XXII (1 & 2) 31
- Two new species of the genus *Epilampsis* Delucchi from Japan (Hymenoptera, Eulophidae) XXIII (1) 21
- Descriptions of a new genus and ten new species of Lamprotatinae (Hymenoptera, Pteromalidae) XXIII (1) 28
- One new genus and four new species of the *Gastracanthus*-complex (Hymenoptera : Pteromalidae) XXIII (2) 101
- A new genus and a new species of Lamprotatinae (Hymenoptera : Pteromalidae) XXIII (2) 118
- A new genus and a new species of Toryminae (Hymenoptera : Chalcidoidea) XXIV (1) 66
- A revision of the species of the Megastigminae occurring in Japan (Hymenoptera : Chalcidoidea) XXV (1) 18
- A revision of the genus *Glyptosticha* Masi, with descriptions of a new genus and a new species (Hymenoptera: Pteromalidae) XXV (2) 118
- A revision of the species of the Monodontomerinae occurring in Japan (Hymenoptera : Chalcidoidea) XXVI (2) 89
- A new species of the genus *Diomorus* Walker (Hymenoptera : Torymidae) XXVII (1) 16
- Descriptions of five new species of Eulophinae from Japan and other notes (Hymenoptera : Chalcidoidea) XXVIII (1) 69
- A new host-record of *Monodontomerus osmia* Kamijo XXVIII (1) 78

KUSIGEMATI, K.

- Descriptions of four new species of the genus *Triece* Townes from Japan (Hymenoptera, Ichneumonidae) XXIX (2) 45
- New host records of Ichneumonidae from Japan XXIX (2) 50
- Discovery of *Ropronia watanabei* in Japan XXIX (2) 50
- On the Japanese species of the genus *Chorinaeus* Holmgren, with descriptions of five new species (Hymenoptera : Ichneumonidae) XXX (1) 17
- On the species of *Plectochorus* Uchida in Japan, with description of a new species XXX (1) 27

MOMOI, S.

- Notes on two species of *Xanthopimpla* of Japan (Hymenoptera, Ichneumonidae) XXI (3 & 4) 120
- On the species of *Acertaspis* Uchida occurring in Japan (Hymenoptera, Ichneumonidae) XXIII (1) 52
- Discovery of two species of *Leptobatopsis* in Japan (Hymenoptera, Ichneumonidae) XXIII (1) 63
- A list of Pimplinae of Saghalien and the Kuriles in the collection of the Entomological Institute, Hokkaido University (Hymenoptera : Ichneumonidae) XXIV (2) 125

- Revision of the ichneumonflies of the tribe Glyptini occurring in Japan (Hymenoptera : Ichneumonidae) XXV (2) 98
- Notes on *Lycorina ornata* Uchida & Momoi XXV (2) 117
- New host-records of Ichneumonidae of Japan and new homonymy XXVI (1) 54
- Occurrence of two species of Ichneumonidae in Japan . . . XXVI (1) 48
- Description of a new genus of Glyptini, with notes on the generic limits of *Glypta* and allied genera (Hymenoptera : Ichneumonidae) XXVIII (1) 79
- Platylabus tenuicornis* new to Japan XXVIII (1) 82
- OKUTANI, T.
New sawflies from Japan (Studies on Symphyta VI) XX (3 & 4) 97
- PSCHORN-WALCHER, H.
A list of Proctotrupidae of Japan with descriptions of two new species (Hymenoptera) XXVII (1) 1
- SAKAGAMI, S.
A new genus of Liopteridae from Japan (Hymenoptera, Cynipoidea) XVII (1) 35
- Zwei Schmarotzerhummel von den Kurilen-Inseln (Systematische Studien der Hummeln, II) XVII (2) 80
- SAKAGAMI, S. F.
Stingless bees collected by Prof. S. Matsumura from Singapore (Hymenoptera, Apidae) XXII (3 & 4) 119
- Nomia umesaoi* sp. nov., an aberrant bee from Thailand (Hymenoptera : Apoidea) XXIV (1) 43
- On the male of *Xylocopa ogasawarensis* Matsumura (Hymenoptera, Apidae) XXIV (2) 115
- SAKAGAMI, S. F. & H. STURM
Euplusia longipennis (Friese) und ihre merkwürdigen Brutzellen aus Kolumbien (Hymenoptera, Apidae) XXVIII (1) 83
- STARÝ, P.
Synonymical and other notes on *Protaphidius wissmannii* (Ratzeburg) (Hymenoptera, Braconidae : Aphidiinae) XXII (3 & 4) 88
- The systematic position of "*Diaeretus oregmae* Gahan" (Hymenoptera : Aphidiidae) XXIII (2) 109
- TACHIKAWA, T.
Description of a new species of the genus *Pseudhomalopoda* Girault from Japan, with a list of the known species and their hosts of the *Habrolepis*-like genera (Hymenoptera : Encyrtidae) XX (3 & 4) 90
- A note on *Arrhenophagus chionaspidis* Aurivillius (Hymenoptera, Encyrtidae, Arrhenophaginae) XXI (3 & 4) 118
- TACHIKAWA, T. and F. TAKECHI
Three Chalcidoid wasps collected at Nakajima, Shikoku (Hymenoptera) XXII (1 & 2) 35
- TAKADA, H.
A new species of the genus *Toxares* Haliday from Japan

| | | |
|---|---------------|-----|
| (Hymenoptera : Aphidiidae) | XXVIII (1) | 17 |
| Three new species of the genus <i>Lysaphidus</i> Smith from Japan (Hymenoptera : Aphidiidae) | XXVIII (2) | 127 |
| Discovery of <i>Binodoxys confucius</i> in Japan | XXVIII (2) | 130 |
| A preliminary revision of species of <i>Trioxyx</i> Haliday occurring in Japan, with descriptions of eight new species (Hymenoptera : Aphidiidae) | XXIX (1) | 23 |
| Aphidiidae of Japan (Hymenoptera) | XXX (2) | 67 |
| TAKEUCHI, K. | | |
| Sawflies of the Kurile Islands (I) | XIX (1 & 2) | 9 |
| Sawflies of the Kurile Islands (II) | XIX (2 & 3) | 71 |
| TSUNEKI, K. | | |
| On some Crabronids from Formosa (Hymenoptera, Sphecidae) | XXII (3 & 4) | 96 |
| Some aculeate Hymenoptera from Malaya | XXVI (2) | 99 |
| <i>Crossocerus leclercqi</i> is a species of <i>Piyumoides</i> (Hym., Sphec., Crabroninae) | XXVI (2) | 103 |
| An interesting new species of the genus <i>Psen</i> captured in Japan with the erection of a new subgenus (Hym.: Sphec.: Pemphredoninae) | XXVII (1) | 12 |
| Two new species of Chrysididae from Japan and Korea | XVIII (1 & 2) | 31 |
| UCHIDA, T. | | |
| Zur Synonymie der japanischen Ichneumoniden (4) | XVI (1 & 2) | 34 |
| Ichneumoniden Mandschukuos aus dem Entomologischen Museum der kaiserlichen Hokkaido Universität | XVI (3 & 4) | 107 |
| Systematische uebersicht der <i>Cephalcia</i> -Arten aus Hokkaido (Pamphiliidae, Hymenoptera) | XVII (1) | 6 |
| Zur Synonymie der japanischen Ichneumoniden (5) | XVII (3 & 4) | 126 |
| Einige neue oder wenig bekannte Ichneumonidenarten aus Japan | XVIII (1 & 2) | 18 |
| Vier neue Schlupfwespen als Schmarotzer der Tagfalter (Hym., Ichneumonidae) | XVIII (3 & 4) | 67 |
| Neue oder wenig bekannte Schmarotzer der Nadelholz-Blattwespen nebst einem neuen sekundären Schmarotzer | XIX (1 & 2) | 1 |
| Eine neue Gattung und zwei neue Arten der Schlupfwespen (Hym. Ichneumonidae) | XIX (1 & 2) | 29 |
| Die Ichneumoniden aus der Amami Inselgruppe | XIX (2 & 3) | 82 |
| Ueber die Gattung <i>Spilophion</i> Cameron (Hym. Ichneumonidae) | XX (1 & 2) | 17 |
| Ein neuer Schmarotzer der Larve von <i>Artopoetes pryeri</i> | XX (1 & 2) | 48 |
| Zur Synonymie der japanischen Ichneumoniden (6) | XX (1 & 2) | 49 |
| Neue oder bisher unbekannte Ichneumoniden aus Japan und seinen Umgeden (I) | XX (3 & 4) | 57 |
| Ueber den Fichtenwickler in Hokkaido und seine Parasiten, mit der Beschreibung neuer Arten | XX (3 & 4) | 100 |
| Zwei neue Arten und eine neue Gattung der Ichneumoniden | XXI (1 & 2) | 41 |
| Drei aus den Schmetterlingslarven gezüchteten Ichneumonidenarten | XXI (1 & 2) | 59 |

| | | | |
|--|-------|---------|-----|
| Anomalinen und Therioninen in der Sammlung des Entomologischen Instituts der Hokkaido Universität (I) | XXI | (3 & 4) | 85 |
| Ein neuer Parasit des Bläulings (Hymenoptera, Ichneumonidae) | XXI | (3 & 4) | 109 |
| Anomalinen und Therioninen in der Sammlung des Entomologischen Instituts der Hokkaido Universität (II) | XXII | (1 & 2) | 40 |
| <i>Neoparacryptus</i> , a new name for <i>Paracryptus</i> Uchida (Hymenoptera, Ichneumonidae) | XXII | (3 & 4) | 87 |
| UCHIDA, T. and S. MOMOI | | | |
| Descriptions of three new species of the tribe Ephialtini from Japan (Hymenoptera, Ichneumonidae) | XXI | (1 & 2) | 6 |
| On the species of <i>Polysphincta</i> Gravenhorst and <i>Zatypota</i> Förster from Japan (Hymenoptera, Ichneumonidae) | XXII | (1 & 2) | 22 |
| On the species of the genera <i>Laufeia</i> and <i>Lycorina</i> occurring in Japan (Hymenoptera, Ichneumonidae) | XXII | (3 & 4) | 82 |
| Description of a new species of the genus <i>Scenocharops</i> Uchida from Korea (Hymenoptera, Ichneumonidae) | XXIII | (1) | 11 |
| WATANABE, C. | | | |
| A preliminary revision of the genus <i>Streblocera</i> Westwood, with description of a new species from Manchoukuo (Hymenoptera : Braconidae) | XVI | (1 & 2) | 1 |
| Descriptions of a new subspecies and an imperfectly known species of <i>Apanteles</i> from Nippon (Hymenoptera : Braconidae) | XVI | (3 & 4) | 147 |
| A supplementary note on the genus <i>Streblocera</i> Westwood (Hymenoptera : Braconidae) | XVI | (3 & 4) | 158 |
| Description of a new <i>Apanteles</i> -species bred from <i>Anomis fimbriago</i> Stephen in Manchoukuo | XVI | (3 & 4) | 169 |
| Proctotrupidae of Japan (Hymenoptera) | XVII | (1) | 23 |
| Charipidae of Japan (Hymenoptera) | XVII | (2) | 85 |
| Descriptions of new or little know species of Braconidae, with notes on synonymy (Hymenoptera) | XVII | (3 & 4) | 93 |
| Supplementary notes on the genus <i>Streblocera</i> Westwood (II) (Hymenoptera : Braconidae) | XVII | (3 & 4) | 102 |
| Notes on hymenopterous parasites of longicorn beetles, with descriptions of two new species of Braconidae | XVIII | (1 & 2) | 25 |
| Synonymy and other notes on Braconidae (Hymenoptera) . . | XVIII | (1 & 2) | 41 |
| Miscellaneous notes on Braconidae (Hymenoptera) | XVIII | (3 & 4) | 66 |
| Hymenopterous parasites of the longicorn beetle, <i>Semanotus rufipennis</i> Motschulsky | XVIII | (3 & 4) | 79 |
| Description of a new species of <i>Microctonus</i> Wesmael bred from the Carabid beetle, <i>Harpalus capito</i> Morawitz (Hymenoptera, Braconidae) | XVIII | (3 & 4) | 109 |
| Discovery of two new species of <i>Scelio</i> Latreille, egg-parasites of the rice grasshoppers, in Japan (Hymenoptera, Scelionidae) | XIX | (1 & 2) | 54 |
| Notes on Xiphydriidae of Japan (Hymenoptera, Symphyta) . . | XX | (1 & 2) | 6 |
| Notes on Ashmead's Japanese Braconidae (Hymenoptera) . . | XXI | (1 & 2) | 1 |
| Notes on Japanese and Formosan species of <i>Stantonia</i> Ashmead | | | |

| | | | |
|---|--------|---------|-----|
| (Hymenoptera, Braconidae) | XXI | (1 & 2) | 45 |
| A revision of <i>Rogas pallidineris</i> Cameron (Hymenoptera, Braconidae) | XXI | (1 & 2) | 46 |
| A revision of the species of the genus <i>Coeloides</i> Wesmael occurring in Japan, with description of a new species (Hymenoptera, Braconidae) | XXII | (1 & 2) | 1 |
| Discovery of <i>Cosmophorus klugi</i> Ratzeburg in Japan (Hymenoptera, Braconidae) | XXIII | (1) | 55 |
| Occurrence of <i>Pelecystoma tricolor</i> Wesmael in Japan (Hymenoptera : Braconidae) | XXV | (1) | 41 |
| The choice of the name of a braconid | XXV | (1) | 43 |
| Nomenclature of a bibionid-fly and a saw-fly | XXV | (1) | 49 |
| Host records of Braconidae | XXV | (2) | 90 |
| Notes on some species of Braconidae of Japan (Hymenoptera : Braconidae) | XXV | (2) | 96 |
| Discovery of <i>Apanteles plutellae</i> in Japan | XXVI | (1) | 63 |
| A new host-record of <i>Macrocentrus marginator</i> in Japan | XXVI | (1) | 63 |
| Possibility of occurrence of gynogenesis in Scelionidae (Hymenoptera) | XXVI | (2) | 98 |
| New host records of <i>Chelonus</i> (Hym. : Braconidae) | XXVIII | (1) | 92 |
| Notes on braconid parasites of <i>Naranga aenescens</i> Moore occurring in Japan (Hymenoptera, Braconidae) | XXVIII | (2) | 131 |
| Description of a new species of the genus <i>Ascogaster</i> Wesmael and notes on synonymy of <i>Apanteles</i> species (Hymenoptera, Braconidae) | XXIX | (2) | 41 |
| Further revision of the genus <i>Macrocentrus</i> Curtis in Japan, with descriptions of two new species (Hymenoptera, Braconidae) | XXX | (1) | 1 |
| A revision of the genus <i>Acanthormius</i> Ashmead, with descriptions of six new species (Hymenoptera, Braconidae) | XXX | (2) | 57 |
| New host-record of <i>Apanteles ruficrus</i> to Japan (Hym. : Braconidae) | XXX | (2) | 66 |
| WATANABE, C. and T. KOCHA | | | |
| Dipterous and hymenopterous parasites of five nymphalid butterflies | XIX | (2) | 44 |
| WATANABE, C. and K. KOSUGI | | | |
| Discovery of <i>Orussus japonicus</i> Tosawa in Hokkaido (Hymenoptera, Orussidae) | XVIII | (1 & 2) | 34 |
| WATANABE, C. and S. SAKAGAMI | | | |
| Discovery of a new species of the genus <i>Parambynotus</i> Cameron from Japan (Hymenoptera : Cynipoidea) | XVIII | (3 & 4) | 129 |
| WATANABE, C. and H. TAKADA | | | |
| Occurrence of two species of the genus <i>Praon</i> Haliday in Japan (Hymenoptera : Aphidiidae) | XXVII | (1) | 8 |
| A note on <i>Pauesia konoii</i> (Watanabe) (Hymenoptera : Aphidiidae) | XXVII | (1) | 11 |
| A revision of the genus <i>Pauesia</i> Quilis in Japan, with descriptions of three new species (Hymenoptera : Aphidiidae) | XXVIII | (1) | 1 |

YASUMATSU, K.

- Notes on some Micronesian Elasmidae and Eucharidae (Hymenoptera, Chalcidoidea) XVI (3 & 4) 151
- Synonymy and other taxonomic notes on the two commonest bumble bees of Eastern Asia XVII (1) 17
- Discovery of an ant of the genus *Lordomyrma* Emery in Eastern Asia (Hym.) XVII (2) 73
- Orussus boninensis*, a new species of Orussidae from the Bonin Islands (Hymenoptera) XVIII (3 & 4) 115
- Two new species of Roproniidae (Hymenoptera) XIX (2 & 3) 117
- A new species of the genus *Ropronia* from Saghalien (Hymenoptera, Roproniidae) XXI (3 & 4) 112

YASUMATSU, K. und Y. HIRASHIMA

- Zwei neue *Sphecodes*-Arten aus Japan nebst Beschreibung des Weibchens von *Sphecodes esakii* Strand et Yasumatsu XVII (3 & 4) 121
- Two new species of the genus *Heriades* from the North Pacific Islands (Hym., Megachilidae) XVIII (1 & 2) 38

COLEOPTERA

CHŪJŌ, M.

- Description of a new Chrysomelid-beetle from Japan XVII (3 & 4) 119
- Descriptions of a new species and a new subspecies of the genus *Lypesthes* Baly from Japan, including some notices on its two other known species (Coleoptera : Chrysomelidae, Eumolpinae) XVIII (3 & 4) 103

HABU, A.

- On two species of Carabidae from Mt. Hiko (Coleoptera) (The Carabidae-fauna of Mt. Hiko, IV) XIX (1 & 2) 35
- Species of the genus *Bembidion* from Mt. Hiko, Kyushu (The Carabidae-fauna of Mt. Hiko, X) (Coleoptera) XXI (1 & 2) 69

HAYASHI, M.

- Revision of some Cerambycidae on the basis of the types of the late Drs. and Matsushita, with descriptions of three new species (Coleoptera : Cerambycidae) XXV (2) 129

HAYASHI, N.

- Taxonomic notes on Japanese species of the genus *Dorcatoma* Herbst, with descriptions of three new species (Studies of Dorcatominae, Anobiidae, I) XVIII (3 & 4) 87
- On the larvae of three species of Cephaloidea, Melandryidae and Pyrochroidae occurring in Japan (Coleoptera : Cucujoidea) XXVI (2) 108
- On the larvae of Lagriidae occurring in Japan (Coleoptera : Cucujoidea) XXVII (1) 24

INOUE, M. and A. NOBUCHI

- A new species of *Dryocoetes* from Hokkaido (Coleoptera, Scolytidae) XXII (3 & 4) 122

KIMOTO, S.

- Description of a new species of Hispinae, *Leptispa miyamotoi*,

- from Amami-Ōshima (Studies on Chrysomelidae III) (Coleoptera, Chrysomelidae) XXI (1 & 2) 77
- KONISHI, M.
 A revision of the Japanese species of the genus *Xenomimetes* Wollaston, with description of a new species (Col., Curculionidae) XIX (1 & 2) 59
 Cossoninae of Marcus Island (Col., Curculionidae) XIX (1 & 2) 64
 On the Japanese species of the genus *Stenoscelis* Wollaston, with description of a new species (Col., Curculionidae) . . . XIX (2 & 3) 109
 Discovery of *Eutornicus planatus* Marshall in Formosa . . . XX (1 & 2) 54
 Discovery of *Oxydema longulum* Boheman in Saipan Island (Col., Curculionidae) XX (3 & 4) 104
 Cossoninae of the Amami Islands (Col., Curculionidae) . . . XX (3 & 4) 105
 On the Japanese species of the genus *Choerorhinus* Fairmaire, with description of a new species (Coleoptera : Curculionidae) XXIII (2) 115
 Taxonomic studies on the Cossoninae of Japan (Coleoptera : Curculionidae) Part I XXV (1) 1
 On the genus *Dryophthoroides* Roelfs (Col. : Curc.) XXV (1) 17
 Discovery of *Synommatus interruptus* Pascoe in Japan (Col. : Curc.) XXV (1) 17
 On the Japanese species of the genus *Dryophthorus* Schönherr, with descriptions of two new species (Coleoptera : Curculionidae) XXV (2) 124
- KÔNO, H.
 Die Rüsselkäfer auf den Micronesien XVI (1 & 2) 13
 Die Rüsselkäfer auf der Insel Kôtôshô XVI (1 & 2) 22
 Die Rüsselkäfer auf der Ins. Kashôtô XVI (1 & 2) 27
 Die Rüsselkäfer aus den Ogasawara-Inseln XVI (1 & 2) 31
 Die Rüsselkäfer aus Siam und Indochina XVI (3 & 4) 159
- MIYATAKE, M.
 Descriptions of two new *Coccinella*-species of Japan (Coleoptera : Coccinellidae) XXVI (1) 49
- MORIMOTO, K.
 On the tribe Lobotrachelini from Japan (Col., Curculionidae, Zygopinae) XXII (1 & 2) 15
 Revision of the genus *Ixalma* Pascoe from Japan (Col., Curculionidae) XXIII (1) 46
- MURAYAMA, J.
 Nouvelles espèces de Scolytides (Coléoptères) de l'île de Shikoku XVII (2) 61
- NAKANE, T.
 New or little known Coleoptera from Japan and its adjacent regions. III. —Endomychidae— XVII (3 & 4) 113
 On a new species of *Armatocillen* and its allies in Japan (Harpalidae : Trechinae) XIX (2 & 3) 101
 Neue Aphodiinen aus Japan (Coleoptera, Scarabaeidae) . . . XX (3 & 4) 119

| | | | |
|---|------|---------|-----|
| Einige Mordelliden aus Japan (Coleoptera) | XXI | (1 & 2) | 48 |
| Eine neue Art der Gattung <i>Megalospidia</i> aus Japan (Coleoptera, Staphylinidae) | XXI | (1 & 2) | 53 |
| A new species of the genus <i>Nebria</i> from Japan (Coleoptera, Carabidae) | XXI | (1 & 2) | 56 |
| NOMURA, S. and T. NAKANE | | | |
| A new species of the genus <i>Pelecotomoides</i> from Japan (Coleoptera, Rhipiphoridae) | XXII | (3 & 4) | 115 |
| SAWAMOTO, T. | | | |
| Ein neuer Fichtenborckenkäfer aus Hokkaido | XVI | (3 & 4) | 165 |

LEPIDOPTERA

| | | | |
|--|--------|---------|-----|
| KUMATA, T. | | | |
| A revision of the Japanese species of the genus <i>Leucoma</i> Stephens (Lepidoptera, Lymantriidae) | XX | (3 & 4) | 107 |
| Descriptions of three new species of <i>Lithocolletis</i> feeding on <i>Quercus</i> in Japan (Lepidoptera, Gracillariidae) | XXI | (1 & 2) | 62 |
| Descriptions of two new species of the genus <i>Lithocolletis</i> feeding on <i>Alnus</i> in Japan (Lepidoptera, Gracillariidae) | XXI | (3 & 4) | 132 |
| Redescriptions of the species of the genus <i>Lithocolletis</i> described by Prof. Dr. S. Matsumura (Lepidoptera, Gracillariidae) | XXII | (3 & 4) | 71 |
| Descriptions of a new genus and a new species of Gracillariidae from Japan (Lepidoptera) | XXIV | (1) | 52 |
| New host-records of some Japanese species of <i>Lithocolletis</i> | XXIV | (1) | 56 |
| Taxonomic studies on the Lithocolletinae of Japan (Lepidoptera : Gracillariidae) Part I | XXV | (2) | 53 |
| Synonymic notes on a gracillariid moth | XXV | (2) | 136 |
| Taxonomic studies on the Lithocolletinae of Japan (Lepidoptera : Gracillariidae) Part II | XXVI | (1) | 1 |
| Taxonomic studies on the Lithocolletinae of Japan (Lepidoptera : Gracillariidae) Part III | XXVI | (2) | 69 |
| Description of a new stem-miner of coniferous trees from Japan (Lepidoptera : Gracillariidae) | XXVII | (1) | 31 |
| On the species of the genera <i>Parornix</i> Spuler and <i>Callisto</i> Stephens occurring in Japan, with descriptions of two new species (Lepidoptera : Gracillariidae) | XXVIII | (1) | 62 |
| Descriptions of twenty new species of the genus <i>Caloptilia</i> Hübner from Japan including the Ryukyu Islands (Lepidoptera : Gracillariidae) | XXIX | (1) | 1 |
| Notes on some <i>Lithocolletis</i> -moths occurring in Japan (Lep., Gracillariidae) | XXIX | (1) | 21 |
| New or little-known species of the genus <i>Lithocolletis</i> occurring in Japan (Lepidoptera : Gracillariidae) | XXIX | (2) | 59 |
| MORIUTI, S. | | | |
| Taxonomic notes on two <i>Acrolepia</i> -species of Japan (Lepidoptera : Acrolepiidae) | XXVII | (1) | 35 |
| OKANO, M. | | | |

| | | | |
|---|--------|---------|-----|
| Descriptions of a new species and a new genus of Plusiinae from Japan (Lepidoptera : Noctuidae) | XXV | (2) | 91 |
| OKU, T. | | | |
| Notes on the species of the genus <i>Acleris</i> Hübner from Japan with descriptions of two new species (Lepidoptera, Tortricidae) | XX | (3 & 4) | 114 |
| Description of a new species of <i>Acleris</i> Hübner and notes on synonymy (Notes on Tortricidae of Japan I) (Lepidoptera) . . | XXI | (1 & 2) | 74 |
| Descriptions of two new alpine moths of Archipsini from Japan (Lepidoptera : Tortricidae) | XXV | (2) | 93 |
| A new mint borer of Tortricidae from Japan, with description of a new genus (Lepidoptera : Tortricidae) | XXVI | (2) | 104 |
| Descriptions of nine new species of the genus <i>Coleophora</i> from Japan, with notes on other species (Lepidoptera : Coleophoridae) | XXVII | (2) | 114 |
| Some Olethreutinae new to Japan (Lep. : Tortricidae) . . . | XXVII | (2) | 123 |
| Discovery of <i>Epinotia signatana</i> (Douglas) in Japan | XXVIII | (1) | 68 |
| UCHIDA, T. | | | |
| Ueber den Fichtenwickler in Hokkaido und seine Parasiten, mit der Beschreibung neuer Arten | XX | (3 & 4) | 100 |

NEUROPTERA

KUWAYAMA, S.

| | | | |
|--|--------|---------|-----|
| Neuroptera-Planipennia from the Daisetsuzan National Park, Hokkaido, Japan | XVIII | (3 & 4) | 94 |
| A new species of Chrysopidae from Japan | XX | (1 & 2) | 21 |
| Further Studies on the Neuroptera-Planipennia of the Kurile Islands | XX | (3 & 4) | 77 |
| Notes on the Chrysopidae of Korea (Neuroptera) | XXIV | (2) | 121 |
| On the Neuroptera of the Ryukyus | XXVII | (1) | 38 |
| The type specimens of the Neuroptera in the collection of the Entomological Institute, Hokkaido University | XXVIII | (2) | 133 |
| Neuroptera of the Tokara Islands lying between Kyushu and Amami-Oshima | XXVIII | (2) | 140 |

HEMIPTERA

HIDAKA, T.

| | | | |
|--|------|---------|-----|
| Studies on the Lygaeidae III, a new species of the genus <i>Pachybrachius</i> from Japan and her adjacent territories (Heteroptera, Lygaeidae) | XXII | (1 & 2) | 37 |
| Studies on the Lygaeidae X, descriptions of three new species of the genus <i>Blissus</i> Klug (Heteroptera) | XXII | (3 & 4) | 100 |

ISHIHARA, T.

| | | | |
|---|-------|---------|-----|
| Some notes on the Chinese species of the genus <i>Acanthosoma</i> Curtis, 1824 (Hemiptera : Pentatomidae) | XVII | (2) | 81 |
| Delphacidae of Oze, Honshu, Japan (Hemiptera) | XVIII | (1 & 2) | 35 |
| Two new species of Delphacidae from the south of Japan (Hemiptera) | XVIII | (3 & 4) | 111 |

KUWAYAMA, S.

On a new species of the genus *Togepsylla* from Japan . . . XVII (1) 48

A new addition to the Psyllid-fauna of Japan (Homoptera-Homoptera) . . . XXIV (2) 123

MATSUMURA, S.

New species and new genera of palaeartic superfamily Cercopoidea with a tabular key to the classification . . . XVI (1 & 2) 44

New species and new genera of palaeartic superfamily Cercopoidea with a tubular key to the classification (II) . . . XVI (3 & 4) 71

MIYAZAKI, M.

Description of a new species of the genus *Dactynotus* Rafinesque from Japan and other notes (Homoptera : Aphididae) XXIX (1) 37

Two new species of the genus *Aulacorthum* Mordvilko from Japan (Homoptera : Aphididae) . . . XXX (2) 125

MORITSU, M.

Descriptions of two new or a little known species of root-aphids from Japan . . . XVII (1) 11

TAKAGI, S.

Notes on the Japanese species of the genus *Pseudaulacaspis* MacGillivray, with description of a new species (Homoptera, Coccoidea) . . . XIX (2 & 3) 113

Description of a new species of *Parlatoria* Targioni (Homoptera, Coccoidea) . . . XX (1 & 2) 45

Four new species of *Diaspidiotus* and *Quadraspidiotus* (Homoptera, Coccoidea) . . . XX (3 & 4) 83

A revision of the Japanese species of the genus *Aspidiotus*, with descriptions of a new genus and a new species (Homoptera, Coccoidea) . . . XXI (1 & 2) 31

New or little known scale insects of the tribe Aspidiotini, with a list of the genera and species of the tribe occurring in Japan (Homoptera, Coccoidea) . . . XXI (3 & 4) 121

Notes on the scale insects of the tribe Odonaspidini occurring in Japan (Homoptera, Coccoidea) . . . XXII (3 & 4) 92

A new species of the genus *Selenomphalus* Mamet from Japan (Homoptera, Coccoidea) . . . XXII (3 & 4) 112

A contribution to the knowledge of the Diaspidini of Japan (Homoptera : Coccoidea) Part I . . . XXIII (2) 67

A contribution to the knowledge of the Diaspidini of Japan (Homoptera : Coccoidea) Part II . . . XXIV (1) 4

Notes on *Quadraspidiotus macroporanus* Takagi . . . XXIV (1) 42

Some Diaspidiae feeding on introduced conifers . . . XXIV (1) 42

A contribution to the knowledge of the Diaspidini of Japan (Homoptera : Coccoidea) Part III . . . XXIV (2) 69

A new scale insect injurious to conifers in Hokkaido, with description of a new genus (Homoptera : Coccoidea) . . . XXV (1) 46

Discovery of *Lepidosphes foliicola* Borchsenius in Japan

| | | | |
|--|--------|---------|-----|
| (Homoptera : Coccoidea) | XXV | (1) | 50 |
| Records of some Diaspididae of Japan | XXV | (1) | 52 |
| <i>Aonidiella comperei</i> McKenzie from Formosa | XXV | (1) | 52 |
| A new species of <i>Pinnaspis</i> from the Philippines (Homoptera : Coccoidea) | XXV | (2) | 137 |
| Nomenclature of a scale insect | XXV | (2) | 123 |
| Discovery of <i>Duplaspidotus claviger</i> in Japan | XXV | (2) | 123 |
| Notes on the <i>aspidistrae</i> -complex of <i>Pinnaspis</i> , with description of a new species (Homoptera : Coccoidea) | XXVI | (1) | 64 |
| Discovery of <i>Fiorinia externa</i> Ferris in Japan (Homoptera : Coccoidea) | XXVI | (2) | 115 |
| A new genus for reception of three American scale insects hitherto referred to <i>Duplachionaspis</i> (Homoptera : Coccoidea) | XXVI | (2) | 118 |
| Records of some <i>Pinnaspis</i> -species of Japan | XXVIII | (2) | 119 |
| Examinations of the type slides of three Diaspididae described from Japan (Homoptera : Coccoidea) | XXX | (1) | 52 |
| An additional note on dimorphism in <i>Chionaspis nyssae</i> . . | XXX | (1) | 55 |
| TAKAGI, S. and S. KAWAI | | | |
| Some Diaspididae of Japan (Homoptera : Coccoidea) | XXVIII | (2) | 93 |
| The genera <i>Chionaspis</i> and <i>Pseudaulacapis</i> , with a criticism on <i>Phenacaspis</i> (Homoptera : Coccoidea) | XXX | (1) | 29 |
| TAKAHASHI, R. | | | |
| Some species of Coccidae from the Riouw Islands—Part I . . | XVII | (2) | 65 |
| Some species of Coccidae from the Riouw Islands—Part II . | XVII | (3 & 4) | 103 |
| Some species of nondiaspine scale insects from the Malay Peninsula | XVIII | (1 & 2) | 9 |
| Key to the tribes and genera of Aleyrodidae of Japan, with descriptions of three new genera and one new species (Homoptera) | XVIII | (3 & 4) | 47 |
| Key to the genera of Coccidae in Japan, with descriptions of two new genera and a little-known species (Homoptera) . . | XIX | (1 & 2) | 23 |
| Three new genera and a new species of Diaspididae from Japan (Coccoidea, Homoptera) | XX | (1 & 2) | 23 |
| Some Aleyrodidae from Japan (Homoptera) | XXI | (1 & 2) | 12 |
| <i>Thoracaphis</i> and some related new genera of Japan (Aphididae, Homoptera) | XXII | (1 & 2) | 7 |
| <i>Kurisakia</i> and <i>Aiceona</i> of Japan (Homoptera, Aphididae) . . | XXIII | (1) | 1 |
| A new genus and four new species of Aphidinae from Japan (Aphididae, Homoptera) | XXIV | (2) | 104 |
| <i>Eyumyzus</i> , <i>Paramyzus</i> , <i>Macromyzus</i> , <i>Sitomyzus</i> , <i>Micromyzus</i> , and <i>Micromyzodium</i> of Japan (Homoptera : Aphididae) . . . | XXVI | (1) | 55 |
| Some species of <i>Aulacorthum</i> of Japan (Aphididae, Homoptera) | XXVII | (2) | 99 |
| Some new and little-known Aphididae from Japan (Homoptera) | XXVIII | (1) | 19 |
| VILBASTE, J. | | | |
| On some East Asiatic leafhopper genera (Homoptera : Cica- dina : Iassidae) | XXX | (1) | 44 |

ODONATA

ASAHINA, S.

| | | | |
|--|------|---------|----|
| New dragonflies from Japan (Odonata) | XVII | (1) | 28 |
| A revision of the Odonata of the Kurile Islands | XXII | (3 & 4) | 63 |
| The type specimens of the Odonata in the Entomological Institute, Hokkaido University | XXIV | (1) | 57 |

ORTHOPTERA

ESAKI, T.

| | | | |
|---|------|-----|---|
| The occurrence of the mesozoic insect <i>Chresmoda</i> in the Far East | XVII | (1) | 4 |
|---|------|-----|---|

APTERYGOTA

IMADATÉ, G. and R. YOSII

| | | | |
|---|----|---------|----|
| Two new species of Protura from Japan | XX | (1 & 2) | 11 |
|---|----|---------|----|

PACLT, J.

| | | | |
|--|-------|---------|----|
| A note on the orient genus <i>Bakerella</i> Womersley (Apterygota, Thysanura) | XVIII | (1 & 2) | 30 |
|--|-------|---------|----|

UCHIDA, H.

| | | | |
|---|-------|---------|----|
| Apterygota aus Neu-Guinea | XVII | (1) | 38 |
| Some Collembola newly recorded from Japan | XVIII | (3 & 4) | 61 |
| On some Sminthurid Collembolans from Hokkaidô | XXI | (1 & 2) | 22 |

MISCELLANEOUS

| | | | |
|--|--------|---------|--------|
| Obituary | XXIV | (1) | 1 |
| Book review | XXIV | (2) | 134 |
| | XXV | (1) | 40 |
| | XXVI | (1) | 48, 68 |
| | XXVI | (2) | 117 |
| Recent literature in entomology | XVII | (1) | 57 |
| | XVII | (2) | 90 |
| | XVII | (3 & 4) | 132 |
| | XVIII | (1 & 2) | 43 |
| | XVIII | (3 & 4) | 119 |
| | XIX | (1 & 2) | 65 |
| | XIX | (3 & 4) | 123 |
| | XX | (1 & 2) | 55 |
| | XX | (3 & 4) | 125 |
| | XXI | (1 & 2) | 80 |
| | XXI | (3 & 4) | 138 |
| | XXII | (1 & 2) | 59 |
| | XXII | (3 & 4) | 124 |
| Supplement to "List of papers of Dr. Ryoichi Takahashi" . . . | XXVIII | (1) | 61 |
| Second supplement to "List of papers of Dr. Ryoichi Takahashi" | XXVIII | (2) | 120 |
| Third supplement to "List of papers of Dr. Ryoichi Takahashi" | XXX | (1) | 51 |