HOKKAIDO UNIVERSITY

Title	What's bugging Himalayan big cats : vector-borne pathogens of wild tigers and leopards in Nepal
Author(s)	Pandey, Gita Sadaula; Sadaula, Amir; Abdelbaset, Abdelbaset Eweda et al.
Citation	European journal of wildlife research, 71(5), 92 https://doi.org/10.1007/s10344-025-01969-6
Issue Date	2025-08-07
Doc URL	https://hdl.handle.net/2115/98055
Rights	This version of the article has been accepted for publication, after peer review (when applicable) and is subject to Springer Nature's AM terms of use, but is not the Version of Record and does not reflect post-acceptance improvements, or any corrections. The Version of Record is available online at: http://dx.doi.org/10.1007/s10344-025-01969-6
Type	journal article
File Information	Supplementary Figure_final.pdf, Supplementary Figure

Hokkaido University Collection of Scholarly and Academic Papers : HUSCAP

Supplementary Information- European Journal of Wildlife Research

What's bugging Himalayan big cats: vector-borne pathogens of wild tigers and leopards in Nepal

Gita Sadaula Pandey[1,2], Amir Sadaula[3], Abdelbaset Eweda Abdelbaset[1,4], Prajwol Manandhar[5] Pradeepa Silwal[3], Bijaya Kumar Shrestha[6], Yuki Ohsugi[1], Yongjin Qiu[1], Mackenzie L. Kwak[1], Naoki Hayashi[1,7], Nariaki Nonaka[1,7,8], Ryo Nakao[1,7,8*]

[1]Laboratory of Parasitology, Graduate School of Infectious Diseases, Faculty of Veterinary Medicine, Hokkaido University, Japan

[2]National Cattle Research Program, Nepal Agricultural Research Council, Rampur, Chitwan, Nepal

[3]National Trust for Nature Conservation – Biodiversity Conservation Center, Sauraha, Chitwan, Nepal

[4]Clinical pathology Department, Faculty of Veterinary Medicine, Assiut University, Assiut, 71515, Egypt

[5]Center for Molecular Dynamics Nepal, Thapathali, Kathmandu, Nepal

[6]Chitwan National Park Office, Kasara, Chitwan, Nepal

[7]Division of Parasitology, Veterinary Research Unit, International Institute for Zoonosis Control, Hokkaido University, Japan

[8]One Health Research Center, Hokkaido University, Sapporo, 060-0818, Japan

[*]**Corresponding author**

Ryo Nakao **(**email: ryo.nakao@vetmed.hokudai.ac.jp)



Supplementary Fig. 1 Agarose gel electrophoresis of the amplified products of nested BTH PCR. Expected product size is 1400 – 1600 bp. M = 100 bp marker; lanes 1 - 13 = samples, B = blank, NC = negative control.



Supplementary Fig. 2 Agarose gel electrophoresis of the amplified products of *Mycoplasma* 16S rRNA gene PCR. Expected product size is 950 bp. M = 100 bp marker; lanes 1 - 13 = samples, NC = negative control.



Supplementary Fig. 3 Agarose gel electrophoresis of the amplified products of *Mycoplasma* RNase P gene PCR. Expected product size is 160 – 210 bp. M = 50 bp marker; lanes 1 - 6 = samples, NC = negative control.