



HOKKAIDO UNIVERSITY

Title	INFORMATION: Publications by the staff of the Graduate School of Veterinary Medicine
Citation	Japanese Journal of Veterinary Research, 56(1), 57-73
Issue Date	2008-05
Doc URL	https://hdl.handle.net/2115/33851
Type	departmental bulletin paper
File Information	56-1_p57-73.pdf



PUBLICATIONS BY THE STAFF OF THE GRADUATE SCHOOL OF VETERINARY MEDICINE

Laboratory of Anatomy

Original articles

- 1) Hayashi, M., Nishiya, H., Chiba, T., Endoh, D., Kon, Y. and Okui, T. 2007. Trientine, a copper-chelating agent, induced apoptosis in murine fibrosarcoma cells *in vivo* and *in vitro*. *J. Vet. Med. Sci.*, **69**: 131-142.
- 2) Kon, Y., Konno, A., Hashimoto, Y. and Endoh, D. 2007. Ovarian cysts in MRL/MpJ mice originate from rete ovarii. *Anat. Histol. Embryol.*, **36**: 172-178.
- 3) Yasui, H., Inanami, O., Asanuma, T., Iizuka, D., Nakajima, T., Kon, Y., Matsuda, A. and Kuwabara, M. 2007. Treatment combining X irradiation and ribonucleoside anticancer drug, TAS106, effectively suppresses the growth of tumor cells transplanted in mice. *Int. J. Rad. Oncol. Biol. Physics*, **168**: 218-228.
- 4) Khan, M. Z. I., Jahan, M. R., Islam, M. N., Haque, Z., Islam, M. R. and Kon, Y. 2007. Immunoglobulin (Ig)-containing plasma cells in the Harderian gland in broiler and native chickens of Bangladesh. *Tissue and Cell*, **39**: 141-149.
- 5) Konno, A., Takiguchi, M., Takada, K., Usami, T., Azumi, K., Kubota, H., Inaba, M., Saegusa, J. and Kon, Y. 2007. Identification of a quantitative trait locus regulating B cell-dominant infiltration into autoimmune sialitis lesions of the IQI mouse model of primary Sjögren's syndrome. *Immunogenetics*, **59**: 853-859.
- 6) Asanuma, T., Yasui, H., Inanami, O., Waki, K., Takahashi, M., Iizuka, D., Uemura, T., Durand, G., Polidori, A., Kon, Y., Pucci, B. and Kuwabara, M. 2007. A new amphiphilic derivative, N-{[4-(lactobionamido)methyl]benzylidene}-1, 1-dimethyl-2-(octylsulfanyl)ethylamine N-oxide, has a protective effect against copper-induced fulminant hepatitis in Long-Evans Cinnamon rats at an extremely low concentration compared with its original form alpha-phenyl-N-(tert-butyl)nitron. *Chem. Biodivers.*, **4**: 2253-2267.
- 7) Moustafa, G. G., Ibrahim, Z. S., Hashimoto, Y., Alkelch, A. M., Sakamoto, K. Q., Ishizuka, M. and Fujita, S. 2007. Testicular toxicity of profenofos in matured male rats. *Arch. Toxicol.*, **81**: 875-881.

Publications other than original articles

- 1) Kon, Y. 2007. Memories of emeritus professor Norio Kudo. *Acta Anat. Nipponica*, **82**: 127-128.
- 2) Hashimoto, Y., Kon, Y., Okumura, M. and Ito, S. 2007. Teaching veterinary medicine with minimum loss of animals live in the practical works. (in Japanese) *J. Clin. Vet. Med.*, **24**: 1-8.
- 3) Hashimoto, Y. 2007. Teaching veterinary anatomy in the far Eastern/European countries and the development with model specimens and multimedia programs. *BSVER*, **32**: 16-17.

Laboratory of Physiology

Original articles

- 1) Gautam, S. H., Otsuguro, K., Ito, S., Saito, T. and Habara, Y. 2007. T-type Ca^{2+} channels contribute to IBMX/forskolin- and K^{+} - induced Ca^{2+} transients in porcine olfactory receptor neurons. *Neurosci. Res.*, **57**: 129-139
- 2) Gautam, S. H., Otsuguro, K., Ito, S., Saito, T.

and Habara, Y. 2007. T-type Ca^{2+} channels mediate propagation of odour-induced Ca^{2+} transients in rat olfactory receptor neurons. *Neuroscience*, **144**: 702-713

3) Sankar, R., Archunan, G. and Habara, Y. 2007. Detection of oestrous-related odour in bovine (*Bos taurus*) saliva: bioassay of identified compounds. *Animal*, **1**: 1321-1327

Laboratory of Biochemistry

Original articles

- 1) Ishioka, K., Hosoya, K., Kitagawa, H., Shibata, H., Honjoh, H., Kimura, K. and Saito, M. 2007. Plasma leptin concentration in dogs: Effects of body condition score, age, gender and breeds. *Res. Vet. Sci.*, **82**: 11-15.
- 2) Okamatsu-Ogura, Y., Uozumi, A., Kitao, N., Kimura, K. and Saito, M. 2007. Day-night difference in β 3-adrenoceptor agonist-induced energy expenditure: Contribution of brown fat thermogenesis and physical activity. *Obesity Res. Clin. Pract.*, **1**: 61-67.
- 3) Yamaji, D., Kamikawa, A., Soliman, M., Ito, T., Ahmed, M., Makondo, K., Watanabe, A., Saito, M. and Kimura, K. 2007. Leptin inhibits hepatocyte growth factor-induced ductal morphogenesis of bovine mammary epithelial cells. *Jpn. J. Vet. Res.*, **54**: 183-189.
- 4) Ahmed, M., Kimura, K., Soliman, M., Yamaji, D., Okamatsu-Ogura, Y., Makondo, K., Inanami, O. and Saito, M. 2007. Effects of leptin and tumor necrosis factor- α on degranulation and superoxide production of polymorphonuclear neutrophils from Holstein cows. *J. Vet. Med. Sci.*, **69**: 125-131.
- 5) Okamatsu-Ogura, Y., Kitao, N., Kimura, K. and Saito, M. 2007. Brown fat UCP1 is not involved in the febrile and thermogenic responses to IL-1 β in mice. *Am. J. Physiol. Endocrinol. Metab.*, **292**: E1135-E1139.
- 6) Ahmed, M., Shaban, Z., Yamaji, D., Okamatsu-Ogura, Y., Soliman, M., Abd Eldaim, M., Ishioka, K., Makondo, K., Saito, M. and Kimura, K. 2007. Induction of proinflammatory

tory cytokines and caspase-1 by leptin in monocyte/macrophages from Holstein cows. *J. Vet. Med. Sci.*, **69**: 509-514.

- 7) Fujimoto, W., Shiuchi, T., Miki, T., Minokoshi, Y., Takahashi, Y., Takeuchi, A., Kimura, K., Saito, M., Iwanaga, T. and Seino, S. 2007. Dmbx1 is essential in agouti-related protein action. *Proc. Natl. Acad. Sci. USA*, **104**: 15514-15519.
- 8) Soliman, M., Kimura, K., Ahmed, M., Yamaji, D., Matsushita, Y., Okamatsu-Ogura, Y., Makondo, K. and Saito, M. 2007. Inverse regulation of leptin mRNA expression by short- and long-chain fatty acids in the cultured bovine adipocytes. *Domest. Anim. Endocrinol.*, **33**: 400-409.
- 9) Kitao, N., Yahata, T., Matsumoto, T., Okamatsu-Ogura, Y., Omachi, A., Kimura, K. and Saito, M. 2007. Molecular cloning and tissue distribution of uncoupling protein 1 (UCP 1) in Plateau Pika (*Ochotona dauurica*). *J. Vet. Med. Sci.*, **69**: 1065-1068
- 10) Omachi, A., Ishioka, K., Uozumi, A., Kamikawa, A., Toda, C., Kimura, K. and Saito, M. 2007. β 3-Adrenoceptor agonist AJ-9677 reduces body fat in obese beagles. *Res. Vet. Sci.*, **83**: 5-11
- 11) Okamatsu-Ogura, Y., Uozumi, A., Toda, C., Kimura, K., Yamashita, H. and Saito, M. 2007. Uncoupling protein 1 contributes to fat-reducing effect of leptin. *Obesity Res. Clin. Pract.*, **1**: 233-241

Publications other than original articles

- 1) Yamaji, D., Saito, M. and Kimura, K. 2007.

Role of adipokines in the mammary gland de-

- velopment. *Himankenkyu*, **13**: 314-316. (in Japanese)
- 2) Terao, A. and Miyamoto, M. 2007. Recent and potential drugs for treatment of insomnia. *Folia Pharmacol. Jpn.*, **129**: 35-41. (in Japanese)
 - 3) Terao, A. 2007. Identification of genes determining sleep disorder narcolepsy. *Hokkaido Juishikai Zasshi*, **51**: 393-396. (in Japanese)
 - 4) Terao, A. 2007. Overview of pipeline hypnotics under active development. *Pharmstage*, **7**: 62-69. (in Japanese)
 - 5) Kimura, K. 2007. Leptin. Hormone Handbook (The Japan Society for Comparative Endocrinology ed.), Nankou-do (Tokyo) (in Japanese)

Laboratory of Pharmacology

Original articles

- 1) Gautam, S. H., Otsuguro, K., Ito, S., Saito, T. and Habara, Y. 2007. T-Type Ca^{2+} channels mediate propagation of odor-induced Ca^{2+} transients in rat olfactory receptor neurons. *Neuroscience*, **144**, 702-713.
- 2) Gautam, S. H., Otsuguro, K., Ito, S., Saito, T. and Habara, Y. 2007. T-Type Ca^{2+} channels contribute to IBMX/forskolin-and K^{+} -induced Ca^{2+} transients in porcine olfactory receptor neurons. *Neurosci. Res.*, **57**, 129-139.
- 3) Murakami, M., Ohta, T., Otsuguro, K. and Ito, S. 2007. Involvement of prostaglandin E_2 derived from enteric glial cells in the action of bradykinin in cultured rat myenteric neurons. *Neuroscience*, **145**, 642-653.
- 4) Tabo, M., Kimura, K. and Ito, S. 2007. Monophasic action potential in anaesthetized guinea pigs as a biomarker for prediction of liability for drug-induced delayed ventricular repolarization. *J. Pharmacol. Toxicol. Methods*, **55**, 271-278.
- 5) Ohta, T., Imagawa, T. and Ito, S. 2007. Novel agonistic action of mustard oil on recombinant and endogenous porcine transient receptor potential V1 (pTRPV1) channels. *Biochem. Pharmacol.*, **73**, 1646-1656.

Laboratory of Microbiology

Original articles

- 1) Bauhofer, O., Summerfield, A., Sakoda, Y., Tratschin, J. D., Hofmann, M. A. and Ruggli, N. 2007. Classical swine fever virus N^{pro} interacts with interferon regulatory factor 3 and induces its proteasomal degradation. *J. Virol.*, **81**: 3087-3096.
- 2) Blacksell, S. D., Bryant, N. J., Paris, D. H., Doust, J. A., Sakoda, Y. and Day, N. P. 2007. *Scrub typhus* serologic testing with the indirect immunofluorescence method as a diagnostic gold standard: a lack of consensus leads to a lot of confusion. *Clin. Infect. Dis.*, **44**: 391-401.
- 3) Fujii, K., Kakumoto, C., Kobayashi, M., Saito, S., Kariya, T., Watanabe, Y., Sakoda, Y., Kida, H. and Suzuki, M. 2007. Serological evidence of influenza A virus infection in Kuril harbor seals (*Phoca vitulina stejnegeri*) of Hokkaido, Japan. *J. Vet. Med. Sci.*, **69**: 259-263.
- 4) Guo, C. T., Takahashi, N., Yagi, H., Kato, K., Takahashi, T., Yi, S. Q., Chen, Y., Ito, T., Otsuki, K., Kida, H., Kawaoka, Y., Hidari, K. I., Miyamoto, D., Suzuki, T. and Suzuki, Y. 2007. The quail and chicken intestine have sialylgalactose sugar chains responsible for the binding of influenza A viruses to human type receptors. *Glycobiology*, **17**: 713-724.
- 5) Malamo, M., Okazaki, K., Sakoda, Y. and Kida, H. 2007. Carboxyl terminus of the 34 kDa protein of *Mycobacterium paratuberculosis*

shares homologous B-cell epitopes with *Mycobacterium avium* and *Mycobacterium intracellulare*. *Vet. Rec.*, **161**: 853-857.

- 6) Matsuno, K., Sakoda, Y., Kameyama, K., Tamai, K., Ito, A. and Kida, H. 2007. Genetic and pathobiological characterization of bovine viral diarrhea viruses recently isolated from cattle in Japan. *J. Vet. Med. Sci.*, **69**: 515-520.
- 7) Naito, M., Sakoda, Y., Kamikawa, T., Nitta, Y., Hirose, K., Sakashita, M., Kurokawa, S. and Kida, H. 2007. Serological evidence of leptospiral infection in pig populations in different districts in Japan. *Microbiol. Immunol.*, **51**: 593-599.
- 8) Ozaki, H. and Kida, H. 2007. Extensive accumulation of influenza virus NS1 protein in the nuclei causes effective viral growth in vero cells. *Microbiol. Immunol.*, **51**: 577-580.
- 9) Shin, J. H., Sakoda, Y., Kim, J. H., Ochiai, K. and Umemura, T. 2007. Comparison of antibody titers in rabbits following immunization

with inactivated influenza virus via subarachnoidal or subcutaneous route. *J. Vet. Med. Sci.*, **69**: 1167-1169.

- 10) Takeda, S., Ozaki, H., Hattori, S., Ishii, A., Kida, H. and Mukasa, K. 2007. Detection of influenza virus hemagglutinin with randomly immobilized anti-hemagglutinin antibody on a carbon nanotube sensor. *J. Nanosci. Nanotechnol.*, **7**: 752-756.
- 11) Tsuda, Y., Sakoda, Y., Sakabe, S., Mochizuki, T., Namba, Y. and Kida, H. 2007. Development of an immunochromatographic kit for rapid diagnosis of H5 avian influenza virus infection. *Microbiol. Immunol.*, **51**: 903-907.
- 12) Sakoda, Y., Seki, R. and Kida, H. 2007. Effects of disinfectants against avian influenza virus. *Jpn. J. Anim. Hyg.*, **32**: 67-70 (in Japanese)
- 13) Sakoda, Y., Yoshimi, Y., Kurokawa, S. and Kida, H. 2007. Effects of disinfectants against avian influenza viruses. *J. Jpn. Vet. Med. Assoc.*, **60**: 519-522 (in Japanese)

Publications other than original articles

- 1) Isoda, N. and Kida, H. 2007. Development of vaccines for avian influenza. *PHARMSTAGE*, **7**: 84-87. (in Japanese)
- 2) Kida, H. 2007. Library of influenza viruses for the vaccine candidates of human and avian influenza. *Brain Techno News*, **123**: 21-25. (in Japanese)

- 3) Kida, H. 2007. Influenza - Past, present, and future-. *Clinical Microbiology*, **34**: 395-401. (in Japanese)
- 4) Sakoda, Y. 2007. The present state and problems of bovine viral diarrhea to be solved in future. *J. Jpn. Vet. Med. Assoc.*, **60**: 817-819 (in Japanese)

Labolatory of Infectious Diseases

Original articles

- 1) Mingala, C. N., Odbileg, R., Konnai, S., Ohashi, K. and Onuma, M. 2007. Molecular cloning, sequencing and phylogenetic analysis of inflammatory cytokines of swamp type buffalo contrasting with other bubaline breeds. *Comp. Immunol. Microbiol. Infect. Dis.*, **30**: 119-131.
- 2) Usui, T., Konnai, S., Ohashi, K. and Onuma, M. 2007. Interferon-gamma expression associated with suppression of bovine leukemia virus at the early phase of infection in sheep. *Vet. Im-*

munol. Immunopathol., **115**: 17-23.

- 3) Murata, S., Chang, K-S., Yamamoto, Y., Okada, T., Lee, S-I., Konnai, S., Onuma, M., Osa, Y., Asakawa, M. and Ohashi, K. 2007. Detection of the Marek's disease virus genome from feather tips of wild geese in Japan and the Far East region of Russia. *Arch. Virol.*, **152**: 1523-1526.
- 4) Okada, T., Takagi, M., Murata, S., Onuma, M. and Ohashi, K. 2007. Identification and char-

acterization of a novel spliced form of the *meq* transcript in lymphoblastoid cell lines derived from Marek's disease tumors. *J. Gen. Virol.*, **88**: 2111-2120.

- 5) Konnai, S., Yamada, S., Imamura, S., Simuunza, M., Chembensof, M., Chota, A., Nambota, A., Ohashi, K. and Onuma, M. 2007. Attachment Duration Required for

Rhipicephalus appendiculatus to Transmit *Theileria parva* to the Host. *Vector Borne Zoonotic Dis.*, **7**: 241-248.

- 6) Murata, S., Chang, K-S., Lee, S-I., Konnai, S., Onuma, M. and Ohashi, K. 2007. Development of a diagnostic method to detect oncogenic Marek's disease virus (MDV) from feather tips. *J. Vet. Diagnost. Invest.*, **19**: 471-478.

Publication other than original articles

- 1) Imamura, S., Konnai, S., Ohashi, K. and Onuma, M. 2007. Recent topics of candidate

antigens for immunological control of *Ixodid* ticks. *Acta Sci. Vet.*, **35**: 1-16.

Laboratory of Parasitology

Original articles

- 1) Ganzorig, S., Oku, Y., Gardner, S. L. and Kamiya, M. 2007. Multiplication of Ovaries in *Ctenotaenia marmotae* (Frolich, 1802) (Cestoda: Anaplocephalidae). *Comp. Parasitol.*, **74**, 151-153.
- 2) Inagaki, M., Nonaka, N., Inoue, T., Yagi, K., Katakura, K. and Oku, Y. 2007. Improvement of copro-DNA detection for diagnosis in prepatent period of *Echinococcus multilocularis* infection in dogs. *Jpn. J. Vet. Parasitol.*, **5**, 35. (in Japanese)
- 3) Inoue, T., Nonaka, N., Kanai, Y., Iwaki, T., Kamiya, M. and Oku, Y. 2007. The use of tetracycline in anthelmintic baits to assess baiting rate and drug efficacy against *Echinococcus multilocularis* in foxes. *Vet. Parasitol.*, **150**, 88-96.
- 4) Inoue, T., Nonaka, N., Mizuno, A., Morishima, Y., Sato, H., Katakura, K. and Oku, Y. 2007. Mitochondrial DNA phylogeography of the red fox (*Vulpes vulpes*) in northern Japan. *Zool. Sci.*, **24**, 1178-1186.
- 5) Kamiya, M., Lagapa, J. T., Ganzorig, S., Kobayashi, F., Nonaka, N. and Oku, Y. 2007. Echinococcosis risk among domestic definitive hosts, Japan. *Emerg. Inf. Dis.*, **13**, 346-347.
- 6) Kamiya, M., Lagapa, J. T. and Oku, Y. 2007. Research on targeting sources of alveolar echi-

nococcosis in Japan. *Comp. Immunol. Microbiol. Inf. Dis.*, **30**, 427-448.

- 7) Kanai, Y., Inoue, T., Mano, T., Nonaka, N., Katakura, K. and Oku, Y. 2007. Epizootiological survey of *Trichinella* spp. infection in carnivores, rodents and insectivores in Hokkaido, Japan. *Jpn. J. Vet. Parasitol.*, **54**, 175-182. (in Japanese)
- 8) Kouguchi, H., Matsumoto, J., Katoh, Y., Oku, Y., Suzuki, T. and Yagi, K. 2007. The vaccination potential of EMY162 antigen against *Echinococcus multilocularis* infection. *Biochem. Biophys. Res. Commun.*, **363**, 915-920.
- 9) Okamoto, M., Oku, Y., Kurosawa, T. and Kamiya, M. 2007. Genetic uniformity of *Echinococcus multilocularis* collected from different intermediate host species in Hokkaido, Japan. *J. Vet. med. sci.*, **69**, 159-163.
- 10) Oku, Y., Iwaki, T., Ganzorig, S., Nonaka, N., Miyahara, T., Okazaki, K. and Kamiya, M. 2007. Control trial against *Echinococcus multilocularis* by local residents. *Jpn. J. Vet. Parasitol.*, **5**, 36. (in Japanese)
- 11) Taniguchi, S., Osanai, Y., Matsumoto, J., Uezato, H., Kato, H., Bhutto, A. M., Soomro, F. R., Marco, J. D., Barroso, P. A., Hashiguchi, Y. and Katakura, K. 2007. Analysis of *Leishmania* proteins for the serodiagnosis of cutane-

ous leishmaniasis in Pakistan. *Jpn. J. Vet. Parasitol.*, **5**, 56. (in Japanese)

- 12) Tsubota, K., Nakatsuji, S., Anagawa, A., Murakami, Y., Ikegami, H., Okazaki, Y.,

Yoshizawa, K., Fujihira, S., Matsumoto, M., Oku, Y. and Oishi, Y. 2007. *Cysticercus tenuicollis* infection in a cynomolgus monkey. *Jpn. J. Vet. Parasitol.*, **5**, 30. (in Japanese)

Publications other than original articles

- 1) Katakura, K. 2007. Coccidioidomycosis. In: Shuyoshogyo-wo-kisonishita-inu-no-rinsho. Maede, Y. ed., Dairyman, Sapporo, pp. 165-166. (in Japanese)
- 2) Katakura, K. 2007. Leishmaniasis. In: Shuyoshogyo-wo-kisonishita-inu-no-rinsho. Maede, Y. ed., Dairyman, Sapporo, pp. 228-230. (in Japanese)
- 3) Katakura, K. 2007. Cryptosporidiosis. In: Shuyoshogyo-wo-kisonishita-inu-no-rinsho. Maede, Y. ed., Dairyman, Sapporo, pp. 701-702. (in Japanese)
- 4) Nonaka, N. 2007. Hookworm infection. In: Shuyoshogyo-wo-kisonishita-inu-no-rinsho. Maede, Y. ed., Dairyman, Sapporo, pp. 581-583. (in Japanese)
- 5) Nonaka, N. 2007. Roundworm infection. In: Shuyoshogyo-wo-kisonishita-inu-no-rinsho. Maede, Y. ed., Dairyman, Sapporo, pp. 669-672. (in Japanese)
- 6) Nonaka, N. 2007. Coccidiosis. In: Shuyoshogyo-wo-kisonishita-inu-no-rinsho. Maede, Y. ed., Dairyman, Sapporo, pp. 696-698.
- 7) Nonaka, N. 2007. Giardiasis. In: Shuyoshogyo-wo-kisonishita-inu-no-rinsho. Maede, Y. ed., Dairyman, Sapporo, pp. 694-695. (in Japanese)
- 8) Nonaka, N. 2007. Trichomonad enteritis. In: Shuyoshogyo-wo-kisonishita-inu-no-rinsho. Maede, Y. ed., Dairyman, Sapporo, pp. 692-693. (in Japanese)
- 9) Nonaka, N. 2007. Amoebic enteritis. In: Shuyoshogyo-wo-kisonishita-inu-no-rinsho. Maede, Y. ed., Dairyman, Sapporo, pp. 689-691. (in Japanese)
- 10) Nonaka, N. 2007. Whipworm infection. In: Shuyoshogyo-wo-kisonishita-inu-no-rinsho. Maede, Y. ed., Dairyman, Sapporo, pp. 686-688.

(in Japanese)

- 11) Oku, Y. 2007. Esophageal worm disease. In: Saishin-kachiku-kiseichubyo-gaku. Itagaki, H. and Ohishi, I. eds., Asakura, Tokyo, pp. 208-213. (in Japanese)
- 12) Oku, Y. 2007. Cestode infection in domestic fowls. In: Saishin-kachiku-kiseichubyo-gaku. Itagaki, H. and Ohishi, I. eds., Asakura, Tokyo, pp. 127-131. (in Japanese)
- 13) Oku, Y. 2007. Cestode infection in ruminants. In: Saishin-kachiku-kiseichubyo-gaku. Itagaki, H. and Ohishi, I. eds., Asakura, Tokyo, pp. 123-126. (in Japanese)
- 14) Oku, Y. 2007. Cestode infection in horses. In: Saishin-kachiku-kiseichubyo-gaku. Itagaki, H. and Ohishi, I. eds., Asakura, Tokyo, pp. 120-122. (in Japanese)
- 15) Oku, Y. 2007. Current status of *Echinococcus*, a zoonotic parasite. *Japan Hunter's Magazine (Shuryo-kai)*, **51**, 82-87. (in Japanese)
- 16) Oku, Y. 2007. Neosporosis. In: Shuyoshogyo-wo-kisonishita-inu-no-rinsho. Maede, Y. ed., Dairyman, Sapporo, pp. 318-320. (in Japanese)
- 17) Oku, Y. 2007. Toxoplasmosis. In: Shuyoshogyo-wo-kisonishita-inu-no-rinsho. Maede, Y. ed., Dairyman, Sapporo, pp. 315-317. (in Japanese)
- 18) Oku, Y. 2007. Cestode infection. In: Shuyoshogyo-wo-kisonishita-inu-no-rinsho. Maede, Y. ed., Dairyman, Sapporo, pp. 708-719. (in Japanese)
- 19) Oku, Y. Iwaki, T., Ganzorig, S., Nonaka, N., Inoue, T., Miyahara, T., Okazaki, K. and Kamiya, M., 2007. A control trial for echinococcosis in Hokkaido, perspective driven by local residents. *J. Vet. Med.*, **60**, 376-378. (in Japanese)

Laboratory of Laboratory Animal Science and Medicine

Original articles

- 1) Okumura, M., Yoshimatsu, K., Kumperasart, S., Nakamura, I., Ogino, M., Taruishi, M., Sungdee, A., Pattamadilok, S., Ibrahim, I. N., Erlina, S., Agui, T., Yanagihara, R. and Arikawa, J. 2007. Development of serological assays for Thottapalayam virus, an insectivore-borne Hantavirus. *Clin. Vaccine Immunol.*, **14**, 173-181.
- 2) Menon, S., Lee, J., Abplanalp, W. A., Yoo, S.-E., Agui, T., Furudate, S., Kim, P. S. and Arvan, P. 2007. Oxidoreductase interactions include a role for ERp72 engagement with mutant thyroglobulin from the rdw/rdw rat dwarf. *J. Biol. Chem.*, **282**, 6183-6191.
- 3) Sasaki, N., Hosoda, Y., Nagata, A., Ding, M., Cheng, J.-M., Miyamoto, T., Okano, S., Asano, A., Miyoshi, I. and Agui, T. 2007. A mutation in Tpst2 encoding tyrosylprotein sulfotransferase causes dwarfism associated with hypothyroidism. *Mol. Endocrinol.*, **21**, 1713-1721.
- 4) Asano, A., Tsubomatsu, K., Jung, C.-G., Sasaki, N. and Agui, T. 2007. A deletion mutation of the protein tyrosine phosphatase kappa (*Ptprk*) gene is responsible for the T-helper immunodeficiency (*thid*) in the LEC rat. *Mamm. Genome*, **18**, 779-786.

Laboratory of Internal Medicine

Original articles

- 1) Konno, A., Takiguchi, M., Takada, K., Usami, T., Azumi, K., Kubota, H., Inaba, M., Saegusa, J. and Kon Y. 2007. Identification of a quantitative trait locus regulating B cell-dominant infiltration into autoimmune sialitis lesions of the IQI mouse model of primary Sjögren's syndrome. *Immunogenetics*. **59**: 853-859.
- 2) Elkhateeb, A., Matsuura, H., Yamasaki, M., Maede, Y., Katakura, K. and Nabeta, K. 2007. Anti-Babesial compounds from *Rosa damascena* Mill. *Nat. Prod. Commun.*, **2**: 765-769.
- 3) Elkhateeb, A., Yamada, K., Takahashi, K., Matsuura, H., Yamasaki, M., Maede, Y., Katakura, K. and Nabeta, K. 2007. Anti-Babesial Compounds from *Berberis Vulgaris*. *Nat. Prod. Commun.*, **2**: 173-175.
- 4) Hossain, M. A., Yamato, O., Kim, G. H., Yamasaki, M. and Maede, Y. 2007. Suppressive effect of culture supernatant of erythrocytes and serum from dogs infected with *Babesia gibsoni* on the morphological maturation of canine reticulocytes in vitro. *J. Vet. Sci.* **8**: 169-174.
- 5) Kurosaki, N., Yamato, O., Sasamoto, Y., Mori, F., Imoto, S., Kojima, T., Yamasaki, M. and Maede, Y. 2007. Clinico-pathological findings in peripartum dairy cows fed anion salts lowering the dietary cation-anion difference: Involvement of serum inorganic phosphorus, chloride and plasma estrogen concentrations in milk fever. *Jpn. J. Vet. Res.* **55**: 3-12.
- 6) Yamasaki, M., Inokuma, H., Sugimoto, C., Shaw, SE., Aktas, M., Yabsley, MJ., Yamato, O. and Maede, Y. 2007. Comparison and phylogenetic analysis of the heat shock protein 70 gene of *Babesia* parasites from dogs. *Vet. Parasitol.* **145**: 217-227.
- 7) Satoh, H., Yamato, O., Asano, T., Yonemura, M., Yamauchi, T., Hasegawa, D., Orima, H., Arai, T., Yamasaki and M., Maede, Y. 2007. Cerebrospinal fluid biomarkers showing neurodegenerative in dogs with GM1 gangliosidosis: Possible use for assessment of a therapeutic regimen. *Brain Res.* **1133**: 200-208.
- 8) Hasegawa, D., Yamato, O., Kobayashi, M., Fujita, M., Nakamura, S., Takahashi, K., Satoh, H., Shoda, T., Hayashi, D., Yamasaki, M., Maede, Y., Arai, T. and Orima, H. 2007.

Clinical and molecular analysis of GM2 gangliosidosis in two apparent littermate kittens

of Japanese domestic cat. *J. Feline Med. Surg.* **9**: 232-237.

Laboratory of Veterinary Surgery

Original articles

- 1) Osaki, T., Takagi, S., Hoshino, Y., Okumura, M. and Fujinaga, T. 2007. Antitumor effects and blood flow dynamics after photodynamic therapy using benzoporphyrin derivative monoacid ring A in KLN205 and LM8 mouse tumor models. *Cancer Lett.*, **248**: 47-57.
- 2) Takagi, S., Hoshino, Y., Osaki, T., Okumura, M. and Fuginaga, T. 2007. Expression of membrane-anchored matrix metalloproteinase inhibitor reversion inducing cysteine rich protein with Kazal motifs in murine cell lines. *Exp. Oncol.*, **29**: 30-34.

Publications other than original articles

- 1) Hoshino, Y. 2007. A report of University of Zambia Veterinary Teaching Hospital. *Small Animal Clinic*, **149**: 24-25. (in Japanese)
- 2) Okumura, M. 2007. Procedures for biopsy and cytology on joint diseases -Examination of synovial fluid and synovial biopsy. *SA Medicine*, **9**: 33-41. (in Japanese)
- 3) Okumura, M. 2007. Biomechanical stabilization of stifle joints with cruciate deficiencies- Would TPLO or TTA improved historical problems regarding surgical procedures for the joint stabilization? *J. Vet. Med.*, **60**: 999-1004. (in Japanese)
- 4) Okumura, M. 2007. Clinical evaluation of efficacy of modified green mussel extracts as a slow acting disease-modifying agents for canine joints diseases. *MVM.*, **16**: 67-71. (in Japanese)
- 5) Okumura, M. 2007. A non-steroidal anti-inflammatory drug for canine arthropathy: Introduction for Nimesulide. *Clinic Note*, **3**: 48-56. (in Japanese)
- 6) Okumura, M. and Komatsu, H. 2007. Application of interlocking intramedullary nails for fracture repair in small animals. *InfoVets*, **10**: 43-48. (in Japanese)
- 7) Okumura, M. and Aizawa, S. 2007. How do you manage on treatment of angular limb deformity of forelimbs, "Carpal laxity syndrome" in infant dogs? *InfoVets*, **10**: 29-35. (in Japanese)
- 8) Okumura, M. 2007. Canine patellar luxation and its complication: factors for preventing complications and tibial tuberosity transplantation. *InfoVets*, **10**: 45-50. (in Japanese)
- 9) Takagi, S. and Okumura, M. 2007. Differential diagnosis of complicated digital disorders. *InfoVets*, **10**: 31-37. (in Japanese)
- 10) Takagi, S. and Okumura, M. 2007. "Unhealed fracture" strategies for preventing non union and delayed union. *InfoVets*, **10**: 38-43. (in Japanese)
- 11) Takagi, S. and Okumura, M. 2007. Diagnostic imaging for orthopedic and spinal diseases. *InfoVets*, **10**: 42-48. (in Japanese)

Laboratory of Comparative Pathology

Original articles

- 1) Shin, J. H., Sakoda, Y., Kida, H., Kim, J. H., Ochiai, K. and Umemura, T. 2007. Comparison of antibody titers in rabbits following immunization with inactivated influenza virus via subarachnoidal or subcutaneous route. *J. Vet. Med. Sci.* **69**: 1167-1169.

- 2) Sunden, Y., Semba, S., Suzuki, T., Okada, Y., Orba, Y., Nagashima, K., Umemura, T. and Sawa, H. 2007. Identification of DDX1 as a JC virus transcriptional control region-binding protein. *Microbiol. Immunol.* **51**: 327-337.
- 3) Sunden, Y., Semba, S., Suzuki, T., Okada, Y., Orba, Y., Nagashima, K., Umemura, T. and Sawa, H. 2007. DDX1 promotes proliferation of JC virus through transactivation of its promoter. *Microbiol. Immunol.* **51**: 339-347.

Publications other than original articles

- 1) Ochiai, K. 2007. Colour Atlas of Animal Pathology ed. Japanese Society of Veterinary Pathology. Buneido Pub. Co. Ltd., Tokyo, p. 147, 163, 164, 165, 205, 233, 259 (in Japanese).
- 2) Ochiai, K. 2007. Clinical Medicine in dogs (Inu no Rinsyo). Maede, Y. ed., Dairyman, Sapporo, pp. 93-95, 110-115, 614-615, 760-764, 775 784-785 (in Japanese).

Laboratory of Theriogenology

Original articles

- 1) Kawashima, C., Sakaguchi, M., Suzuki, T., Sasamoto, Y., Takahashi, Y., Matsui, M. and Miyamoto, A. 2007. Metabolic profiles in ovulatory and anovulatory primiparous dairy cows during the first follicular wave postpartum. *J. Reprod. Dev.*, **53**: 113-120.
- 2) Kishi, M., Takakura, R., Nagao, Y., Saeki, K. and Takahashi, Y. 2007. Effect of embryonic cell cycle of nuclear donor embryos on the efficiency of nuclear transfer in Japanese black cattle. *Zygote*, **15**: 165-171.
- 3) Hirayama, H., Katagiri, S., Kageyama, S., Minamihashi, A., Moriyasu, S., Sawai, K., Onoe, S. and Takahashi, Y. 2007. Rapid sex chromosomal chimerism analysis in heterosexual twin female calves by Loop-mediated Isothermal Amplification. *Anim. Reprod. Sci.*, **101**: 38-44.
- 4) Nagano, M., dela Pena, E.C., Atabay, E.C., Takahashi, Y., Katagiri, S. and Hishinuma, M. 2007. Effects of isolation method and pre-treatment with ethylene glycol or raffinose before vitrification on *in vitro* viability of mouse preantral follicles. *Biomed. Res.*, **28**: 153-160.
- 5) Sakaguchi, M., Fujiki, R., Yabuuchi, K., Takahashi, Y. and Aoki, M. 2007. Reliability of estrous detection in Holstein heifers using a radio telemetric pedometer located on the neck or legs under different rearing conditions. *J. Reprod. Dev.*, **53**: 819-828.
- 6) Nagano, M., Hishinuma, M., Katagiri, S. and Takahashi, Y. 2007. The relationship between oocyte morphology and ovarian status in cattle. *J. Reprod. Dev.*, **53**: 953-958.

Publications other than original articles

- 1) Takahashi, Y. and Katagiri, S. 2007. Embryo transfer and *in vitro* fertilization. In: *Manual of Theriogenology* 2nd ed., pp.66-78, Japanese Faculty Association of Theriogenology ed., Buneido Pub. Co. Ltd., Tokyo. (in Japanese)
- 2) Takahashi, Y. 2007. Artificial insemination and gamete transport in cattle. In: *Manual of reproductive Technology in cattle*. pp. 15-17, AIAJ, Tokyo. (in Japanese)
- 3) Takahashi, Y. 2007. The progress and recent status of reproductive physiology and technologies in cattle. *Bull. Soc. Hokkaido Bovine ET*, **26**: 1-5. (in Japanese).
- 4) Katagiri, S. 2007. Dealing with repeat breeding in dairy cattle. *J. Clin. Vet. Med.*, **25**: 31-35. (in Japanese)

Laboratory of Molecular Medicine

Original articles

- 1) Ito, D., Otsuka, Y., Koshino, I. and Inaba, M. 2007. Luminal localization in the endoplasmic reticulum of the C-terminal tail of an AE1 mutant responsible for hereditary spherocytosis in cattle. *Jpn. J. Vet. Res.*, **54**: 191-197.
- 2) Chung, J. S., Sato, K., Dougherty, I. I., Cruz, P. D., Jr. and Ariizumi, K. 2007. DC-HIL is a negative regulator of T lymphocyte activation. *Blood*, **109**: 4320-4327.
- 3) Konno, A., Takiguchi, M., Takada, K., Usami, T., Azumi, K., Kubota, H., Inaba, M., Saegusa, J. and Kon, Y. 2007. Identification of a quantitative trait locus regulating B cell-dominant infiltration into autoimmune sialitis lesions of the IQI mouse model of primary Sjögren's syndrome. *Immunogenetics*, **59**: 853-859.
- 4) Sato, K., Otsuka, Y., Arashiki, N., Komatsu, T., Chen-Chi, W., Tamahara, S. and Inaba, M. 2008. Identification of genes for two major sialoglycoproteins, glycophorin A and glycophorin C in canine red cell membranes. *Jpn. J. Vet. Res.*, **55**: 103-114.

Publication other than original articles

- 1) Sato, K., Inaba, M. and Ariizumi, K. 2007. Molecular basis of innate immune responses by recognition of fungi by dendritic cell C-type lectin dectin-2. *Veterinary Biochemistry*, **44**: 15-25.

Laboratory of Public Health

Original articles

- 1) Abu Daud, N. H., Kariwa, H., Tanikawa, Y., Nakamura, I., Seto, T., Miyashita, D., Yoshii, K., Nakauchi, M., Yoshimatsu, K., Arikawa, J., and Takashima, I. 2007. Mode of Infection of Hokkaido Virus (*Genus Hantavirus*) among Grey Red-Backed Voles, *Myodes rufocanus*, in Hokkaido, Japan. *Microbiol. Immunol.*, **51**: 1081-1090.

Publications other than original articles

- 1) Kariwa, H., Yoshimatsu, K., and Arikawa, J. 2007. Hantavirus infection in East Asia. Review. *Comp. Immunol. Microbiol. Infect. Dis.*, **30**: 341-356.
- 2) Kariwa, H., Lokugamage, K., Lokugamage, N., Miyamoto, H., Yoshii, K., Nakauchi, M., Yoshimatsu, K., Arikawa, J., Ivanov, L. I., Iwasaki, T., and Takashima, I. 2007. A comparative epidemiological study of hantavirus infection in Japan and Far East Russia. Review. *Jpn. J. Vet. Res.*, **54**: 145-161.
- 3) Takashima, I. 2007. Topics in zoonoses 4: Introduction. *J. Vet. Med.*, **60**: 361 (in Japanese)

Laboratory of Radiation Biology

Original articles

- 1) Inoue, Y., Asanuma, T., Smith, N., Saunders, D., Oblander, J., Kotake, Y., Floyd, R. A. and Towner, R. A. Modulation of Fas-FasL related apoptosis by PBN in the early phases of choline deficient diet-mediated hepatocarcinogenesis in rats. *Free Radic Res.*, **41**: 972-980.

- 2) Iizuka, D., Inanami, O., Kashiwakura, I. and Kuwabara, M. Purvalanol A enhances cell killing by inhibiting up-regulation of CDC2 kinase activity in tumor cells irradiated with high doses of X rays. *Radiat. Res.*, **167**: 563-571.
- 3) Yasui, H., Inanami, O., Asanuma, T., Iizuka, D., Nakajima, T., Kon, Y., Matsuda, A. and Kuwabara, M. Treatment combining X-irradiation and a ribonucleoside anticancer drug, TAS106, effectively suppresses the growth of tumor cells transplanted in mice. *Int. J. Radiat. Oncol. Biol. Phys.*, **68**: 218-228.
- 4) Ahmed, M., Kimura, K., Soliman, M., Yamaji, D., Okamatsu-Ogura, Y., Makondo, K., Inanami, O. and Saito, M. Effects of leptin and tumor necrosis factor-alpha on degranulation and superoxide production of polymorphonuclear neutrophils from Holstein cows. *J. Vet. Med. Sci.*, **69**: 125-131.
- 5) Nagahata, H., Higuchi, H., Inanami, O. and Kuwabara, M. Costimulatory effects of complement receptor type 3 and Fc receptor for IgG (FcγR) on superoxide production and signal transduction in bovine neutrophils. *J. Vet. Med. Sci.*, **69**: 993-937.
- 6) Takahashi, M., Inanami, O., Kubota, N., Tsujitani, M., Yasui, H., Ogura, A. and Kuwabara, M. Enhancement of cell death by TNF alpha-related apoptosis-inducing ligand (TRAIL) in human lung carcinoma A549 cells exposed to x rays under hypoxia. *J. Radiat. Res.*, **48**: 461-468.
- 7) Asanuma, T., Yasui, H., Inanami, O., Waki, K., Takahashi, M., Iizuka, D., Uemura, T., Durand, G., Polidori, A., Kon, Y., Pucci, B. and Kuwabara, M. A new amphiphilic derivative, N-[[4-(lactobionamido)methyl]benzylidene]-1, 1-dimethyl-2-(octylsulfanyl) ethylamine N-oxide, has a protective effect against copper-induced fulminant hepatitis in Long-Evans Cinnamon rats at an extremely low concentration compared with its original form alpha-phenyl-N-(tert-butyl)nitron. *Chem. Biodivers.*, **4**: 2253-2267.
- 8) Yasui, H., Asanuma, T., Watanabe, Y., Waki, K., Inanami, O. and Kuwabara, M. Oral administration of Antioxidant Biofactor (AOB™) ameliorates ischemia/reperfusion-induced neuronal death in the gerbil. *Biofactors*, **29**: 113-121.

Publication other than original articles

- 1) Iizuka, D., Inanami, O., Yasui, H., Ogura, A. and Kuwabara, M. 2007. Mechanisms for the radiation-induced cell death by abrogation of G2 checkpoint. *Radiat. Biol. Res. Commun.*, **42**: 444-455 (in Japanese)

Laboratory of Toxicology

Original articles

- 1) Moustafa, G. G., Ibrahim, Z. S., Hashimoto, Y., Alkelch, A. M., Sakamoto, K. Q., Ishizuka, M. and Fujita, S. 2007. Testicular toxicity of profenofos in matured male rats. *Arch. Toxicol.*, **81**: 875-81.
- 2) Ban, S., Kondo, T., Ishizuka, M., Sasaki, S., Konishi, K., Washino, N., Fujita, S. and Kishi, R. 2007. Using Microarray Analysis to Evaluate Genetic Polymorphisms Involved in the Metabolism of Environmental Chemicals. *Fukuoka Acta Medica*, **89**: 208-214.
- 3) Ishizuka, M., Nagai, S., Sakamoto, K. Q. and Fujita, S. 2007. Plasma pharmacokinetics and CYP3A12-dependent metabolism of c-kit inhibitor imatinib in dogs. *Xenobiotica.*, **37**: 503-13.
- 4) Ishizuka, M., Okajima, F., Tanikawa, T., Min, H., Tanaka, K. D., Sakamoto, K. Q. and Fujita, S. 2007. Elevated warfarin metabolism in warfarin-resistant roof rats (*Rattus rattus*) in

Tokyo. *Drug Metab. Dispos.*, **35**: 62-6.

- 5) Kim, H. S., Ishizuka, M., Kazusaka, A. and Fujita, S. 2007. Di-(2-ethylhexyl)phthalate

suppresses tamoxifen-induced apoptosis in GH3 pituitary cells. *Arch. Toxicol.*, **81**: 27-33.

Laboratory of Wildlife Biology

Original articles

- 1) Kunisue, T., Takayanagi, N., Tsubota, T. and Tanabe, S. 2007. Persistent organochlorines in raccoon dogs (*Nyctereutes procyonoides*) from Japan: Hepatic sequestration of oxychlordane. *Chemosphere* **66**: 203-211.
- 2) Asano, M., Tsubota, T., Komatsu, T., Katayama, A., Okano T. and Nakamura, S. 2007. Immobilization of Japanese black bears (*Ursus thibetanus japonicus*) with tiletamine hydrochloride and zolazepam hydrochloride. *J. Vet. Med. Sci.* **69**: 433-435.
- 3) Okano, T., Nakamura, S., Komatsu, T., Murase, T., Asano, M. and Tsubota, T. 2007. Ovulation Induction by Administration of Equine and

Human Chorionic Gonadotropin in Captive Japanese Black Bears (*Ursus thibetanus japonicus*). *Jpn J. Zoo Wildl. Med.* **12**: 61-70.

- 4) Kubo, M., Kobayashi, K., Masegi, T., Sakai, H., Tsubota, T., Asano, M., Itani, M. and Yanai, T. 2007. A case of chondrosarcoma in a free-flying great egret. *J. Wildl. Dis.* **43**: 542-544.
- 5) Fujii, K., Kakumoto, C., Kobayashi, M., Saito, S., Kariya, T., Watanabe, Y., Xuan, X., Igarashi, I. and Suzuki, M. 2007. Seroepidemiology of *Toxoplasma gondii* and *Neospora caninum* in Seals around Hokkaido, Japan. *J. Vet. Med. Sci.* **69**: 393-398.

Publications other than original articles

- 1) Tsubota, T. 2007. A reason why bears do not hibernate? *Syohisya-joho*, **382**: 8-9 (in Japanese)
- 2) Taishi, Y. 2007. On the Comparison of lower second molar between Honshu deer and Ezo deer. *Zoo-archaeology* **24**: 57-63. (in Japanese)

Laboratory of Prion Diseases

Original articles

- 1) Furuoka, H., Yabuzoe, A., Horiuchi, M., Tagawa, Y., Yokoyama, T., Yamakawa, Y., Shinagawa, M. and Sata, T. 2007. Species-specificity of a panel of prion protein antibodies for the immunohistochemical study of animal and human prion diseases. *J. Comp. Pathol.*, **136**: 9-17.
- 2) Uryu, M., Karino, A., Kamihara, Y. and Horiuchi, M. 2007. Characterization of prion susceptibility in Neuro2a mouse neuroblastoma cell subclones. *Microbiol. Immunol.*, **51**: 661-667.
- 3) Ohara, J., Tokari, T., Kurokawa, A., Maeda, J.,

Ishiguro, N., Furuoka, H. and Horiuchi, M. 2007. Frequencies of PrP genotypes in meat breeds of Japanese sheep and trail of selective breeding in experimental sheep flock. *J. Vet. Med. Sci.*, **69**: 1325-1329.

- 4) Fujii, F., Horiuchi, M., Ueno, M., Sakata, H., Nagao, I., Tamura, M. and Kinjo, M. 2007. Detection of prion protein immune complex for bovine spongiform encephalopathy diagnosis using fluorescence correlation spectroscopy and fluorescence cross-correlation spectroscopy. *Anal. Biochem.*, **370**: 131-141.

Publications other than original articles

- 1) Horiuchi, M. 2007. Prion. *Clinical Virology*, **35**: 293-300 (in Japanese)
- 2) Nakamitsu, S. and Horiuchi, M. 2007. Bovine spongiform encephalopathy. *Clinical Virology*, **35**: 301-310 (in Japanese)
- 3) Horiuchi, M. and Nakamitsu, S. 2007. Prion diseases in animals-Bovine spongiform encephalopathy. *Japanese Journal of Clinical Medicine*, **65**: 1513-1520 (in Japanese)

Veterinary Teaching Hospital

Original articles

- 1) Kadohira, M., Yasutomi, I., Markov, J. and Tajima, M. 2007. Quantitative risk assessment of bovine viral diarrhea virus infection in Yubetsu, Hokkaido, Japan. *J. Vet. Epidemiol.*, **11**: 32-39.
- 2) Osaki, T., Takagi, S., Hoshino, Y., Okumura, M.

and Fujinaga, T. 2007. Antitumor Effects and Blood Flow Dynamics After Photodynamic Therapy using Benzoporphyrin Derivative Monoacid Ring A in KLN205 and LM8 Mouse Tumor Models. *Cancer Lett.*, **248**: 47-57.

Publications other than original articles

- 1) Tajima, M. 2007. Ascites, pp. 31-33; Peritonitis, pp. 49-50; Papillomatosis, p. 225; Cutaneous asthenia, p. 226; Vitamin B1 (thiamine) deficiency, p. 355; Vitamin A deficiency, p. 473; Rickets and osteomalacia, pp. 793-794. In: *Clinical aspects of canine diseases*, Maede Y. ed., Dairyman, Sapporo. (in Japanese)
- 2) Tajima, M. 2007. Bovine viral diarrhea mucosal disease, pp. 24-27; Botulism, pp. 42-43; Bovine leukemia, pp. 128-131; BLAD, 184-185. In: *Televi Doctor 3*, Koiwa, M. and Sawamukai, Y. eds., Dairyman, Sapporo. (in Japanese)

Department of Global Epidemiology

Original articles

- 1) Takada, A., Ebihara, H., Jones, S., Feldmann, H. and Kawaoka, Y. 2007. Protective efficacy of neutralizing antibodies against Ebola virus infection. *Vaccine*, **25**: 993-999.
- 2) Takada, A., Ebihara, H., Feldmann, H., Geisbert, T. W. and Kawaoka, Y. 2007. Epitopes required for antibody-dependent enhancement of Ebola virus infection. *J. Infect. Dis.*, **196** (Suppl. 2): S347-356.
- 3) Ozawa, M., Fujii, K., Muramoto, Y., Yamada, S., Yamayoshi, S., Takada, A., Goto, H., Horimoto, T. and Kawaoka, Y. 2007. Contributions of two nuclear localization signals of influenza A virus nucleoprotein to viral replication. *J. Virol.*, **81**: 30-41.
- 4) Kurosaki, Y., Takada, A., Ebihara, H., Grolla, A., Kamo, N., Feldmann, H., Kawaoka, Y. and Yasuda, J. 2007. Rapid and simple detection of Ebola virus by reverse transcription-loop-mediated isothermal amplification. *J. Virol. Methods*, **141**: 78-83.
- 5) Babiker, H. A., Nakatsu, Y., Yamada, K., Yoneda, A., Takada, A., Ueda, J., Hata, H. and Watanabe, T. 2007. Bovine and water buffalo Mx2 genes: polymorphism and antiviral activity. *Immunogenetics*, **59**: 59-67.
- 6) Tambe, Y., Yoshioka-Yamashita, A., Mukaisho, K., Haraguchi, S., Chano, T., Isono, T., Kawai,

- T., Suzuki, Y., Kushima, R., Hattori, T., Goto, M., Yamada, S., Kiso, M., Saga, Y. and Inoue, H. 2007. Tumor prone phenotype of mice deficient in a novel apoptosis-inducing gene, *drs*. *Carcinogenesis*, **28**: 777-784.
- 7) Yoda, T., Suzuki, Y., Yamazaki, K., Sakon, N., Kanki, M., Aoyama, I. and Tsukamoto, T. 2007. Evaluation and application of detecting norovirus using reverse transcription loop-mediated isothermal amplification. *J. Med. Virol.*, **79**: 326-334.
 - 8) Kawai, T., Kase, T., Suzuki, Y., Eda, S., Sakamoto, T., Ohtani, K. and Wakamiya, N. 2007. Anti-influenza A virus activities of mannan-binding lectins and bovine conglutinin. *J. Vet. Med. Sci.*, **69**: 221-224
 - 9) Matsuba, T., Suzuki, Y. and Tanaka, Y. 2007. Association of the Rv0679c protein with lipids and carbohydrates in *Mycobacterium tuberculosis*/*Mycobacterium bovis* BCG. *Arch. Microbiol.*, **187**: 297-311.
 - 10) Okamoto, S., Tamaru, A., Nakajima, C., Nishimura, K., Tanaka, N., Tokuyama, S., Suzuki, Y. and Ochi K. 2007. Loss of a conserved 7-methylguanosine modification in 16S rRNA confers streptomycin resistance in bacteria. *Molec. Microbiol.*, **63**: 1096-1106.
 - 11) Nintasen, R., Utrarachkij, F., Siripanichgon, K., Bhumiratana, A., Suzuki, Y. and Suthienkula, O. 2007. Enhancement of *Legionella pneumophila* culture isolation from microenvironments by macrophage infectivity potentiator (*mip*) gene-specific nested polymerase chain reaction. *Microbiol. Immunol.*, **51**: 777-785.
 - 12) Minato, S. and Ito, K. 2007. Symmetric item set mining method using zero-suppressed BDDs and application to biological data. *Trans. JSAI.*, **22**: 156-164.

Publications other than original articles

- 1) Matsuno, K. and Takada, A. 2007. Antibody Therapy as a Future Treatment Option for Ebola Virus Infection. *Future Virol.*, **2**: 607-614.
- 2) Takada, A. 2007. Filovirus infection: pathogenesis and host specificity. *Tanpakushitsu Kakusan Koso*, **52**(Suppl.): 1242-1247. (in Japanese)
- 3) Yoshida, R. and Takada A. 2007. Protective immunity against influenza virus infection. *Experimental Medicine*, **25**: 3176-3182. (in Japanese)
- 4) Suzuki, Y., Ohtani, K. and Wakamiya, N. 2007. The novel collectins, CL-L1, CL-P1 and CL-K1. In: *Collagen-related lectins in innate immunity*, pp. 85-102, Kilpatrick, D. ed., Research Signpost, KereLa, India.
- 5) Ohtani, K., Suzuki, Y. and Wakamiya, N. 2007. Human placental collectin1. *Rinsyo Kensa* **51**: 1714-1718.
- 6) Suzuki, Y. 2007. Antigen of *Mycobacterium leprae* and the molecular biology of leprosy. In: *Review in leprosy*, pp. 20-40, Makino, M. et al. eds., Tokai University Press.
- 7) Ito, K. 2007. Building intelligent multimodal assistants based on logic programming in the meme media architecture. In: *Intelligent Assistant Systems: Concepts, Techniques and Technologies*, pp. 146-169, Kaschek, R. ed., Idea Group, Inc., Hershey.
- 8) Lamonova, N., Ito, K. and Tanaka, Y. 2007. From planning tools to intelligent assistants: meme media and logic programming technologies. In: *Intelligent Assistant Systems: Concepts, Techniques and Technologies*. pp. 170-182, Kaschek, R. ed., Idea Group, Inc., Hershey.

Department of Molecular Pathobiology

Original articles

- 1) Ishii, A., Matsuo, A., Sawa, H., Tsujita, T., Shida, K., Matsumoto, M. and Seya, T. 2007. Lamprey TLRs with properties distinct from those of the variable lymphocyte receptors. *J. Immunol.*, **178**: 397-406.
- 2) Sunden, Y., Semba, S., Suzuki, T., Okada, Y., Orba, Y., Nagashima, K., Umemura, T. and Sawa, H. 2007. Identification of DDX1 as a JC virus (JCV) transcriptional control region-binding protein. *Microbiol. Immunol.*, **51**: 327-337.
- 3) Sunden, Y., Semba, S., Suzuki, T., Okada, Y., Orba, Y., Nagashima, K., Umemura, T. and Sawa, H. 2007. DDX1 promotes proliferation of JC virus (JCV) through transactivation of the JCV promoter. *Microbiol. Immunol.*, **51**: 339-347.
- 4) Ichinohe, T., Nagata, N., Strong, P., Tamura, S. I., Takahashi, H., Ninomiya, A., Imai, M., Odagiri, T., Tashiro, M., Sawa, H., Chiba, J., Kurata, T., Sata, T. and Hasegawa, H. 2007. Prophylactic effects of chitin microparticles on highly pathogenic H5N1 influenza virus. *J. Med. Virol.*, **79**: 811-819.
- 5) Tsuji, T., Sheehy, N., Gautier, V.W., Hayakawa, H., Sawa, H. and Hall, W. W. 2007. The nuclear import of the human T lymphotropic virus type I (HTLV-1) Tax protein is carrier and energy independent. *J. Biol. Chem.*, **282**: 13875-13883.
- 6) Takaya, A., Kamio, T., Masuda, M., Mochizuki, N., Sawa, H., Sato, M., Nagashima, K., Mizutani, A., Matsuno, A., Kiyokawa, E. and Matsuda, M. 2007. R-Ras regulates exocytosis by Rgl2/Rlf-mediated activation of RalA on endosomes. *Mol. Biol. Cell* **18**: 1850-1860.
- 7) Nakaoka, Y., Nishida, K., Narimatsu, M., Kamiya, A., Minami, T., Sawa, H., Okawa, K., Fujio, Y., Koyama, T., Maeda, M., Sone, M., Yamasaki, S., Arai, Y., Koh, G.Y., Kodama, T., Hirota, H., Otsu, K., Hirano, T. and Mochizuki, N. 2007. Gab family proteins are essential for postnatal maintenance of cardiac function via neuregulin-1/ErbB signaling. *J. Clin. Invest.*, **117**: 1771-1781.
- 8) Ichinohe, T., Tamura, S.I., Kawaguchi, A., Ninomiya, A., Imai, M., Itamura, S., Odagiri, T., Tashiro, M., Takahashi, H., Sawa, H., Chiba, J., Kurata, T., Sata, T. and Hasegawa, H. 2007. Cross-protection against H5N1 influenza virus infection afforded by intranasal administration of seasonal trivalent inactivated influenza vaccine. *J. Infect. Dis.*, **196**: 1313-1320.
- 9) Masuo, Y., Ishido, M., Morita, M., Sawa, H., Nagashima, K. and Niki, E. 2007. Behavioural characteristics and gene expression in the hyperactive wiggling (Wig) rat. *Eur. J. Neurosci.*, **25**: 3659-3666.
- 10) Ichinohe, T., Kawaguchi, A., Tamura, SI, Takahashi, H., Sawa, H., Ninomiya, A., Imai, M., Itamura, S., Odagiri, T., Tashiro, M., Chiba, J., Kurata, T., Sata, T. and Hasegawa, H. 2007. Intranasal immunization with H5N1 vaccine plus Poly I Poly C12U, a Toll-like receptor agonist, protects mice against homologous and heterologous virus challenge. *Microbes. Infect.*, **9**: 1333-1340.
- 11) Fujita, T., Maturana, AD, Ikuta, J., Hamada, J., Walchli, S., Suzuki, T., Sawa, H., Wooten, MW, Okajima, T., Tatematsu, K., Tanizawa, K. and Kuroda, S. 2007. Axonal guidance protein FEZ 1 associates with tubulin and kinesin motor protein to transport mitochondria in neurites of NGF-stimulated PC12 cells. *Biochem. Biophys. Res. Commun.*, **361**: 605-610.
- 12) Tabu, K., Ohba, Y., Suzuki, T., Makino, Y., Kimura, T., Ohnishi, A., Sakai, M., Watanabe, T., Tanaka, S. and Sawa, H. 2007. OLIG2 inhibits the motility of a human glial tumor cell line by activating RhoA. *Mol. Cancer. Res.*, **5**: 1099-1109.

Department of Bioresources

Original articles

- 1) Takeda, S., Iwai, A., Nakashima, M., Fujikura, D., Chiba, S., Li, H.M., Uehara, J., Kawaguchi, S., Kaya, M., Nagoya, S., Wada, T., Yuan, J., Rayter, S., Ashworth, A., Reed, J.C., Yamashita, T., Uede, T. and Miyazaki, T. 2007. LKB1 is crucial for TRAIL-mediated apoptosis induction in osteosarcoma., *Anticancer Res.*, **27**, 761-768.
- 2) Kim, H.R., Chae, H.J., Thomas, M., Miyazaki, T., Monosov, A., Monosov, E., Krajewska, M., Krajewski, S. and Reed, J.C., 2007. Mammalian dap3 is an essential gene required for mitochondrial homeostasis in vivo and contributing to the extrinsic pathway for apoptosis., *FASEB J.* **21**, 188-196.
- 3) Li, H.M., Ikeda, H., Nakabayashi, H., Nishi, S. and Sakai, M. 2007. Identification of CCAAT enhancer binding protein α binding sites on the human α -fetoprotein gene., *Gene*, **389**: 128-135.

Department of Collaboration and Education

Original articles

- 1) Nagata, T., Toyota, T., Ishigaki, H., Ichihashi, T., Kajino, K., Kashima, Y., Itoh, Y., Mori, M., Oda, H., Yamamura, H., Taneichi, M., Uchida, T. and Ogasawara, K. 2007. Peptides coupled to the surface of a kind of liposome protect infection of influenza viruses. *Vaccine*. **25**: 4914-4921.
- 2) Taruishi, M., Yoshimatsu, K., Araki, K., Okumura, M., Nakamura, I., Kajino, K. and Arikawa, J. 2007. Analysis of the immune response of Hantaan virus nucleocapsid protein-specific CD8+ T cells in mice. *Virology*. **365**: 292-301.
- 3) Kontani, K., Teramoto, K., Ozaki, Y., Sawai, S., Tezuka, N., Ishida, H., Kajino, K., Fujino, S., Yamauchi, A., Taguchi, O., Kannagi, R., Yokomise, H. and Ogasawara, K. 2007. Preparation of fully activated dendritic cells capable of priming tumor-specific cytotoxic T lymphocytes in patients with metastatic cancer using penicillin-killed streptococcus pyogenes (OK 432) and anti-CD40 antibody. *Oncol. Rep.*, **17**: 895-902.
- 4) Zhang, H., Compaore, M.K., Lee, E.G., Liao, M., Zhang, G., Sugimoto, C., Fujisaki, K., Nishikawa, Y. and Xuan, X. 2007. Apical membrane antigen1 is a cross-reactive antigen between *Neospora caninum* and *Toxoplasma gondii*, and the anti-NcAMA1 antibody inhibits host cell invasion by both parasites. *Mol. Biochem. Parasitol.*, **151**: 205-212.
- 5) Alhassan, A., Thekisoe, O.M., Yokoyama, N., Inoue, N., Motloang, M.Y., Mbatia, P.A., Yin H, Katayama, Y., Anzai, T., Sugimoto, C. and Igarashi, I. 2007. Development of loop-mediated isothermal amplification (LAMP) method for diagnosis of equine piroplasmiasis. *Vet. Parasitol.*, **143**: 155-160.
- 6) Namangala, B., Inoue, N. and Sugimoto, C. 2007. Effects of exogenous transforming growth factor-beta on *Trypanosoma congolense* infection in mice. *Infection and Immunity*, **75**: 1878-1885.
- 7) Thekisoe, O. M. M., Omolo, J. D., Swai, E. S., Hayashida, K., Zhang, J., Sugimoto, C. and Inoue, N. 2007. Preliminary application and evaluation of loop-mediated isothermal amplification (LAMP) for detection of bovine theileriosis and trypanosomiasis in Tanzania. *Onderstepoort J. Vet. Res.*, **74**: 339-342.
- 8) Zhang, H., Lee, E.G., Liao, M., Compaore, M.K., Zhang, G., Kawase, O., Fujisaki, K., Sugimoto C., Nishikawa, Y. and Xuan, X. 2007. Identification of ribosomal phosphoprotein P0 of

- Neospora caninum as a potential common vaccine candidate for the control of both neosporosis and toxoplasmosis. *Mol. Biochem. Parasitol.*, **153**: 141-8.
- 9) Gao, J., Luo, J., Fan, R., Guan, G., Ren, Q., Ma, M., Sugimoto, C., Bai, Q. and Yin, H. 2007. Molecular characterization of a myosin alkali light chain-like protein, a "concealed" antigen from the hard tick *Haemaphysalis qinghaiensis*. *Vet. Parasitol.*, **147**: 140-149.
 - 10) Gao, J., Luo, J., Li, Y., Fan, R., Zhao, H., Guan, G., Liu, J., Wiske, B., Sugimoto, C. and Yin, H. 2007. Cloning and characterization of a ribosomal protein L23a from *Haemaphysalis qinghaiensis* eggs by immuno screening of a cDNA expression library. *Exp. Appl. Acarol.*, **41**: 289-303.
 - 11) Thekisoe, O.M., Honda, T., Fujita, H., Battsetseg, B., Hatta, T., Fujisaki, K., Sugimoto, C. and Inoue, N. 2007. A trypanosome species isolated from naturally infected *Haemaphysalis hystrix* ticks in Kagoshima Prefecture, Japan. *Parasitology* **19**: 1-8.
 - 12) Yamasaki, M., Inokuma, H., Sugimoto, C., Shaw, S.E., Aktas, M., Yabsley, M.J., Yamato, O. and Maede, Y. 2007. Comparison and phylogenetic analysis of the heat shock protein 70 gene of *Babesia* parasites from dogs. *Vet. Parasitol.*, **145**: 217-227.
 - 13) Thekisoe, O.M., Kuboki, N., Nambota, A., Fujisaki, K., Sugimoto, C., Igarashi, I., Yasuda, J. and Inoue, N. 2007. Species-specific loop-mediated isothermal amplification (LAMP) for diagnosis of trypanosomosis. *Acta. Trop.*, **102**: 182-189.
 - 14) Gao, J., Luo, J., Fan, R., Fingerle, V., Guan, G., Liu, Z., Li, Y., Zhao, H., Ma, M., Liu, J., Liu A., Ren, Q., Dang, Z., Sugimoto, C. and Yin, H. 2008. Cloning and characterization of a cDNA clone encoding calreticulin from *Haemaphysalis qinghaiensis* (Acari: Ixodidae). *Parasitol. Res.*, **102**: 737-46.